
dweLED
By WAC



dweLED

LED Pendants + Chandeliers 2

LED Sconces + Bath 118

LED Sconces 166

LED Bedside Wall + Swing Arms 206

LED Ceiling Mounts 234

LED Outdoor 272



LED Pendants + Chandeliers

Design and décor styles have changed throughout the years, but the seminal moments have always favored fearless innovators that were creative and bold. We are very excited to unveil our latest dweLED Pendants and Chandeliers, pushing the envelope of design and technology to bring you true originals. Select an artistic statement piece for the lobby in your hotel or a remarkable luminaire to greet guests in a place of prominence, like the entryway of your home.

ESCAPADE



PD-31228-BN *shown*

DAMP | TITLE 24 CALIFORNIA | PATENT PENDING


NEW

28" LED PENDANT

- *Omnidirectional illumination with silicone diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*80,000 hours*
Input:	*120V/277V*

PD-31228: ***Size:*** 28" ***Watt:*** 30W
LED Lumens: 3,270 ***Delivered Lumens:*** 2,270



PD-31228

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-31228-BK**



"Black or brushed nickel metal intimately intertwined with a complementary diffuser, weaving together two powerfully contrasting elements."

PD-31228-BK *shown*

QUARTET



PD-29256-BK *shown*



PD-29256-BK *shown*

DAMP

PATENT PENDING


NEW

56″ LED PENDANT

- *Rotatable arm with etched acrylic diffuser to create desired look*
- *Three 12″ and one 6″ downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-29256: ***Size:*** 56″ ***Watt:*** 28W
LED Lumens: 2,500 ***Delivered Lumens:*** 1,189



PD-29256

Finish

BK:
Black

Example: **PD-29256-BK**

MORAE



PD-33230-BN *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

30" LED PENDANT

- *Downlight with silicone diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-33230: ***Size:*** 30" ***Watt:*** 42W
LED Lumens: 3,300 ***Delivered Lumens:*** 1,987

Finish


BK:
Black

BN:
Brushed Nickel

Example: **PD-33230-BN**



See complementary pieces on page 10-11.



PD-33230



PD-33230-BK *shown*

MORAE



PD-33244-BN *shown*



PD-33244-BK *shown*

NEW

44″ LED PENDANT

- *Downlight with silicone diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-33244: ***Size:*** 44″ ***Watt:*** 36W
LED Lumens: 2,500 ***Delivered Lumens:*** 1,512

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-33244-BN**



PD-33244



See complementary pieces on page 8-9.

VALERIUS



PD-37224-BK *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

24" LED PENDANT

- *Omnidirectional diffused illumination*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-37224: ***Size:*** 24" ***Watt:*** 34W
LED Lumens: 3,500 ***Delivered Lumens:*** 1,897



PD-37224

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-37224-BK**



PD-37224-BN *shown*

TIGHTROPE



PD-35246-BK *shown*



PD-35246-BK *shown*


NEW

46″ LED PENDANT

- *Omnidirectional diffused illumination*
- *Adjustable silicone diffuser to create desired look*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-35246: ***Size:*** 46″ ***Watt:*** 30W
LED Lumens: 4,000 ***Delivered Lumens:*** 2,145



PD-35246

Finish

BK:
Black

Example: **PD-35246-BK**

MAMBA



PD-71226-BK *shown*

DAMP

TITLE 24 CALIFORNIA


NEW

26" LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-71226: ***Size:*** 26" ***Watt:*** 49W
LED Lumens: 3,869 ***Delivered Lumens:*** 2,145



PD-71226

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-71226-BK**



PD-71226-BN *shown*

SINCLAIR



Omnidirectional diffused illumination with a jaw-dropping motif. Three orbital rings showcased within a stunning geometrical form add stylish architecture and gorgeous illumination to your space.

PD-73242-BK/GL *shown*



PD-73242-BK/GL *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

42" LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a 120V driver*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

Finish

BK/GL: *Black/Gold Leaf*

Example: **PD-73242-BK/GL**

PD-73242: ***Size:*** 43" ***Watt:*** 44W
LED Lumens: 4,300 ***Delivered Lumens:*** 2,136



PD-73242



See complementary pieces on page 96-97.

COCHERE



PD-97218-BK/GO/AB *shown*

DAMP

TITLE 24 CALIFORNIA


NEW

18" LED PENDANT

- *Downlight with etched acrylic diffuser*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-97218: ***Size:*** 18" ***Watt:*** 15W
LED Lumens: 1,500 ***Delivered Lumens:*** 907



PD-97218

Finish

BK/GO/AB:
Black/Gold/Aged Brass
Example: **PD-97218-BK/GO/AB**



PD-97218-BK/GO/AB *shown*

PAVILION



PD-65244-BK/AB *shown*



PD-65244-BK/AB *shown*

44″ LED PENDANT

- *Downlight with etched acrylic diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

NEW


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

Finish

BK/AB:
Black/Aged Brass

Example: **PD-65244-BK/AB**

PD-65244: ***Size:*** 44″ ***Watt:*** 30W
LED Lumens: 2,240 ***Delivered Lumens:*** 1,728



PD-65244

PARALLAX



PD-73155-AB *shown*



PD-73155-BN *shown*

TITLE 24 CALIFORNIA

DAMP

NEW

55" LED PENDANT

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-73155: ***Size:*** 55" ***Watt:*** 44W
LED Lumens: 2,496 ***Delivered Lumens:*** 1,653


Finish

AB: *Aged Brass*

BK: *Black*

BN: *Brushed Nickel*

Example: **PD-73155-BK**



PD-73155



See complementary pieces on page 252-253.



"A complex array of slender light bars create crisp lines, adding a sculptural feel to any space."

PD-73155-BK *shown*

PARALLAX



PD-73139-AB *shown*



PD-73139-BK *shown*



PD-73129-BN *shown*

29” & 39” LED PENDANT

- *Rotatable light bar to create desired look*
- *Three 12” and one 6” downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-73129: ***Size:*** 29” ***Watt:*** 37W
LED Lumens: 2,071 ***Delivered Lumens:*** 1,302

PD-73139: ***Size:*** 39” ***Watt:*** 42W
LED Lumens: 2,265 ***Delivered Lumens:*** 1,523


Finish

AB: *Aged Brass*


BK: *Black*

BN: *Brushed Nickel*

Example: **PD-73139-AB**



PD-73129



PD-73139



See complementary pieces on page 130-131.

SIRIUS



PD-81118-BK *shown*

PD-81131-WT *shown*

DAMP

TITLE 24 CALIFORNIA

NEW SIZE

18", 24" & 31" LED PENDANT

- *Up and downlight with silicone diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

Finish

AL: *Brushed Aluminum*

BK: *Anodized Black*


WT: *White*

Example: **PD-81124-AL**


PD-81118: ***Size:*** 18" ***Watt:*** Up to 36W
LED Lumens: Up to 2,493
Delivered Lumens: Up to 1,218

PD-81124: ***Size:*** 24" ***Watt:*** Up to 49W
LED Lumens: Up to 3,480
Delivered Lumens: Up to 1,725


PD-81131: ***Size:*** 31" ***Watt:*** Up to 70W
LED Lumens: Up to 4,763
Delivered Lumens: Up to 2,054



PD-81118



PD-81124



PD-81131



PD-81124-AL *shown*



PD-83128-AB *shown*



PD-83128-BK *shown*

28″ LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*


PD-83128: ***Size:*** 28″ ***Watt:*** 47W
LED Lumens: 3,330 ***Delivered Lumens:*** 1,668

Finish

AB: *Aged Brass*

BK: *Black*

Example: **PD-83128-AB**



PD-83128



See complementary pieces on page 236-237.

MARQUES




PD-83148-AB *shown*

48" LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-83148: ***Size:*** 48" ***Watt:*** 44W
LED Lumens: 3,375 ***Delivered Lumens:*** 1,929



PD-83148

Finish

AB: *Aged Brass*

BK: *Black*

Example: **PD-83148-BK**



See complementary pieces on page 30-31.



PD-83148-BK *shown*

EFFERVESCENT



PD-97145-BK *shown*



PD-97145-AL *shown*

DAMP

TITLE 24 CALIFORNIA

45" LED PENDANT

- *Low profile, adjustable powered aircraft cables for an ultra-clean look, black aircraft cable for BK finish and clear aircraft cable for AL finish*
- *Slide-on rectangular canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-97145: ***Size:*** 45" ***Watt:*** 33W
LED Lumens: 2,970 ***Delivered Lumens:*** 2,758

Finish

AL:
Brushed Aluminum

BK:
Black

Example: **PD-97145-BK**



PD-97145

ROCKABILLY



PD-75126-BK *shown*


TITLE 24
CALIFORNIA

26" LED PENDANT

- *Double fabric shades*
- *Downlight illumination with acrylic diffuser*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*

PD-75126: ***Size:*** 26" ***Watt:*** 25W
LED Lumens: 2,350 ***Delivered Lumens:*** 874



PD-75126

Finish

BK:
Black

Example: **PD-75126-BK**



PD-75126-BK *shown*

MANHATTAN



PD-13720-BK *shown*



PD-13714-BK *shown*



PD-13726-BN *shown*

TITLE 24
CALIFORNIA

14”, 20” & 26” LED PENDANT

- *Fabric shade with etched acrylic diffuser in three coordinating fabric and hardware color combinations*
- *Three 12” and one 6” downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*

Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-13714: ***Size:*** 14” ***Watt:*** Up to 31W
LED Lumens: Up to 2,405 ***Delivered Lumens:*** Up to 2,205

PD-13720: ***Size:*** 20” ***Watt:*** Up to 36W
LED Lumens: Up to 2,800 ***Delivered Lumens:*** Up to 2,285


PD-13726: ***Size:*** 26” ***Watt:*** Up to 48W
LED Lumens: Up to 4,200 ***Delivered Lumens:*** Up to 3,419

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-13720-BK**



PD-13714 **PD-13720** **PD-13726**



See complementary pieces on page 190-191.

ATLAS



PD-51030-BK *shown*



PD-51050-BK *shown*

DAMP

TITLE 24 CALIFORNIA

30", 41" & 50" LED PENDANT

- *Cubes rotate independently for creative display options*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*
- *PD-51050-BK for special order only*

Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

Finish


BK: *Black*

Example: **PD-51041-BK**


PD-51030: ***Size:*** 30" ***Watt:*** 30W
LED Lumens: 4,500 ***Delivered Lumens:*** 1,600

PD-51041: ***Size:*** 41" ***Watt:*** 42W
LED Lumens: 5,600 ***Delivered Lumens:*** 2,246


PD-51050: ***Size:*** 50" ***Watt:*** 60W
LED Lumens: 6,500 ***Delivered Lumens:*** 3,000



PD-51030



PD-51041



PD-51050




PD-51041-BK *shown*

ETERNAL



Delicately twisting.
As timeless as a wedding band.

PD-18041-CH *shown*



PD-18041-BK *shown*

DAMP

TITLE 24 CALIFORNIA

41" LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
	100% - 10% TRIAC
Rated Life:	*50,000 hours*
Input:	*120V-277V*


PD-18041: ***Size:*** 41" ***Watt:*** 53W
LED Lumens: 3,900 ***Delivered Lumens:*** 1,636

Finish

BK:
Black


CH:
Chrome

Example: **PD-18041-CH**



PD-18041

MINECRAFT



PD-17023-BK *shown*

DAMP


TITLE 24 CALIFORNIA

23" LED PENDANT

- *Omnidirectional diffused illumination*
- *Asymmetrical, seamless and continuous design*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-17023: ***Size:*** 23" ***Watt:*** 45W
LED Lumens: 5,600 ***Delivered Lumens:*** 2,274



PD-17023

Finish

BK:
Black

Example: **PD-17023-BK**




PD-17023-BK *shown*

LUNE



PD-16063-AL *shown*



PD-16063-BK *shown*


ETL LISTED US · DAMP · TITLE 24 CALIFORNIA

63" LED PENDANT

- *Light source rotates 300 degrees*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-16063: *Size:* 63" *Watt:* 23W
LED Lumens: 2,300 *Delivered Lumens:* 1,355



PD-16063


Finish

AL: *Brushed Aluminum*

BK: *Black*

Example: **PD-16063-BK**

Rotatable:





See complementary pieces on page 224-225.



PD-14032-BK *shown*

LUNE


32" LED PENDANT

"Clear-cut, poised and powerful design. Field adjustable."

- *Light source rotates 300 degrees*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-14032: ***Size:*** 32" ***Watt:*** 28W
LED Lumens: 3,000 ***Delivered Lumens:*** 1,832



Finish


AL: *Brushed Aluminum*

BK: *Black*


Example: **PD-14032-BK**

Rotatable:





PD-14032



PD-15052-AL *shown*

LUNE


52" LED PENDANT

"Slim, open, geometric styling. Adjustable."

- *Light source rotates 300 degrees*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-15052: ***Size:*** 52" ***Watt:*** 46W
LED Lumens: 4,600 ***Delivered Lumens:*** 3,559



Finish


AL: *Brushed Aluminum*

BK: *Black*

Example: **PD-15052-BK**

Rotatable:





PD-15052

BISTRO



PD-20010-AB *shown*



PD-20014-AB *shown*

DAMP TITLE 24 CALIFORNIA

4 LIGHTS, 10" & 14" LED PENDANT

- *Mouth blown glass with unique hand crafted halo band*
- *Open bottom for ease of maintenance*
- *Low profile, powered aircraft cables for an ultra-clean look*
- *Three 12" and one 6" downrods included for PD-20004 only (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

Finish


AB:
Aged Brass

Example: **PD-20004-AB**


PD-20010: *Size:* 10" *Watt:* 9W
LED Lumens: 680 *Delivered Lumens:* 259

PD-20014: *Size:* 14" *Watt:* 9W
LED Lumens: 680 *Delivered Lumens:* 281


PD-20004: *Lights:* 4 *Watt:* 23W
LED Lumens: 1,819 *Delivered Lumens:* 834



PD-20010



PD-20014



PD-20004



PD-20004-AB *shown*



PD-22744-BK *shown*



PD-22744-AL *shown*



PD-22754-BK *shown*



PD-22775-AL *shown*

VOLO

44", 54" & 75" LED PENDANT

• Downlight illumination
• Low profile, adjustable powered aircraft cables for an ultra-clean look
• May be mounted on a sloped ceiling
• Canopy conceals a proprietary universal 120V-220V-277V driver
• 0-10V dimming not available for PD-22775

"Wishful lighting. Ultra thin pendant for the discerning minimalist."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V-277V*

Finish

AL: *Brushed Aluminum*

BK: *Black*

Example: **PD-22744-BK**

PD-22744: ***Size:*** 44" ***Watt:*** 24W
LED Lumens: 1,299 ***Delivered Lumens:*** 1,034

PD-22754: ***Size:*** 54" ***Watt:*** 30W
LED Lumens: 2,150 ***Delivered Lumens:*** 1,740

PD-22775: ***Size:*** 75" ***Watt:*** 44W
LED Lumens: 2,671 ***Delivered Lumens:*** 1,888



PD-22744



PD-22754



PD-22775

PD-33718-WT *shown*



PD-33732-BK *shown*



PD-33743-AL *shown*

CORSO

18", 32" & 43" LED PENDANT

• Low profile, adjustable powered aircraft cables for an ultra-clean look
• May be mounted on sloped ceiling
• Canopy conceals a proprietary universal 120V-220V-277V driver

"Cleverly hidden LED modules and a circular frosted diffuser floating inside a halo of spun aluminum."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*75,000 hours*
Input:	*120V-277V*

Finish

AL: *Brushed Aluminum*

BK: *Black*


WT: *White*

Example: **PD-33732-BK**


PD-33718: ***Size:*** 18" ***Watt:*** 22W
LED Lumens: 1,495 ***Delivered Lumens:*** 940

PD-33732: ***Size:*** 32" ***Watt:*** 88W
LED Lumens: 6,340 ***Delivered Lumens:*** 4,435


PD-33743: ***Size:*** 43" ***Watt:*** 125W
LED Lumens: 11,115 ***Delivered Lumens:*** 7,300



PD-33718



PD-33732



PD-33743




See complementary pieces on page 268.

VORNADO



PD-87723-CH *shown*



PD-87720-WT *shown*



PD-87735-CH *shown*

ETL LISTED INTERTEK C US DAMP

20”, 23” & 35” LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% – 10% ELV, 100% – 5% 0-10V*
Rated Life:	*60,000 hours*
Input:	*120V–277V*

PD-87720: ***Size:*** 20” ***Watt:*** 31W
LED Lumens: 2,825 ***Delivered Lumens:*** 2,075

PD-87723: ***Size:*** 23” ***Watt:*** 52W
LED Lumens: 5,106 ***Delivered Lumens:*** 3,110

PD-87735: ***Size:*** 35” ***Watt:*** 52W
LED Lumens: 5,278 ***Delivered Lumens:*** 3,550

Finish

CH: *Chrome*

WT: *White*

Example: **PD-87723-CH**



PD-87720



PD-87723



PD-87735

See complementary pieces on page 109.



VORNADO

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA

29" & 41" LED PENDANT


"Bands of silver and light twist in and out like a Mobius strip."

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V–277V*

PD-87729: ***Size:*** 29" ***Watt:*** 87W
LED Lumens: 7,766 ***Delivered Lumens:*** 5,375

PD-87741: ***Size:*** 41" ***Watt:*** 87W
LED Lumens: 7,818 ***Delivered Lumens:*** 5,861



PD-87729



PD-87741

Finish



CH:
Chrome

Example: **PD-87729-CH**



See complementary pieces on page 54-55.



VIDA

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA

18" & 24" LED PENDANT

"Refreshing take on a traditional shape. Finished in elegant black or white, in addition to brushed aluminum. Inside, a powerful integrated LED array projects flawless light."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*52,000 hours*
Input:	*120V–277V*

PD-72718: ***Size:*** 18" ***Watt:*** 33W
LED Lumens: 2,450 ***Delivered Lumens:*** 1,755

PD-72724: ***Size:*** 24" ***Watt:*** 43W
LED Lumens: 3,235 ***Delivered Lumens:*** 2,385




Finish

AL:
Brushed Aluminum


BK:
Black

WT:
White

Example: **PD-72718-AL**



PD-72718



PD-72724



PD-60964-BK *shown*

DIVERGENCE

44" & 64" LED PENDANT

DAMP

TITLE 24 CALIFORNIA

- *Downlight illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a 120V driver for PD-60944*
- *Canopy conceals a proprietary universal 120V-220V-277V driver for PD-60964*

NEW FINISH

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV (44")*
	100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC (64")
Rated Life:	*50,000 hours*
Input:	*120V (44"), 120V-277V (64")*

PD-60944: ***Size:*** 44" ***Watt:*** 78W
LED Lumens: 7,458 ***Delivered Lumens:*** 4,293


PD-60964: ***Size:*** 64" ***Watt:*** 90W
LED Lumens: 8,550 ***Delivered Lumens:*** 5,603


Finish

BK: *Black*

CH: *Chrome*

Example: **PD-60944-CH**





"Flowing bands of light converge in this unique and striking pendant."

PD-60944-CH *shown*

NIVEOUS



PD-52313-BN *shown*

PD-52307-WT *shown*



PD-52310-AB *shown*

7”, 10” & 13” LED PENDANT

- *Downlight with mouth blown opal glass diffuser*
- *Three 12” and one 6” downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *4” junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K (2700K / 3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*70,000 hours*
Input:	*120V-277V*

PD-52307: ***Size:*** 7” ***Watt:*** 10W
LED Lumens: 777 ***Delivered Lumens:*** 588

PD-52310: ***Size:*** 10” ***Watt:*** 14W
LED Lumens: 905 ***Delivered Lumens:*** 685

PD-52313: ***Size:*** 13” ***Watt:*** 14W
LED Lumens: 907 ***Delivered Lumens:*** 715


Finish

AB:
Aged Brass


BN:
Brushed Nickel

WT:
White


Example: **PD-52313-BN**
For 2700K add “-27”; 3500K add “-35” before the finish: **PD-52313-27-BN**



PD-52307




PD-52310




PD-52313

See complementary pieces on page 271.



PD-29806-AL *shown*



PD-29809-BK *shown*

STACK

3, 6 & 9 LIGHT LED CHANDELIERS

TITLE 24 CALIFORNIA

DAMP

- *Height and slope of each strip can be individually adjusted for personalization*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look, black aircraft cable for BK finish and clear aircraft cable for AL finish*
- *May be mounted on a sloped ceiling*
- *Canopy conceals proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V–277V*

PD-29803: ***Lights:*** 3 ***Watt:*** 42W
LED Lumens: 4,938 ***Delivered Lumens:*** 3,950

PD-29806: ***Lights:*** 6 ***Watt:*** 84W
LED Lumens: 9,876 ***Delivered Lumens:*** 7,900


PD-29809: ***Lights:*** 9 ***Watt:*** 126W
LED Lumens: 14,814 ***Delivered Lumens:*** 11,850

Finish


AL:
Brushed Aluminum

BK:
Black


Example: **PD-29803-AL**



PD-29803




PD-29806



PD-29809



PD-29803-AL *shown*



PD-29828-AL *shown*

PD-29858-BK *shown*

FRAME

28" & 58" LED PENDANT

- *Downlight illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals proprietary universal 120V-220V-277V driver*

"Extruded acrylic diffuser with mitered edges evokes a clean, geometric look with powerful LED illumination projecting up to the rectilinear canopy."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V–277V*

PD-29828: ***Size:*** 28" ***Watt:*** 55W
LED Lumens: 6,334 ***Delivered Lumens:*** 5,131


PD-29858: ***Size:*** 58" ***Watt:*** 58W
LED Lumens: 7,160 ***Delivered Lumens:*** 5,800

Finish


AL:
Brushed Aluminum

BK:
Black

Example: **PD-29828-AL**



PD-29828 **PD-29858**



PD-31947-BK *shown*

TRICK BOX

47" LED PENDANT

- *Up and downlight with edge-lit LED*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

"Cutting edge illumination in a smart, geometric design."


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV , 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-31947: ***Size:*** 47" ***Watt:*** 22W
LED Lumens: 2,125 ***Delivered Lumens:*** 1,212

Finish

BK:
Black

Example: **PD-31947-BK**



PD-31947

SOLARIS



PD-94940- BK *shown*



PD-94940-CH *shown*



PD-94940-AB *shown*

TITLE 24 CALIFORNIA

DAMP

40" LED PENDANT & CEILING MOUNT

- *Three 12" and one 6" downrod included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 5% 0-10V,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-94940: ***Size:*** 40" ***Watt:*** 31W
LED Lumens: 2,098 ***Delivered Lumens:*** 1,329


Finish

AB:
Aged Brass

BK:
Black

CH:
Chrome

Example: **PD-94940- BK**



PD-94940



PD-55906-BK/AB *shown*



PD-55912-BK/AB *shown*

HOUDINI

DAMP

6 & 12 LIGHT LED CHANDELIER

"Waving wands deliver cutting edge LED magic."

- *Rotatable light bar to create desired look*
- *Three 12 inch and one 6 inch rods included (additional extension rods available)*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*36,000 hours*
Input:	*120V-277V*

PD-55906: *Lights:* 6 *Watt:* 16W
LED Lumens: 685 *Delivered Lumens:* 427


PD-55912: *Lights:* 12 *Watt:* 31W
LED Lumens: 1,370 *Delivered Lumens:* 796

Finish




BK/AB:
Black/Aged Brass

Example: **PD-59906-BK/AB**



PD-55906




PD-55912



PD-95820-CH *shown*



PD-95827-CH *shown*



PD-95838-BK *shown*

TRAP

DAMP TITLE 24 CALIFORNIA

20", 27" & 38" LED PENDANT

"Futuristic design meets top-tier technology."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look, black aircraft cable for BK finish and clear aircraft cable for CH finish*
- *May be mounted on a sloped ceiling*
- *Canopy conceals proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% – 10% ELV, 100% – 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V–277V*

PD-95820: *Size:* 20" *Watt:* 35W
LED Lumens: 2,488 *Delivered Lumens:* 1,914

PD-95827: *Size:* 27" *Watt:* 65W
LED Lumens: 4,759 *Delivered Lumens:* 3,953


PD-95838: *Size:* 38" *Watt:* 79W
LED Lumens: 5,580 *Delivered Lumens:* 4,293

Finish


BK:
Matte Black

CH:
Chrome


Example: **PD-95827-CH**



PD-95820



PD-95827



PD-95838



PD-47839-CH *shown*

INTERLACE

28" & 39" LED PENDANT

ETL LISTED cULus · DAMP · TITLE 24 CALIFORNIA

"Delicate bands of light weave playfully in and out on this flowing modern design. A continuous construction, a flexible diffuser, and powered aircraft cable suspension complete an overall clean, seamless look."

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*54,000 hours*
Input:	*120V–277V*

PD-47828: ***Size:*** 28" ***Watt:*** 57W
LED Lumens: 4,853 ***Delivered Lumens:*** 3,263


PD-47839: ***Size:*** 39" ***Watt:*** 57W
LED Lumens: 4,734 ***Delivered Lumens:*** 3,241

Finish




CH:
Chrome

Example: **PD-47828-CH**




PD-47828



PD-47839




See complementary pieces on page 162-163.



"Edge-lit magic. The profile of this direct and indirect pendant is under an inch thick."

PD-47828-CH *shown*



PD-23852-BK *shown*



PD-23852-AL *shown*

LOOPHOLE

52" LINEAR LED PENDANT

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

"Luminous loophole. Clever design details like weighted fasteners that keep the pendant level."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% – 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V–277V*


PD-23852: ***Size:*** 52" ***Watt:*** 42W
LED Lumens: 4,261 ***Delivered Lumens:*** 2,733

Finish

AL:
Brushed Aluminum

BK:
Black

Example: **PD-23852-BK**



PD-23852



PD-31727-TT *shown*

PD-31735-TT *shown*

ILLUSION

27" & 35" LED PENDANT

- *Up and downlight with edge-lit LED*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals proprietary universal 120V-220V-277V driver*

"Spectacular halo of direct and indirect light from an impossible form."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*


PD-31727: ***Size:*** 27" ***Watt:*** 54W
LED Lumens: 5,353 ***Delivered Lumens:*** 3,930

PD-31735: ***Size:*** 35" ***Watt:*** 85W
LED Lumens: 7,391 ***Delivered Lumens:*** 4,366


Finish

TT:
Titanium


Example: **PD-31735-TT**



PD-31727



PD-31735



PD-51148-30-BK *shown*

LINE

48″ LINEAR LED PENDANT

ETL LISTED DAMP

- *Up and downlight with edge-lit LED*
- *Six 12″ and two 6″ downrods included (additional downrod sold separately)*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary 120V transformer*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V (277V special order)*


PD-51148-30: ***Size:*** 48″ ***Watt:*** 48W
LED Lumens: 4,435 ***Delivered Lumens:*** 3,055

Finish

AL:
Brushed Aluminum

BK:
Black

Example: **PD-51148-30-BK**
For 277V, add an "F" before the color temperature: **PD-51148F-30-BK**



PD-51148-30




See complementary pieces on page 163.



Edge-lit magic.
The profile of this direct and indirect pendant is under an inch thick.

PD-51148-30-AL *shown*



PD-45747-BK *shown*

E=MC²

DAMP

47" LINEAR LED PENDANT

"Relatively, speaking. An engineering marvel."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*36,000 hours*
Input:	*120V- 277V*

PD-45747: ***Size:*** 47" ***Watt:*** 30W
LED Lumens: 1,770 ***Delivered Lumens:*** 1,190

Finish

BK:
Black

Example: **PD-45747-BK**



PD-45747



PD-85648-AL *shown*

LEVEL

DAMP

48" LINEAR LED PENDANT

"Balanced, consistent lighting elevated. Remarkable edge-lit linear blade just 1/2" wide."

- *Downlight with edge-lit LED*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary 120V transformer*


Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*84,000 hours*
Input:	*120V (277V special order)*

PD-85648: ***Size:*** 48" ***Watt:*** 35W
LED Lumens: 1,620 ***Delivered Lumens:*** 1,565

Finish

AL:
Brushed Aluminum

Example: **PD-85648-AL**
For 277V, add an "F"
before the finish: **PD-85648F-AL**



PD-85648



See complementary pieces on page 158.



PD-42909-BK *shown*

PD-42912-BK *shown*

PD-42918-BK *shown*

NAPA

DAMP TITLE 24 CALIFORNIA

9", 12" & 18" LED PENDANT

"Timeless sophistication meets modern technology."

- *Downlight with extruded acrylic diffuser*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *May be mounted on a slope ceiling*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-42909: *Size:* 9" *Watt:* 15W
LED Lumens: 1,200 *Delivered Lumens:* 620


PD-42912: *Size:* 12" *Watt:* 16W
LED Lumens: 1,400 *Delivered Lumens:* 790

PD-42918: *Size:* 18" *Watt:* 25W
LED Lumens: 2,400 *Delivered Lumens:* 1,365


Finish

BK:
Black


Example: **PD-42909-BK**




PD-42909



PD-42912



PD-42918



PD-70913-BK *shown*

PD-70925-BN *shown*

PD-70937-BK *shown*

PD-70945-BN *shown*

FLARE

DAMP TITLE 24 CALIFORNIA

13", 25", 37" & 45" MINI LED PENDANT

"Symmetrical, cylindrical and aerodynamic. Brilliance alone or as a collection."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-70913: *Size:* 13" *Watt:* 11W
LED Lumens: 1,099 *Delivered Lumens:* 745

PD-70925: *Size:* 25" *Watt:* 27W
LED Lumens: 2,426 *Delivered Lumens:* 1,700

PD-70937: *Size:* 37" *Watt:* 37W
LED Lumens: 3,801 *Delivered Lumens:* 2,637


PD-70945: *Size:* 45" *Watt:* 42W
LED Lumens: 4,254 *Delivered Lumens:* 2,853

Finish


BN:
Brushed Nickel

BK:
Black


Example: **PD-70913-BK**




PD-70913



PD-70925



PD-70937



PD-70945



PD-26611-SN *shown*

PD-26616-SN *shown*

ELEMENTUM

DAMP

11" & 16" MINI LED PENDANT

"True chemistry between light and style."

- *Opal glass diffuder with twist lock installation*
- *Downlight illumination*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K (2700K / 3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*65,000 hours*
Input:	*120V-277V*


PD-26611: ***Size:*** 11" ***Watt:*** 15W
LED Lumens: 1,187 ***Delivered Lumens:*** 858

PD-26616: ***Size:*** 16" ***Watt:*** 20W
LED Lumens: 1,769 ***Delivered Lumens:*** 1,363


Finish

SN:
Satin Nickel

Example: **PD-26616-SN**
For 2700K add "-27"; 3500K add "-35" before the finish:
PD-26616-27-SN



PD-26611



PD-26616



See complementary pieces on page 153.



PD-37806-AL *shown*



PD-37814-AL *shown*

TIC TOC

DAMP

TITLE 24
CALIFORNIA

6" & 14" MINI LED PENDANT

"An elegant design with up and down illumination."

- *Up and downlight illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Canopy conceals a proprietary universal 120V driver*

Color Temp:	*3000K*
CRI:	*80*
Dimming:	*100% – 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*


PD-37806: ***Size:*** 6" ***Watt:*** 15W
LED Lumens: 1,198 ***Delivered Lumens:*** 684

PD-37814: ***Size:*** 14" ***Watt:*** 28W
LED Lumens: 3,150 ***Delivered Lumens:*** 1,800


Finish

AL:
Brushed Aluminum

Example: **PD-37806-AL**




PD-37806



PD-37814

AMELIA



PD-39214-BK *shown*



PD-39214-AB *shown*



PD-39214-BN *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

14" MINI LED PENDANT

- *Etched opal glass diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-39214: ***Size:*** 14" ***Watt:*** 19W
LED Lumens: 1,937 ***Delivered Lumens:*** 1,569


Finish

AB:
Aged Brass

BN:
Brushed Nickel

BK:
Black

Example: **PD-39214-BK**



PD-39214

MARISE



PD-79221-BK *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

21" MINI LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-79221: ***Size:*** 21" ***Watt:*** 11W
LED Lumens: 900 ***Delivered Lumens:*** 462

Finish

BK:
Black

CH:
Chrome

Example: **PD-79221-CH**



PD-79221



See complementary pieces on page 168-169.



PD-79221-CH *shown*

CHANDRA



This conical pendant features a slim minimalist body with a clear tapered thick wall and an aged brass or black downlight. Create a lovely design statement by grouping in a row over a kitchen island, counter, dining table or bar.

PD-87214-AB *shown*



PD-87214-BK *shown*

DAMP

TITLE 24 CALIFORNIA


NEW

14" MINI LED PENDANT

- *Downlight with clear glass shade*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

PD-87214: ***Size:*** 14" ***Watt:*** 15W
LED Lumens: 725 ***Delivered Lumens:*** 274



PD-87214

Finish

AB: *Aged Brass*

BK: *Black*

Example: **PD-87214-AB**



See complementary pieces on page 88-89.

CHANDRA



PD-87208-BK *shown*

ETL LISTED INTERTEK C US · DAMP · TITLE 24 CALIFORNIA

NEW

8" MINI LED PENDANT

- *Downlight with clear glass shade*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


PD-87208: ***Size:*** 8" ***Watt:*** 15W
LED Lumens: 958 ***Delivered Lumens:*** 382

Finish

BK:
Black

BN:
Brushed Nickel


Example: **PD-87208-BN**



PD-87208



See complementary pieces on page 86-87.



PD-87208-BN *shown*

PIERCE



A vibrant spin on modern style, this mini pendant will top off your lighting dreams with a retro look that integrates an etched acrylic lens in a bold black finish with gold painted interior.

PD-89210-BK/GO *shown*



PD-89210-BN *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

10" MINI LED PENDANT

- *Downlight with etched acrylic diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-89210: ***Size:*** 10" ***Watt:*** 20W
LED Lumens: 2,500 ***Delivered Lumens:*** 1,392

Finish

BK/GO:
Black/Gold

BN:
Brushed Nickel

Example: **PD-89210-BK/GO**



PD-89210

CHRYSALIS



PD-91207-BN *shown*

ETL LISTED INTERTEK US · DAMP · TITLE 24 CALIFORNIA

NEW

7" MINI LED PENDANT

- *Downlight with wispy opal glass diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-91207: ***Size:*** 7" ***Watt:*** 5W
LED Lumens: 312 ***Delivered Lumens:*** 216

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-91207-BN**



PD-91207



PD-91207-BK *shown*

ECHO



PD-41210-BN *shown*



PD-41210-BN *shown*

INTERTEK ETL LISTED c US · DAMP · TITLE 24 CALIFORNIA

NEW

10″ MINI LED PENDANT

- *Downlight with clear glass shade*
- *Three 12″ and one 6″ downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*73,000 hours*
Input:	*120V*

PD-41210: ***Size:*** 10″ ***Watt:*** 11W
LED Lumens: 509 ***Delivered Lumens:*** 364

Finish

BN:
Brushed Nickel

Example: **PD-41210-BN**



PD-41210

SINCLAIR



PD-73210-BK/GL *shown*

ETL LISTED INTERTEK · DAMP · TITLE 24 CALIFORNIA

NEW

10" MINI LED PENDANT


- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Slide-on square canopy design with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-73210: ***Size:*** 10" ***Watt:*** 14W
LED Lumens: 1,300 ***Delivered Lumens:*** 664

Finish

BK/GL:
Black/Gold Leaf
Example: **PD-73210-BK/GL**



PD-73210



See complementary pieces on page 18-19.



PD-73210-BK/GL *shown*

BRANWEN



PD-75209-CH *shown*



PD-75209-CH *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

9" MINI LED PENDANT

- *Clear glass shade with frosted top*
- *Etched acrylic diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-75209: ***Size:*** 9" ***Watt:*** 8W
LED Lumens: 800 ***Delivered Lumens:*** 387

Finish

CH:
Chrome

Example: **PD-75209-CH**



PD-75209

BOLLA



PD-67209-CH *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

9" MINI LED PENDANT

- *Downlight with etched acrylic diffuser and clear glass shade*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-67209: ***Size:*** 9" ***Watt:*** 8W
LED Lumens: 950 ***Delivered Lumens:*** 564

Finish

CH:
Chrome

Example: **PD-67209-CH**



PD-67209



PD-67209-CH *shown*

INTERLACE



PD-47821-CH *shown*



PD-47821-BK *shown*

DAMP

TITLE 24 CALIFORNIA

NEW FINISH

21" MINI LED PENDANT

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

PD-47821: ***Size:*** 21" ***Watt:*** 21W
LED Lumens: 1,902 ***Delivered Lumens:*** 1,087

Finish


BK:
Black

CH:
Chrome

Example: **PD-47821-CH**



See complementary pieces on page 57.



PD-47821

ELLINGTON



PD-61110-BN *shown*

10" MINI LED PENDANT

- *Mouth blown opal glass diffuser*
- *Rotatable inner metal ring*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*


PD-61110: ***Size:*** 10" ***Watt:*** 7W
LED Lumens: 340 ***Delivered Lumens:*** 312

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **PD-61110-AB**



PD-61110



PD-61110-AB *shown*

LAUREL



PD-69108-BN *shown*



PD-69108-BK *shown*

ETL LISTED INTERTEK c us · DAMP · TITLE 24 CALIFORNIA

8″ LED MINI PENDANT

- *Downlight with opal glass diffuser*
- *Three 12″ and one 6″ downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


PD-69108: ***Size:*** 8″ ***Watt:*** 15W
LED Lumens: 1,400 ***Delivered Lumens:*** 899

Finish

BK:
Black

BN:
Brushed Nickel

Example: **PD-69108-BN**



PD-69108



PD-85114-BK *shown*



PD-85114-BN *shown*

ARTEMIS

14" MINI LED PENDANT

ETL LISTED DAMP TITLE 24 CALIFORNIA

"Bringing eternal grace and lightness."

- *Three illuminating arms with frosted silicone diffuser*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Spin-on round canopy with minimal hardware*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


PD-85114: ***Size:*** 14" ***Watt:*** 16W
LED Lumens: 1,179 ***Delivered Lumens:*** 737

Finish

BK: *Black*

BN: *Brushed Nickel*

Example: **PD-85114-BN**



PD-85114



PD-84907-BK *shown*



PD-84907-CH *shown*

VORNADO

NEW FINISH

7" MINI LED PENDANT

ETL LISTED DAMP TITLE 24 CALIFORNIA

"Seamless curves flow infinitely."

- *Omnidirectional diffused illumination*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V-277V*


PD-84907: ***Size:*** 7" ***Watt:*** 14W
LED Lumens: 1,410 ***Delivered Lumens:*** 943

Finish

BK: *Black*

CH: *Chrome*

Example: **PD-84907-CH**
For the Title 24 option, add "T24" before the finish: **PD-84907-T24-CH**



PD-84907



See complementary pieces on page 54-55.

KONE



PD-72006-SN *shown*



PD-72006-BK *shown*

DAMP TITLE 24 CALIFORNIA

6" LED MINI PENDANT

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10 % TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-72006: ***Size:*** 6" ***Watt:*** 11W
LED Lumens: 1,000 ***Delivered Lumens:*** 243


Finish

AB:
Aged Brass

BK:
Black

SN:
Satin Nickel

Example: **PD-72006-AB**
For title 24 option add "T24"
before the finish: **PD-72006-T24-AB**



PD-72006



PD-72006-AB *shown*



PD-13006-BK *shown*

OHM

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA

6" MINI LED PENDANT

"Modern elegance paired with advanced luminosity."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look with matching color*
- *May be mounted on a sloped ceiling*
- *Thin canopy conceals a 120V driver*


Color Temp: *3000K*
CRI: *90*
Dimming: *100% - 10% ELV, 100% - 10% TRIAC*
Rated Life: *50,000 hours*
Input: *120V*

PD-13006: ***Size:*** 6" ***Watt:*** 13W
LED Lumens: 1,200 ***Delivered Lumens:*** 553

Finish

BK:
Black

Example: **PD-13006-BK**



PD-13006



PD-76908-AB *shown* **PD-76908-BK** *shown* **PD-76908-CH** *shown*

ACTION

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA

8" MINI LED PENDANT

"Drops of liquid metal, alone or in multiples for a futuristic look."

- *Downlight with die-cast etched acrylic diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp: *3000K*
CRI: *90*
Dimming: *100% - 10% ELV*
Rated Life: *50,000 hours*
Input: *120V-277V*

PD-76908: ***Size:*** 8" ***Watt:*** 7W
LED Lumens: 674 ***Delivered Lumens:*** 573


Finish

AB:
Aged Brass

BK:
Black

CH:
Chrome

Example: **PD-76908-AB**
For title 24 option add "T24" before the finish: **PD-76908-T24-AB**



PD-76908



PD-68909-BN *shown*



PD-68909-AB *shown*



PD-68909-BK *shown*

DAMP

TITLE 24
CALIFORNIA

9" LED MINI PENDANT

- *Up and down light with spin on opal glass diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*60,000 hours*
Input:	*120V-277V*

PD-68909: ***Size:*** 9" ***Watt:*** 20W
LED Lumens: 1,718 ***Delivered Lumens:*** 884


Finish

AB:
Aged Brass

BK:
Black

BN:
Brushed Nickel

Example: **PD-68909-BN**
For title 24 option add "T24"
before the finish: **PD-68909-T24-BN**



PD-68909



PD-98908-AB *shown*

CRATER

TITLE 24 CALIFORNIA

DAMP

8" MINI LED PENDANT

"Luxury in layers. A modern take on classic sophistication."

- *Downlight with clear glass and bubbled acrylic diffuser*
- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*


Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PD-98908: ***Size:*** 8" ***Watt:*** 6W
LED Lumens: 338 ***Delivered Lumens:*** 315

Finish

AB:
Aged Brass

Example: **PD-98908-AB**
For the 24 option, add "T24" before the finish: **PD-98908-T24-AB**



PD-98908



PD-52008-CH *shown*

LOLLI

DAMP

8" MINI LED PENDANT

"Unique oval bronze glass pendant with a hammered optic."

- *Low profile, adjustable powered aircraft cables for an ultra-clean look*
- *May be mounted on a sloped ceiling*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*


Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V-277V*

PD-52008: ***Size:*** 8" ***Watt:*** 7W
LED Lumens: 284 ***Delivered Lumens:*** 165

Finish

CH:
Chrome

Example: **PD-52008-CH**



PD-52008



LED Sconces + Bath

Creative progressive designs conjure an inspired blend of modern materials, artful pieces and advanced artisanship that have utilized the most advanced LED technologies while accentuating the upscale hardware and finishes. Fine baths and powder rooms are enhanced with show-stopping lighting from dweLED that complements your architecture and design for those that crave bold new looks while demanding the best in functionality and flattering illumination.

FALLON



WS-53223-BN *shown*



WS-53223-BK *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

NEW

23" LED SCONCE + BATH

- *Frontlight with etched acrylic diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


WS-53223: ***Size:*** 23" ***Watt:*** 15W
LED Lumens: Up to 1,308
Delivered Lumens: Up to 1,054

Finish

BK:
Black

BN:
Brushed Nickel

Example: **WS-53223-BN**



WS-53223



WS-53223-BN *shown*

VERA



WS-95227-BK *shown*



WS-95227-BK *shown*



NEW

27″ LED SCONCE + BATH

- *Cutting-edge illumination with etched acrylic diffuser*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*


Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

Finish

BK: *Black*

Example: **WS-95227-BK**

WS-95227: ***Size:*** 27″ ***Watt:*** 28W
LED Lumens: 2,120 ***Delivered Lumens:*** 1,898



WS-95227

MARQUES



WS-83120-BK *shown*



WS-83129-TT *shown*



WS-83139-BK *shown*

DAMP

TITLE 24 CALIFORNIA

20", 29" & 39" LED SCONCE + BATH

- *Omnidirectional illumination*
- *Conversion plate included to accommodate 4" junction box*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

Finish

BK: *Black*

TT: *Titanium*

Example: **WS-83129-BK**


WS-83120: ***Size:*** 20" ***Watt:*** 15W
LED Lumens: Up to 1,297
Delivered Lumens: Up to 691

WS-83129: ***Size:*** 29" ***Watt:*** 29W
LED Lumens: Up to 2,389
Delivered Lumens: Up to 1,271


WS-83139: ***Size:*** 39" ***Watt:*** 32W
LED Lumens: Up to 2,714
Delivered Lumens: Up to 1,444




See complementary pieces on page 236-237.



WS-83120



WS-83129



WS-83139



WS-83129-BK *shown*

SPECTRE



WS-93120-BK *shown*



WS-93120-BK *shown*



WS-93127-BN *shown*

20” & 27” LED SCONCE + BATH

- *Cutting-edge light guide panel is transparent in the off state and luminous when turned on*
- *May be mounted with or without canopy (1” slim junction box JB-0501 sold separately)*
- *Conversion plate included to accommodate 4” junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*60,000 hours*
Input:	*120V*

Finish

BK: *Anodized Black*

BN: *Brushed Nickel*

Example: **WS-93120-BK**

WS-93120: ***Size:*** 20” ***Watt:*** 17W
LED Lumens: 1,731
Delivered Lumens: 739

WS-93127: ***Size:*** 27” ***Watt:*** 23W
LED Lumens: 2,295
Delivered Lumens: 1,055



WS-93120



WS-93127

PARALLAX



WS-73118-BK *shown*



WS-73124-CH *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

18" & 24" LED SCONCE + BATH

- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-73118: *Size:* 18" *Watt:* 6W
LED Lumens: 271
Delivered Lumens: 173

WS-73124: *Size:* 24" *Watt:* 6W
LED Lumens: 393
Delivered Lumens: 275

Finish

BK: *Black*


BN: *Brushed Nickel*

CH: *Chrome*


Example: **WS-73124-BN**



See complementary pieces on page 252-253.



WS-73118



WS-73124



WS-73124-BN *shown*

PARALLAX



WS-73123-30-BK *shown*



WS-73117-30-BN *shown*



WS-73123-30-CH *shown*

18" & 24" LED SCONCE + BATH

- *Downlight illumination*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-73117-27, WS-73117-30, WS-73117-35:
Size: 18" ***Watt:*** 6W
LED Lumens: Up to 263
Delivered Lumens: Up to 169

WS-73123-27, WS-73123-30, WS-73123-35:
Size: 24" ***Watt:*** 11W
LED Lumens: Up to 542
Delivered Lumens: Up to 340

Finish

BK: *Black*


BN: *Brushed Nickel*

CH: *Chrome*


Example: **WS-73123-30-BK**



See complementary pieces on page 24-25.



WS-73117



WS-73123



WS-41119-AL *shown*



WS-41125-BK *shown*



WS-41137-AL *shown*

STYX

19", 25" & 37" LED SCONCE + BATH

- *Directional light with an etched diffuser*
- *Adjustable backplate*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

WS-41119: ***Size:*** 19" ***Watt:*** 16W
LED Lumens: 1,247
Delivered Lumens: 688

WS-41125: ***Size:*** 25" ***Watt:*** 19W
LED Lumens: 1,421
Delivered Lumens: 824


WS-41137: ***Size:*** 37" ***Watt:*** 28W
LED Lumens: 2,247
Delivered Lumens: 1,301

Finish

AL:
Brushed Aluminum

BK:
Anodized Black

Example: **WS-41119-BK**



WS-41119



WS-41125



WS-41137



WS-41119-BK *shown*

JASMINE



WS-77127-BK *shown*



WS-77127-CH *shown*



WS-77137-BK *shown*

DAMP

TITLE 24 CALIFORNIA

27″ & 37″ LED SCONCE + BATH

- *Frosted silicone diffuser with omnidirectional illumination*
- *Oval backplate*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

Finish

BK: *Black*

CH: *Chrome*


Example: **WS-77127-BK**

WS-77127: ***Size:*** 27″ ***Watt:*** 8W
LED Lumens: 786 ***Delivered Lumens:*** 504

WS-77137: ***Size:*** 37″ ***Watt:*** 12W
LED Lumens: 1,155 ***Delivered Lumens:*** 740



WS-77127



WS-77137

MUSEO





WS-65128-WT *shown*

WS-65118-WT *shown*

18" & 28" LED SCONCE + BATH

- *Faux alabaster. Like real stone, each piece is unique.*
- *Up and downlight with etched acrylic diffuser*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*

Finish

WT: *White*

Example: **WS-65118-WT**

WS-65118: ***Size:*** 18" ***Watt:*** 17W
LED Lumens: 1,769 ***Delivered Lumens:*** 1,140

WS-65128: ***Size:*** 28" ***Watt:*** 33W
LED Lumens: 3,079 ***Delivered Lumens:*** 1,929



WS-65118



WS-65128



WS-65118-WT *shown*

VIEW



WS-89128-30-AL *shown*

WS-89120-30-AL *shown*



WS-89128-30-BK *shown*


20” & 28” LED SCONCE + BATH

- *Back lit etched acrylic diffuser*
- *Conversion plate included to accommodate 4” junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-89120-27, WS-89120-30, WS-89120-35:
Size: 20” ***Watt:*** 10W
LED Lumens: Up to 805 ***Delivered Lumens:*** Up to 644

WS-89128-27, WS-89128-30, WS-89128-35:
Size: 28” ***Watt:*** 17W
LED Lumens: Up to 1,412 ***Delivered Lumens:*** Up to 1,300



WS-89120



WS-89128

Finish

AL: *Brushed Aluminum*

BK: *Black*

Example: **WS-89128-30-AL**



WS-87117-CH *shown*

WS-87128-CH *shown*

WAVE

DAMP

17" & 28" LED SCONCE + BATH


"Glistens like the sun on the ocean currents."

- *Edge lit light guide diffuser*
- *Backlight with recessed silicone diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

WS-87117: *Size:* 17" *Watt:* 15W
LED Lumens: 544 *Delivered Lumens:* 418

WS-87128: *Size:* 28" *Watt:* 30W
LED Lumens: 1,060 *Delivered Lumens:* 815



WS-87117




WS-87128

Finish

CH:
Chrome

Example: **WS-87117-CH**



WS-79121-BN *shown*

WS-79130-BN *shown*

SIMONE

DAMP TITLE 24 CALIFORNIA ADA

21" & 30" LED SCONCE + BATH


"Artfully framed illumination. Precisely cut and enveloped."

- *Ceramic silk-screen mitered glass diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-79121: *Size:* 21" *Watt:* 22W
LED Lumens: 1,800 *Delivered Lumens:* 1,100

WS-79130: *Size:* 30" *Watt:* 34W
LED Lumens: 2,500 *Delivered Lumens:* 2,100



WS-79121



WS-79130

Finish

BN:
Brushed Nickel

Example: **WS-79121-BN**

LOCKE



WS-30018-BN *shown*



WS-30018-AB *shown*

ETL LISTED INTERTEK US · DAMP · TITLE 24 CALIFORNIA

18" LED SCONCE + BATH

- *Unique, faceted diamond backplate*
- *Up and downlight with opal glass diffuser*
- *May be mounted on wall in all orientations*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-30018: ***Size:*** 18" ***Watt:*** 21W
LED Lumens: 1,580 ***Delivered Lumens:*** 1,270

Finish

AB:
Aged Brass

BN:
Brushed Nickel


Example: **WS-30018-BN**



WS-30018



WS-30018-BN *shown*



WS-36022-AB *shown*



WS-36032-BN *shown*

MELROSE

DAMP · TITLE 24 CALIFORNIA · ADA

22" & 32" LED SCONCE + BATH

"Modern and clean. Clear and opal glass layers encapsulate perfectly even LED illumination."

- *Frontlight with clear and ceramic silk-screen glass diffuser*
- *Fixture conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

WS-36022: ***Size:*** 22" ***Watt:*** 26W
LED Lumens: 1,720 ***Delivered Lumens:*** 1,175


WS-36032: ***Size:*** 32" ***Watt:*** 32W
LED Lumens: 2,105 ***Delivered Lumens:*** 1,505

Finish

AB:
Aged Brass

BN:
Brushed Nickel


Example: **WS-36032-BN**



WS-36022 **WS-36032**



WS-37024-BN *shown*



WS-37034-AB *shown*

MERCER

DAMP · TITLE 24 CALIFORNIA · ADA

24" & 34" LED SCONCE + BATH

"Classic design elegantly finished. Opal glass shade provides diffused illumination."

- *Frontlight with opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-37024: ***Size:*** 24" ***Watt:*** 32W
LED Lumens: 2,636 ***Delivered Lumens:*** 1,359

WS-37034: ***Size:*** 34" ***Watt:*** 48W
LED Lumens: 4,008 ***Delivered Lumens:*** 2,481

Finish


AB:
Aged Brass

BN:
Brushed Nickel

Example: **WS-37024-AB**



WS-37024



WS-37034

JULIET



WS-35020-BN *shown*



WS-35020-CH *shown*



WS-35027-AB *shown*

ETL LISTED INTERTEK c US · DAMP · TITLE 24 CALIFORNIA

20” & 27” LED SCONCE + BATH

- *Frontlight with opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-35020: *Size:* 20” *Watt:* 27W
LED Lumens: 2,059 *Delivered Lumens:* 1,439

WS-35027: *Size:* 27” *Watt:* 34W
LED Lumens: 2,778 *Delivered Lumens:* 1,983


Finish

AB: *Aged Brass*
BN: *Brushed Nickel*
CH: *Chrome*

Example: **WS-35027-BN**




WS-35020



WS-35027



WS-38024-BN *shown*



WS-38036-AB *shown*

DARCY

24" & 36" LED SCONCE + BATH

"Flattering illumination. Experience unparallel task lighting above a vanity or alongside a mirror."

- *Frontlight with ceramic silk-screen mitered glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-38024: ***Size:*** 24" ***Watt:*** 34W
LED Lumens: 3,800 ***Delivered Lumens:*** 1,733

WS-38036: ***Size:*** 36" ***Watt:*** 45W
LED Lumens: 5,000 ***Delivered Lumens:*** 2,383

Finish



AB:
Aged Brass



BN:
Brushed Nickel

Example: **WS-38024-BN**





WS-38024



WS-38036



WS-69815-BN *shown*



WS-69826-CH *shown*



WS-69838-BN *shown*

ESPRIT

15", 26" & 38" LED SCONCE + BATH

"High-performance LED modules. Slim, geometric profile."

- *Frontlight with etched acrylic diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V–277V*

WS-69815: ***Size:*** 15" ***Watt:*** 11W
LED Lumens: 845 ***Delivered Lumens:*** 636

WS-69826: ***Size:*** 26" ***Watt:*** 20W
LED Lumens: 1,784 ***Delivered Lumens:*** 1,240

WS-69838: ***Size:*** 38" ***Watt:*** 30W
LED Lumens: 2,712 ***Delivered Lumens:*** 2,136

Finish




BN:
Brushed Nickel




CH:
Chrome

Example: **WS-69826-BN**






WS-69815




WS-69826




WS-69838

REPOSE



WS-34027-AL *shown*



WS-34037-AL *shown*

DAMP · TITLE 24 CALIFORNIA · ADA

27" & 37" LED SCONCE + BATH

- *Up and downlight edge-lit LED with moulded diffuser deeply textured on the inside*
- *Fixture conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

Finish

AL:
Brushed Aluminum

Example: **WS-34027-AL**

WS-34027: ***Size:*** 27" ***Watt:*** 26W
LED Lumens: 1,493 ***Delivered Lumens:*** 1,356

WS-34037: ***Size:*** 37" ***Watt:*** 32W
LED Lumens: 2,122 ***Delivered Lumens:*** 1,785



WS-34027



WS-34037



WS-34027-AL *shown*



VISTA

ETL LISTED US · DAMP · ADA

20" & 26" LED SCONCE + BATH

- *Frontlight with etched acrylic diffuser*
- *Adjustable backplate*
- *Conversion plate included to accommodate 4" junction box*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

"A brilliant outlook. Versatile 1 inch luminaire with narrow spears of light."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V-277V*

WS-40720: *Size:* 20" *Watt:* 15W
LED Lumens: 1,387 *Delivered Lumens:* 1,216


WS-40726: *Size:* 26" *Watt:* 20W
LED Lumens: 1,713 *Delivered Lumens:* 1,578

Finish

AL:
Brushed Aluminum

CH:
Chrome

Example: **WS-40720-CH**





ELEMENTUM

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA · ADA · IP65 · CCT

13", 22" & 30" LED SCONCE + BATH

- *Frontlight with opal glass diffuser*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K*
- *ACLED driverless technology*
- *22" and 30" versions may be mounted on wall in all orientations*

"Tubular, streamlined design for adaptable vertical and horizontal oriented lighting. A sleek enhancement to any décor."

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100%–10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V (277V special order)*

WS-7213: *Size:* 13" *Watt:* 13W
LED Lumens: Up to 1,050
Delivered Lumens: Up to 750

WS-7222: *Size:* 22" *Watt:* 26W
LED Lumens: Up to 2,200
Delivered Lumens: Up to 1,650

WS-7230: *Size:* 30" *Watt:* 31W
LED Lumens: Up to 2,700
Delivered Lumens: Up to 2,250


Finish

BN:
Brushed Nickel

CH:
Chrome

Example: **WS-7222-BN**
For 277V special order, add an "F" before the finish: **WS-7222F-BN**

See complementary pieces on page 80.





A beautiful bar of pure LED light radiates through the co-extruded acrylic diffuser for brighter illumination, and an adjustable back plate adds versatility to this design's many attributes. It's a clean modern sconce anywhere you mount it.

WS-77636-30-AL *shown*



WS-77612-30-AL *shown*



WS-77618-30-AL *shown*



WS-77624-30-BK *shown*

BRINK

12", 18", 24" & 36" LED SCONCE + BATH

- *Frontlight with etched acrylic diffuser*
- *Adjustable backplate*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*85,000 hours*
Input:	*120V–277V*

WS-77612-27, WS-77612-30, WS-77612-35:
Size: 12" ***Watt:*** 11W
LED Lumens: Up to 935 ***Delivered Lumens:*** up to 840

WS-77618-27, WS-77618-30, WS-77618-35:
Size: 18" ***Watt:*** 16W
LED Lumens: Up to 1,330 ***Delivered Lumens:*** up to 1,115

WS-77624-27, WS-77624-30, WS-77624-35:
Size: 24" ***Watt:*** 21W
LED Lumens: Up to 1,785 ***Delivered Lumens:*** up to 1,510

WS-77636-27, WS-77636-30, WS-77636-35:
Size: 36" ***Watt:*** 30W
LED Lumens: Up to 2,561 ***Delivered Lumens:*** up to 2,180


Finish

AL:
Brushed Aluminum

BK:
Brushed Black

Example: **WS-77636-30-BK**





WS-77612



WS-77618



WS-77624



WS-77636

BLISS



WS-79622-PN *shown*



WS-79628-PN *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

22", 28" & 36" LED SCONCE + BATH


- *Frontlight with ceramic silk-screen mitered glass diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V (277V special order)*

WS-79622: *Size:* 22" *Watt:* 31W
LED Lumens: Up to 2,800 *Delivered Lumens:* Up to 1,950

WS-79628: *Size:* 28" *Watt:* 40W
LED Lumens: Up to 3,700 *Delivered Lumens:* Up to 2,600

WS-79636: *Size:* 36" *Watt:* 47W
LED Lumens: Up to 4,850 *Delivered Lumens:* Up to 3,500



Finish

PN:
Polished Nickel

Example: **WS-79628-PN**
For 277V special order, add an "F" before the finish:
WS-79622F-PN



WS-79636-PN *shown*



LEVEL

18", 24" & 36" LED SCONCE + BATH

- *Frontlight edge-lit LED with etched acrylic diffuser*
- *Adjustable backplate*
- *Conversion plate included to accommodate 4" junction box*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*
- *ADA compliant for WS-85618 only*

Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*85,000 hours*
Input:	*120V–277V*

WS-85618: ***Size:*** 18" ***Watt:*** 16W
LED Lumens: 1,300 ***Delivered Lumens:*** 865

WS-85624: ***Size:*** 24" ***Watt:*** 21W
LED Lumens: 1,735 ***Delivered Lumens:*** 1,255

WS-85636: ***Size:*** 36" ***Watt:*** 30W
LED Lumens: 2,561 ***Delivered Lumens:*** 1,762

Finish


AL: *Brushed Aluminum*

BK: *Black*

WT: *White*

Example: **WS-85618-WT**

"Slender, minimalist design for modern spaces; casts an extensive layer of soft, balanced light throughout your space."



See complementary pieces on page 77.



SVELTE

16", 22" & 34" LED SCONCE + BATH

- *Frontlight with ceramic silk-screen mitered glass diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V (277V special order)*

WS-7316: ***Size:*** 16" ***Watt:*** 24W
LED Lumens: Up to 2,000
Delivered Lumens: Up to 1,135

WS-7322: ***Size:*** 22" ***Watt:*** 34W
LED Lumens: Up to 2,800
Delivered Lumens: Up to 1,632

WS-7334: ***Size:*** 34" ***Watt:*** 54W
LED Lumens: Up to 4,400
Delivered Lumens: Up to 2,626


Finish

BN: *Brushed Nickel*

CH: *Chrome*

Example: **WS-7316-CH**
For 277V, add an "F" before the finish: **WS-7316F-CH**

"The picture of refinement."



RONDELLE



Inspired by collectible antique pole-top insulators, now illuminated as nostalgic lighting fixtures.

WS-42524-AB *shown*



WS-42505-AB *shown*



WS-42514-PN *shown*

DAMP

5", 14" & 24" LED SCONCE + BATH

- *Downlight with solid cast glass diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*60,000 hours*
Input:	*120V-277V*

WS-42505: *Lights:* 1 *Watt:* 9W
LED Lumens: 330 *Delivered Lumens:* 310

WS-42514: *Lights:* 2 *Watt:* 16W
LED Lumens: 625 *Delivered Lumens:* 590


WS-42524: *Lights:* 3 *Watt:* 22W
LED Lumens: 1,000 *Delivered Lumens:* 945

Finish


AB:
Aged Brass

PN:
Polished Nickel


Example: **WS-42524-AB**




WS-42505



WS-42514



WS-42524



INTERLACE

ETL LISTED INTERTEK C US · DAMP · TITLE 24 CALIFORNIA

28" & 38" LED SCONCE + BATH


"Eternally waving bands of light weave playfully in and out on this flowing modern design."

- *Omnidirectional diffused illumination*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV ,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

WS-47828: ***Size:*** 28" ***Watt:*** 20W
LED Lumens: 1,565 ***Delivered Lumens:*** 1,174

WS-47838: ***Size:*** 38" ***Watt:*** 28W
LED Lumens: 2,183 ***Delivered Lumens:*** 1,637



WS-47828




WS-47838

Finish


CH: *Chrome*

Example: **WS-47828-CH**

See complementary pieces on page 102-103.



LINE

ETL LISTED INTERTEK C US · DAMP · TITLE 24 CALIFORNIA

18", 24" & 36" LED SCONCE + BATH

"Edge-lit LED panels provide a downward task light free of any hot spots. The luminaire can be rotated to provide direct or indirect illumination as the need arises."

- *Edge-lit LED illumination*
- *Light source rotates 330 degrees*
- *Junction box conceals a proprietary 120V transformer*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V (277V special order)*

WS-6718-30: ***Size:*** 18" ***Watt:*** 17W
LED Lumens: Up to 1,109 ***Delivered Lumens:*** Up to 850

WS-6724-30: ***Size:*** 24" ***Watt:*** 22W
LED Lumens: Up to 1,478 ***Delivered Lumens:*** Up to 1,140

WS-6736-30: ***Size:*** 36" ***Watt:*** 29W
LED Lumens: Up to 2,218 ***Delivered Lumens:*** Up to 1,520

Finish


AL: *Brushed Aluminum*


BK: *Brushed Black*


Example: **WS-6718-30-BK**
For 277V, add an "F" before the finish **WS-6718F-30-BK**



WS-6718



WS-6724



WS-6736



See complementary pieces on page 74-75.



WS-63718-AL *shown*

WS-63724-AL *shown*

WS-63736-AL *shown*

STRIP

18", 24" & 36" LED SCONCE + BATH

"Lighting with no boundaries."

- *Frontlight with etched acrylic diffuser*
- *Adjustable backplate*
- *Conversion plate included to accommodate 4" junction box*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V-277V*


Finish

AL:
Brushed Aluminum

Example: **WS-63718-35-AL**



WS-63718



WS-63724



WS-63736

WS-63718-27, WS-63718-30, WS-63718-35:
Size: 18" ***Watt:*** 15W
LED Lumens: Up to 1,500 ***Delivered Lumens:*** Up to 1,200

WS-63724-27, WS-63724-30, WS-63724-35:
Size: 24" ***Watt:*** 20W
LED Lumens: Up to 1,975 ***Delivered Lumens:*** Up to 1,640

WS-63736-27, WS-63736-30, WS-63736-35:
Size: 36" ***Watt:*** 29W
LED Lumens: Up to 3,020 ***Delivered Lumens:*** Up to 2,405



WS-35819-WT *shown*

WS-35861-AL *shown*

"A slender bar of light available in a variety of lengths for a clean and consistent lighting scheme, no matter the size of your environment."

NIGHTSTICK

19", 25", 37", 49", 61", 73" & 97" LED WALL & CEILING

- *Frontlight with etched acrylic diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall in all orientations*

Color Temp:	*3000K*	Rated Life:	*54,000 hours*
CRI:	*90*	Input:	*120V*
Dimming:	*100% - 10% ELV*		

WS-35819: ***Size:*** 19" ***Watt:*** 17W
LED Lumens: 1,276 ***Delivered Lumens:*** 787

WS-35825: ***Size:*** 25" ***Watt:*** 22W
LED Lumens: 1,708 ***Delivered Lumens:*** 1,054

WS-35837: ***Size:*** 37" ***Watt:*** 34W
LED Lumens: 2,585 ***Delivered Lumens:*** 1,595

WS-35849: ***Size:*** 49" ***Watt:*** 44W
LED Lumens: 3,399 ***Delivered Lumens:*** 2,097

WS-35861: ***Size:*** 61" ***Watt:*** 53W
LED Lumens: 4,213 ***Delivered Lumens:*** 2,228

WS-35873: ***Size:*** 73" ***Watt:*** 64W
LED Lumens: 4,912 ***Delivered Lumens:*** 3,031


WS-35897: ***Size:*** 97" ***Watt:*** 84W
LED Lumens: 6,458 ***Delivered Lumens:*** 3,985


Finish

AL:
Brushed Aluminum

WT:
White

Example: **WS-35861-AL**





LED Sconces

Unlocking a myriad of design possibilities, dweLED wall sconces offer something for every interior space. Stylish timeless designs are utilized in many remodels and new construction, to the popular industrial edginess brought by the rapidly-growing urban revival movement. Blending both old and new, ADA compliant, energy efficient sconces are visually appealing, brilliant and engaging, making them the perfect choice for use in private and public spaces.

MARISE



WS-79220-BK *shown*



WS-79220-CH *shown*

DAMP · TITLE 24 CALIFORNIA · ADA

NEW

20" LED SCONCE

- *Omnidirectional diffused illumination*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


WS-79220: ***Size:*** 20" ***Watt:*** 11W
LED Lumens: 1,000 ***Delivered Lumens:*** 462

Finish

BK: *Black*

CH: *Chrome*

Example: **WS-79220-BK**



WS-79220



See complementary pieces on page 84-85.



WS-79220-BK *shown*

CORNICE



WS-57205-30-WT *shown*



WS-57205-30-BK *shown*



WS-57205-30-AB *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

NEW

5″ LED SCONCE

- *Up and downlight illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*


Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-57205-27, WS-57205-30, WS-57205-35:
Size: 5″ ***Watt:*** 15W
LED Lumens: 1,200
Delivered Lumens: Up to 400

Finish

AB: *Aged Brass*
BK: *Black*
WT: *White*

Example: **WS-57205-30-WT**



WS-57205

COLLETTE



WS-59210-30-BN *shown*



WS-59210-30-BK *shown*

WS-59210-30-WT *shown*

ETL LISTED INTERTEK US · DAMP · TITLE 24 CALIFORNIA · ADA · CCT

NEW

10" LED SCONCE

- *Directional illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-59210-27, WS-59210-30, WS-59210-35:
Size: 10" ***Watt:*** 15W
LED Lumens: 1,000 ***Delivered Lumens:*** Up to 343

Finish


AB: *Aged Brass*

BK: *Black*

BN: *Brushed Nickel*

WT: *White*

Example: **WS-59210-30-AB**



WS-59210



WS-59210-30-AB *shown*

DUET



WS-55206-30-BK *shown*



WS-55206-30-BK *shown*

WS-55206-30-WT *shown*

NEW

6" LED SCONCE

- *Up and downlight illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


Finish

BK: *Black*

WT: *White*

Example: **WS-55206-30-BK**

WS-55206-27, WS-55206-30, WS-55206-35:
Size: 6" ***Watt:*** 11W
LED Lumens: 1,000 ***Delivered Lumens:*** Up to 391



WS-55206

CAMELOT



WS-61216-AB *shown*



WS-61216-BK *shown*

DAMP TITLE 24 CALIFORNIA ADA

NEW

16" LED SCONCE

- *Edge-lit LED with etched acrylic diffuser*
- *Conversion plate included to accommodate 4" junction box*
- *Thin canopy conceals a 120V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-61216: ***Size:*** 16" ***Watt:*** 10W
LED Lumens: 850 ***Delivered Lumens:*** 428

Finish


AB:
Aged Brass

BK:
Black

Example: **WS-61216-AB**



WS-61216



WS-61216-AB *shown*

BLAKE



WS-85212-30-BK *shown*





WS-85212-30-BK *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

NEW

12″ LED SCONCE

- *Etched opal glass diffuser*
- *Ambient and downward illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*


Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

Finish

BK: *Black*

Example: **WS-85212-30-BK**

WS-85212-27, WS-85212-30, WS-85212-35:
Size: 12″ ***Watt:*** 17W
LED Lumens: 1,300 ***Delivered Lumens:*** Up to 485



WS-85212

LAYNE



WS-81208-30-BN *shown*



WS-81208-30-BK *shown*

DAMP TITLE 24 CALIFORNIA ADA CCT

NEW

8" LED SCONCE

- *Up and downlight illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-81208-27, WS-81208-30, WS-81208-35:
Size: 8" ***Watt:*** 11W
LED Lumens: Up to 648 ***Delivered Lumens:*** Up to 238

Finish

BK:
Black

BN:
Brushed Nickel

Example: **WS-81208-30-BN**




WS-81208




WS-81208-30-BN *shown*

ROLAND



WS-83212-BK *shown*



WS-83212-BK *shown*

DAMP · TITLE 24 CALIFORNIA · ADA

NEW

12″ LED SCONCE

- *Up and downlight with etched acrylic diffuser*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*

Finish

BK: *Black*

Example: **WS-83212-BK**

WS-83212: ***Size:*** 12″ ***Watt:*** 15W
LED Lumens: 1,103 ***Delivered Lumens:*** 680



WS-83212

FITZGERALD



WS-47108-30-BK *shown*



WS-47116-30-AB *shown*

TITLE 24 CALIFORNIA · ADA · CCT


8" & 16" LED SCONCE

- *Fabric shade with etched acrylic diffuser in three coordinating fabric and hardware color combinations*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K..*
- *ACLED driverless technology*


Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-47108-27, WS-47108-30, WS-47108-35:
Size: 8" ***Watt:*** 13W
LED Lumens: Up to 1,100
Delivered Lumens: Up to 715

WS-47116-27, WS-47116-30, WS-47116-35:
Size: 16" ***Watt:*** 16W
LED Lumens: Up to 1,400
Delivered Lumens: Up to 866



WS-47108



WS-47116

Finish

AB: *Aged Brass*

BK: *Black*

BN: *Brushed Nickel*

Example: **WS-47116-30-BN**



WS-47116-30-BN *shown*



“Utilitarian wall wash illumination. Elevate the space.”

WS-45105-30-BN *shown*



WS-45105-30-AB *shown*



WS-45105-30-BK *shown*



WS-45105-30-WT *shown*

BOXI

5″ LED SCONCE

- *Up and down light illuminations*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-45105-27, WS-45105-30, WS-45105-35:
Size: 5″ ***Watt:*** 6W
LED Lumens: Up to 288
Delivered Lumens: Up to 118

Finish


AB:
Aged Brass

BK:
Black

BN:
Brushed Nickel

WT:
White

Example: **WS-45105-30-BN**



WS-45105

COLTRANE



WS-43114-30-BK *shown*



WS-43114-30-AB *shown*

DAMP · TITLE 24 CALIFORNIA · ADA · CCT

14" LED SCONCE

- *Ceramic silk-screen mitered glass diffuser*
- *Ambient and downward illumination*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*60,000 hours*
Input:	*120V/277V*


WS-43114-27, WS-43114-30, WS-43114-35:
Size: 14" ***Watt:*** 13W
LED Lumens: Up to 1,367
Delivered Lumens: Up to 1,076

Finish

AB:
Aged Brass

BK:
Black

Example: **WS-43114-30-AB**




WS-43114



WS-43114-30-AB *shown*

MANHATTAN



WS-13115-BK *shown*



WS-13107-BN *shown*



WS-13122-BO *shown*

TITLE 24 CALIFORNIA

ADA

7”, 15” & 22” LED SCONCE

- *Fabric shade with frosted glass diffuser in three coordinating fabric and hardware color combinations*
- *ACLED driverless technology*

Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-13107: ***Size:*** 7” ***Watt:*** 6W
LED Lumens: Up to 439 ***Delivered Lumens:*** Up to 168

WS-13115: ***Size:*** 15” ***Watt:*** 10W
LED Lumens: Up to 842 ***Delivered Lumens:*** Up to 317

WS-13122: ***Size:*** 22” ***Watt:*** 16W
LED Lumens: Up to 1,268 ***Delivered Lumens:*** Up to 527


Finish

BK: *Black*


BN: *Brushed Nickel*

BO: *Brushed Bronze*


Example: **WS-13122-BK**
For 277V add an “F” before the finish: **WS-13115F-BK**



WS-13107



WS-13115



WS-13122



See complementary pieces on page 264-265.



WS-25014-AB *shown*



WS-25014-BN *shown*



WS-25014-PN *shown*

DRAKE

14" LED SCONCE

• Opal glass diffuser with spin on installation
• ACLED driverless technology

"A simple statement. Beautiful illumination through opal glass atop a polished metal base."

Color Temp: *3000K*
CRI: *90*
Dimming: *100% - 10% ELV*
Rated Life: *50,000 hours*
Input: *120V*

WS-25014: ***Size:*** 14" ***Watt:*** 16W
LED Lumens: 1,407 ***Delivered Lumens:*** 1,007


Finish

AB:
Aged Brass

BN:
Brushed Nickel

PN:
Polished Nickel

Example: **WS-25014-AB**



WS-25014



WS-21014-BN *shown*

MAVEN

14" LED SCONCE

• Ambient and downward illumination with etched acrylic diffuser
• ACLED driverless technology

"Classic yet contemporary. An elegant design offering diffused illumination."


Color Temp: *3000K*
CRI: *90*
Dimming: *100% - 10% ELV*
Rated Life: *60,000 hours*
Input: *120V*

WS-21014: ***Size:*** 14" ***Watt:*** 23W
LED Lumens: 1,800 ***Delivered Lumens:*** 940

Finish

BN:
Brushed Nickel

Example: **WS-21014-BN**



WS-21014

CLARE



WS-24016-AB *shown*



WS-24016-CH *shown*

DAMP · TITLE 24 CALIFORNIA · ADA

16" LED SCONCE

- *Ambient illumination with opal glass diffuser*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-24016: ***Size:*** 16" ***Watt:*** 11W
LED Lumens: 832 ***Delivered Lumens:*** 743


Finish

AB:
Aged Brass

BN:
Brushed Nickel

CH:
Chrome

Example: **WS-24016-CH**



WS-24016



WS-24016-BN *shown*

MYLIE



WS-27010-AB *shown*



WS-27010-BN *shown*




WS-27010-AB *shown*

10″ LED SCONCE

- *Ambient and downward illumination with opal glass diffuser*
- *Canopy conceals a proprietary 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-27010: ***Size:*** 10″ ***Watt:*** 18W
LED Lumens: 890 ***Delivered Lumens:*** 651



WS-27010

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **WS-27010-AB**



WS-25612-SN *shown*



WS-25612-WT *shown*



WS-25612-BK *shown*

BLOK

12" LED SCONCE

• Up and downlight illumination
• Built in color temperature adjustability. Switch from 2700K/3000K/3500K.
• Fixture conceals a proprietary universal 120V-220V-277V driver
• May be mounted on wall in all orientations
• Emergency battery backup option (special order)

"Safety and style. Emergency battery backup concealed within."

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*70,000 hours*
Input:	*120V-277V*

WS-25612: ***Size:*** 12" ***Watt:*** Up to 29W
LED Lumens: Up to 3,091
Delivered Lumens: Up to 1,926


Finish

BK: *Black*

SN: *Satin Nickel*

WT: *Textured White*

Example: **WS-25612-WT**
For emergency battery, add -EM after the finish: **WS-25612-WT-EM**



WS-25612



WS-30907-AB *shown*



WS-30907-BK *shown*



WS-30907-BN *shown*



WS-30907-WT *shown*

POCKET

7" LED SCONCE

• Up and downlight illumination
• ACLED driverless technology
• May be mounted on wall in all orientations

"An appealing cylindrical profile with a powerful LED makes the perfect accent."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-30907: ***Size:*** 7" ***Watt:*** 22W
LED Lumens: 1,018 ***Delivered Lumens:*** 713

Finish


AB: *Aged Brass*

BN: *Brushed Nickel*

BK: *Black*

WT: *White*

Example: **WS-30907-AB**



WS-30907

SEVILLE



WS-28021-AB *shown*



WS-28021-BN *shown*


TITLE 24
CALIFORNIA

21" LED SCONCE

- *Fabric shade with etched acrylic diffuser*
- *Ambient and downward illumination*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

WS-28021: ***Size:*** 21" ***Watt:*** 15W
LED Lumens: 1,800 ***Delivered Lumens:*** 828



WS-28021

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **WS-28021-AB**



WS-28021-AB *shown*



WS-12712-PN *shown*



WS-12713-PN *shown*



WS-12718-PN *shown*



WS-12724-PN *shown*

MYTHICAL

12", 13", 18" & 24" LED SCONCE

"Sparkling effervescence of light."

- *Edge lit seeded clear glass diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver (12")*
- *ACLED driverless technology (13", 18" & 24")*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours (12"), 54,000 hours (13", 18" & 24")*
Input:	*120V-277V (12"), 120V (277V special order) (13", 18" & 24")*

Finish

PN:
Polished Nickel

Example: **WS-12712-PN**
Example: **WS-12718-PN**
For 277V (13", 18" & 24"), add an "F" before the finish: **WS-12718F-PN**




WS-12712

WS-12712: *Size:* 12" *Watt:* 11W
LED Lumens: 858 *Delivered Lumens:* 418

WS-12713: *Size:* 13" *Watt:* 8W
LED Lumens: 392 *Delivered Lumens:* 139

WS-12718: *Size:* 18" *Watt:* 16W
LED Lumens: 771 *Delivered Lumens:* 333

WS-12724: *Size:* 24" *Watt:* 16W
LED Lumens: 730 *Delivered Lumens:* 326



WS-12713 **WS-12718** **WS-12724**





WS-42618-SN *shown*

CORBUSIER

15" LED SCONCE

"Upstanding and architectural."

- *Frontlight with ceramic silk-screen mitered glass diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*


Color Temp:	*3000K (2700K / 3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*85,000 hours*
Input:	*120V-277V*

WS-42618: *Size:* 15" *Watt:* 20W
LED Lumens: 1,476 *Delivered Lumens:* 827

Finish

SN:
Satin Nickel

Example: **WS-42618-SN**
For 2700K add "-27"; 3500K add "-35" before the finish: **WS-42618-27-SN**



WS-42618



WS-40615-SN *shown*

MODERNE

15" LED SCONCE

"Art Deco inspired elegance."


- *Frontlight with etched opal glass diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K (2700K / 3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*55,000 hours*
Input:	*120V-277V*

WS-40615: ***Size:*** 15" ***Watt:*** 20W
LED Lumens: 1,482 ***Delivered Lumens:*** 887

Finish

SN:
Satin Nickel
Example: **WS-40615-SN**
For 2700K add "-27"; 3500K add "-35" before the finish: **WS-40615-27-SN**



WS-40615



WS-45620-SN *shown*

PROHIBITION

20" LED SCONCE

"Modern for today while nostalgic of a different time."


- *Frontlight with etched opal glass diffuser*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K (2700K / 3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*55,000 hours*
Input:	*120V-277V*

WS-45620: ***Size:*** 20" ***Watt:*** 18W
LED Lumens: 1,377 ***Delivered Lumens:*** 817

Finish

SN:
Satin Nickel
Example: **WS-45620-SN**
For 2700K add "-27"; 3500K add "-35" before the finish: **WS-45620-27-SN**



WS-45620



LED Bedside + Swing Arms

Providing light for reading new bestselling novels, illuminating that recently purchased art piece on the wall or highlighting a plant on an occasional table. Task versatility and functionality are demonstrated with powerful LED luminaires that communicate perfect illumination by your bedside or reading area. Fingertip control and adjustability, with just the right dimming, adds ease and convenience with beautiful accent lighting. On/off toggle switches and aiming capabilities, combined with full spectrum lighting, enhance the color pigments of your illuminated target. Adjusting your task light and adapting to your specific needs.

KEPLER



BL-21205-BN *shown*



BL-21205-BK *shown*



BL-21205-WT *shown*

DAMP


NEW

5" LED BEDSIDE LAMP

- *On/off toggle switch on the canopy*
- *USB port on the bottom of the canopy for charging*
- *Light source offers 330 degree horizontal rotation and a 90 degree vertical tilt*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*80,000 hours*
Input:	*120V-277V*

BL-21205: *Size:* 5" *Watt:* 8W
LED Lumens: 357 *Delivered Lumens:* 108



BL-21205

Finish

AB: *Aged Brass*

BK: *Black*

BN: *Brushed Nickel*

WT: *White*

Example: **BL-21205-AB**



USB Port on the Canopy



BL-21205-AB *shown*

GRISHAM



BL-25214-BK/SI *shown*



BL-25214-BK/SI *shown*



BL-25214-BN *shown*

ETL LISTED US · DAMP · TITLE 24 CALIFORNIA


NEW

14" LED BEDSIDE LAMP

- *On/off toggle switch on the canopy*
- *USB port on the bottom of the canopy for charging*
- *Arm offers 180 degree horizontal rotation*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

BL-25214: ***Size:*** 14" ***Watt:*** 8W
LED Lumens: 416 ***Delivered Lumens:*** 344



BL-25214

Finish

BK/SI: *Black/Silver*

BN: *Brushed Nickel*

Example: **BL-25214-BK/SI**



USB Port on the Canopy

SPRIG



BL-23210-WT *shown*



BL-23210-BK *shown*

NEW

10" LED BEDSIDE LAMP

- *On/off toggle switch on the canopy*
- *USB port on the bottom of the canopy for charging*
- *Arm offers 180 degree horizontal rotation*
- *Light source offers 300 degree horizontal rotation and a 180 degree vertical tilt*
- *Thin canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

BL-23210: *Size:* 10" *Watt:* 5W
LED Lumens: 400 *Delivered Lumens:* 287


Finish

BK: *Black*

BN: *Brushed Nickel*

WT: *White*

Example: **BL-23210-BN**



BL-23210



USB Port on the Canopy



BL-23210-BN *shown*



BL-59110-AB *shown*



BL-59110-BN *shown*



BL-59110-AB *shown*

PENCIL SKIRT

10″ LED BEDSIDE LAMP

TITLE 24 CALIFORNIA

DAMP

- *Up and downlight with etched opal glass*
- *On/off toggle switch on the canopy*
- *Light source offers 330 degree horizontal rotation and a 90 degree vertical tilt*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


BL-59110: ***Size:*** 10″ ***Watt:*** 11W
LED Lumens: 826 ***Delivered Lumens:*** 367

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **BL-59110-AB**



BL-59110

PIN UP



BL-57108-BK/AB *shown*

DAMP

TITLE 24 CALIFORNIA

8" LED BEDSIDE LAMP

- *On/off toggle switch on the canopy*
- *Light source offers 330 degree horizontal rotation and a 90 degree vertical tilt*
- *ACLED driverless technology*


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

Finish


BK/AB:
Black/Aged Brass

Example: **BL-57108-BK/AB**

BL-57108: ***Size:*** 8" ***Watt:*** 11W
LED Lumens: 823 ***Delivered Lumens:*** 129



BL-57108



BL-57108-BK/AB *shown*



BL-48007-BK/AB *shown*



BL-48007-BK/BN *shown*

ARNE

7″ LED BEDSIDE LAMP

“Inspired mid-century modern design. An adjustable and touch-dimming reading light.”

- *Fingertip touch on/off switch and dimming on the canopy*
- *Light source offers 330 degree horizontal rotation and a 90 degree vertical tilt*
- *Canopy conceals a 100V-240V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% (Intergral dimmer)*
Rated Life:	*50,000 hours*
Input:	*100V-240V*


BL-48007: ***Size:*** 7″ ***Watt:*** 9W
LED Lumens: 416 ***Delivered Lumens:*** 168

Finish

BK/AB:
Black/Aged Brass

BK/BN:
Black/Brushed Nickel

Example: **BL-48007-BK/AB**



BL-48007



BL-49018-AB *shown*



BL-49018-BK *shown*



BL-49018-BN *shown*

EERO

18″ LED BEDSIDE LAMP

“A rotating light and laterally adjusting arm for targeted and powerful task lighting.”

- *Fingertip touch on/off switch and dimming on the canopy*
- *Arm offers 180 degree horizontal rotation*
- *Light source offers 230 degree horizontal rotation*
- *Canopy conceals a 100V-240V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% (Intergral dimmer)*
Rated Life:	*50,000 hours*
Input:	*100V-240V*

BL-49018: ***Size:*** 18″ ***Watt:*** 9W
LED Lumens: 200 ***Delivered Lumens:*** 111


Finish

AB:
Aged Brass

BK:
Black

BN:
Brushed Nickel

Example: **BL-49018-BN**




BL-49018



Rotatable Arm and Fixture

CHELSEA



BL-83023-AB *shown*



BL-83023-BN *shown*



BL-83023-BK *shown*

DAMP

TITLE 24 CALIFORNIA

23″ LED BEDSIDE LAMP

- *Fabric shade with etched acrylic diffuser*
- *Articulated arm frictions into place*
- *Fingertip touch on/off switch and dimming on the canopy*
- *Canopy conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% (Intergral dimmer)*
Rated Life:	*50,000 hours*
Input:	*120V*

BL-83023: ***Size:*** 23″ ***Watt:*** 8W
LED Lumens: 1,000 ***Delivered Lumens:*** 499


Finish

AB: *Aged Brass*

BK: *Black*

BN: *Brushed Nickel*

Example: **BL-83023-AB**



BL-83023



BL-1021L-BZ *shown*



BL-1021R-TT *shown*



BL-1021L-BK *shown*

FLIP

LED BEDSIDE LAMP

"Bauhaus and beautiful. Versatile design and function."

- *Articulated arm frictions into place*
- *Fingertip touch on/off switch and dimming on head*
- *Two 12 inch cord covers included for portable installation*
- *Canopy conceals a 100V-240V driver*

Color Temp:	*3000K*
CRI:	*85*
Dimming:	*100% - 10% (integral dimmer)*
Rated Life:	*30,000 hours*
Input:	*100V-240V*

BL-1021L: ***Size:*** Left ***Watt:*** 9W
LED Lumens: 489 ***Delivered Lumens:*** 315

BL-1021R: ***Size:*** Right ***Watt:*** 9W
LED Lumens: 489 ***Delivered Lumens:*** 315


Finish

BK: *Black*

BZ: *Bronze*

TT: *Titanium*

Example: **BL-1021L-BZ**



BL-1021L



BL-1021R



BL-29903-BN *shown*



BL-29903-BK *shown*



BL-29903-WT *shown*

SCOPE

7" LED BEDSIDE LAMP

"A neat, compact architectural design with convenient fingertip control to produce clean. directional illumination for reading spaces."

- *On-off switch on fixture*
- *Light source offers 330 degree horizontal rotation*
- *8 ft cord included for hard-wired and portable installation*
- *Canopy conceals a 120V driver*
- *Surface mount or recessed mount*

Color Temp:	*3000K*
CRI:	*90*
Rated Life:	*50,000 hours*
Input:	*120V*

BL-29903: ***Size:*** 7" ***Watt:*** 9W
LED Lumens: 465 ***Delivered Lumens:*** 148


Finish

BK: *Black*

BN: *Brushed Nickel*

WT: *White*

Example: **BL-29903-BN**



BL-29903

LUNE



PL-16017-AL *shown*



PL-16027-BK *shown*

ETL LISTED INTERTEK C US · DAMP · TITLE 24 CALIFORNIA

17" & 27" LED PICTURE LIGHT

- *Light source rotates 330 degrees*
- *Decorative plate and 1" slim junction box included*
- *Thin canopy conceals a universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PL-16017: *Size:* 17" *Watt:* 15W
LED Lumens: 1,000 *Delivered Lumens:* 722


PL-16027: *Size:* 27" *Watt:* 18W
LED Lumens: 1,600 *Delivered Lumens:* 1,297

Finish


AL:
Brushed Aluminum

BK:
Anodized Black

Example: **PL-16027-AL**



PL-16017



PL-16027



See complementary pieces on page 46-49.



PL-16027-AL *shown*



PL-52017-BN *shown*



PL-52025-BK *shown*



PL-52034-BN *shown*

UPTOWN

17", 25" & 34" LED PICTURE LIGHT

- *Light source rotates 180 degrees*
- *Conversion plate included to accommodate 4" junction box*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

"Robust LED illumination. Preserve colors in artwork while delivering superior color rendering."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

Finish

BK: *Black*


BN: *Brushed Nickel*

Example: **PL-52017-BN**


PL-52017: ***Size:*** 17" ***Watt:*** 15W
LED Lumens: 1,048 ***Delivered Lumens:*** 883

PL-52025: ***Size:*** 25" ***Watt:*** 21W
LED Lumens: 1,326 ***Delivered Lumens:*** 926


PL-52034: ***Size:*** 34" ***Watt:*** 26W
LED Lumens: 1,772 ***Delivered Lumens:*** 1,329



PL-52017



PL-52025



PL-52034



PL-50011-AB *shown*



PL-50017-BK *shown*



PL-50023-BN *shown*

KENT

11", 17" & 23" LED PICTURE LIGHT

- *Light source rotates 180 degrees*
- *ACLED driverless technology*

"Influential and substantial. Showcase artwork or bookcases with stylish LED illumination."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

Finish

AB: *Aged Brass*

BK: *Black*


BN: *Brushed Nickel*

Example: **BL-83023-AB**


PL-50011: ***Size:*** 11" ***Watt:*** 8W
LED Lumens: 600 ***Delivered Lumens:*** 287

PL-50017: ***Size:*** 17" ***Watt:*** 12W
LED Lumens: 1,000 ***Delivered Lumens:*** 479

PL-50023: ***Size:*** 23" ***Watt:*** 18W
LED Lumens: 1,400 ***Delivered Lumens:*** 792



PL-50011



PL-50017



PL-50023

REED



PL-11025-BN *shown*



PL-11017-BK *shown*

PL-11025-BN *shown*

PL-11033-BK *shown*

DAMP

17”, 25” & 33” LED PICTURE LIGHT


- *Light source rotates 150 degrees*
- *Conversion plate included to accommodate 4” junction box*
- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

PL-11017: ***Size:*** 17” ***Watt:*** 18W
LED Lumens: 569 ***Delivered Lumens:*** 380

PL-11025: ***Size:*** 25” ***Watt:*** 21W
LED Lumens: 825 ***Delivered Lumens:*** 544

PL-11033: ***Size:*** 33” ***Watt:*** 28W
LED Lumens: 1,072 ***Delivered Lumens:*** 747




Finish

BK: *Black*

BN: *Brushed Nickel*

Example: **PL-11025-BN**





PL-LED14-27-RB *shown*



PL-LED14-27-BB *shown*



PL-LED24-27-PN *shown*

HEMMINGWAY

DAMP

14" & 24" LED PICTURE LIGHT

"Slim, minimal picture light highlights fine pieces of art with vibrant color rendition, employing proprietary Chronophoton Technology."

- *Light source rotates 90 degrees*
- *Canopy conceals a proprietary 120V transformer*

Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*70,000 hours*
Input:	*120V*

Finish



BB:
Burnished Brass



RB:
Rubbed Bronze




PN:
Polished Nickel


Example: **PL-LED24-27-PN**

PL-LED14-27: *Size:* 14" *Watt:* 9W
LED Lumens: 595 *Delivered Lumens:* 302

PL-LED24-27: *Size:* 24" *Watt:* 17W
LED Lumens: 1,186 *Delivered Lumens:* 605



PL-LED14



PL-LED24



PL-LED17-30-AB *shown*



PL-LED23-30-BK *shown*



PL-LED34-30-AB *shown*

HUDSON

DAMP TITLE 24 CALIFORNIA

17", 24" & 34" LED PICTURE LIGHT

"Fine art illuminated. Available in two designer finishes to complement upscale artwork."

- *Light source rotates 180 degrees*
- *Conversion plate included to accommodate 4" junction box*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 5% 0-10V,*
Rated Life:	*100% - 10% TRIAC*
Input:	*50,000 hours* *120V-277V*

Finish



AB:
Aged Brass




BK:
Black

Example: **PL-LED17-30-BK**

PL-LED17-30: *Size:* 17" *Watt:* 14W
LED Lumens: 1,125 *Delivered Lumens:* 811

PL-LED23-30: *Size:* 24" *Watt:* 18W
LED Lumens: 1,490 *Delivered Lumens:* 1,078

PL-LED34-30: *Size:* 34" *Watt:* 24W
LED Lumens: 1,992 *Delivered Lumens:* 1,500




PL-LED17-30



PL-LED23-30



PL-LED34-30



PL-LED15-27-BK *shown*



PL-LED25-27-BK *shown*



PL-LED37-27-BK *shown*

VIBE

TITLE 24 CALIFORNIA

15", 25" & 37" LED PICTURE LIGHT

• Light source rotates 70 degrees
• Junction box conceals a proprietary 120V transformer

"The back plate mounts on the wall, and provides a channel for the art frame to hang on up to 20lbs."

Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*70,000 hours*
Input:	*120V*

Finish


BK: *Black*

Example: **PL-LED25-27-BK**


PL-LED15-27: ***Size:*** 15" ***Watt:*** 10W
LED Lumens: 595 ***Delivered Lumens:*** 240

PL-LED25-27: ***Size:*** 25" ***Watt:*** 17W
LED Lumens: 1,186 ***Delivered Lumens:*** 535


PL-LED37-27: ***Size:*** 37" ***Watt:*** 26W
LED Lumens: 1,785 ***Delivered Lumens:*** 850



PL-LED15



PL-LED25



PL-LED37



BL-1630-WT *shown*



BL-1630-BK *shown*

STRETCH

DAMP

LED BEDSIDE LAMP

• Flexible, yet fixable rubber tube for directing light
• Fingertip touch on/off switch and dimming on the canopy
• Conversion plate included to accommodate 4" junction box
• Two 12" cord covers, and 8ft cord for hardwired or portable installation
• Canopy conceals a 120V driver

"Contemporary, utilitarian and cool, personalized fingertip control lighting with an adjustable rubberized arm that directs illumination wherever needed."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% (Integral dimmer)*
Rated Life:	*50,000 hours*
Input:	*120V*

BL-1630: ***Lights:*** 1 ***Watt:*** 8W
LED Lumens: 489 ***Delivered Lumens:*** 260


Finish

BK: *Black*

TT: *Titanium*

WT: *White*

Example: **BL-1630-BK**



BL-1630


LED Ceiling Mounts

Designed to provide general or decorative lighting throughout your space, LED ceiling mounts boast clean lines, understated minimalism, a modern aesthetic and comfortable feel that your family and guests will enjoy. Sleek and stylish, dweLED ceiling luminaires dispatch a minimalistic retro appeal and ample illumination for a broad range of environments, including residential, multifamily, commercial and healthcare.

MARQUES



FM-43222-CH *shown*



FM-43222-BK *shown*

ETL LISTED INTERTEK US · DAMP · TITLE 24 CALIFORNIA · ADA

NEW

22" LED CEILING MOUNT

- *Thin canopy conceals a 120V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-43222: ***Size:*** *22"* ***Watt:*** *41W*
LED Lumens: *2,300* ***Delivered Lumens:*** *1,146*


Finish

BK:
Black

BN:
Brushed Nickel

CH:
Chrome

Example: **FM-43222-BN**



FM-43222



See complementary pieces on page 32-33.



FM-43222-BN *shown*

CONSTANTINE



FM-27218-AB *shown*



FM-27214-AB *shown*



FM-27218-BK *shown*

DAMP

TITLE 24 CALIFORNIA

NEW

14” & 18” LED CEILING MOUNT

- *Faux alabaster. Like real stone, each piece is unique.*
- *Etched acrylic diffuser*
- *Thin canopy conceals a 120V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-27214: *Size:* 14” *Watt:* 25W
LED Lumens: 1,779 *Delivered Lumens:* 1,024


FM-27218: *Size:* 18” *Watt:* 36W
LED Lumens: 2,955 *Delivered Lumens:* 1,515

Finish


AB:
Aged Brass

BK:
Black

Example: **FM-27218-AB**



FM-27214



FM-27218

CHAUCER



FM-63216-WT *shown*



FM-63216-BK *shown*

DAMP | TITLE 24 CALIFORNIA | PATENT PENDING

NEW

16" LED CEILING MOUNT

- *Thin canopy conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*


FM-63216: ***Size:*** 16" ***Watt:*** 24W
LED Lumens: 2,200 ***Delivered Lumens:*** 1,204

Finish

BK: *Black*

WT: *White*

Example: **FM-63216-WT**




FM-63216



FM-63216-WT *shown*

DOWNTOWN



FM-W47205-30-BK *shown*



FM-W47205-30-BK *shown*

FM-W47206-30-WT *shown*

WET · TITLE 24 CALIFORNIA · IP65 · CCT

NEW

5″ INTERIOR/EXTERIOR LED CEILING MOUNT

- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall*

FM-W47205

FM-W47206

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

FM-W47205-30, FM-W47205-35, FM-W47205-40:
Size: 5″ ***Watt:*** 12W
LED Lumens: Up to 950
Delivered Lumens: Up to 350


FM-W47206-30, FM-W47206-35, FM-W47206-40:
Size: 5″ ***Watt:*** 12W
LED Lumens: Up to 950
Delivered Lumens: Up to 519

Finish


BK: *Black*

WT: *White*

Example: **FM-W47205-30-BK**



FM-W47205



FM-W47206

PEEK



FM-W45205-30-WT *shown*



FM-W45205-30-BK *shown*


NEW

5" INTERIOR/EXTERIOR LED CEILING MOUNT

- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *Adjustable beam angle up to 40 degrees*
- *Rotatable multi-axis gimbal ring*
- *Fixture conceals a universal 120V-220V-277V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

FM-W45205-30, FM-W45205-35, FM-W45205-40:
Size: 5" ***Watt:*** 9W
LED Lumens: Up to 1,000
Delivered Lumens: Up to 856



FM-W45205

Finish

BK: *Black*

WT: *White*

Example: **FM-W45205-30-WT**



FM-W45205-30-BK *shown*

HAWTHORNE



FM-W33113-BK *shown*



FM-W33113-BK *shown*




NEW

13″ INTERIOR/EXTERIOR LED CEILING MOUNT

- *Hammered glass panels on five sides*
- *Stainless steel textured reflector*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*

FM-W33113: ***Size:*** 13″ ***Watt:*** 20W
LED Lumens: 941 ***Delivered Lumens:*** 684



FM-W33113

Finish

BK:
Black

Example: **FM-W33113-BK**



See complementary pieces on page 288-289.

BRADBURY



FM-W93216-BK *shown*

NEW

16" INTERIOR/EXTERIOR LED CEILING MOUNT

- *Mouth blown opal glass shade*
- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*


Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-W93216: ***Size:*** 16" ***Watt:*** 18W
LED Lumens: 1,300
Delivered Lumens: Up to 472

Finish

BK:
Black

Example: **FM-W93216-BK**



FM-W93216



FM-W93216-BK *shown*

HAILEY



FM-53116-BK *shown*



FM-53116-AB *shown*



FM-53116-BN *shown*



FM-53116-BK *shown*


TITLE 24
CALIFORNIA

16″ LED CEILING MOUNT

- *Fabric shade with etched acrylic diffuser in three coordinating fabric and hardware color combinations*
- *Fixture conceals a 120V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*60,000 hours*
Input:	*120V*

FM-53116: ***Size:*** 16″ ***Watt:*** 15W
LED Lumens: 948 ***Delivered Lumens:*** 759



FM-53116

Finish


AB:
Aged Brass

BK:
Black

BN:
Brushed Nickel

Example: **FM-53116-BK**

PARALLAX



FM-73132-BK *shown*



FM-73142-BN *shown*

ETL LISTED INTERTEK US · DAMP · TITLE 24 CALIFORNIA · ADA · CCT

32" & 42" LED CEILING MOUNT

- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *Thin canopy conceals a 120V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-73132: *Size:* 32" *Watt:* 23W
LED Lumens: Up to 1,306 *Delivered Lumens:* Up to 918

FM-73142: *Size:* 42" *Watt:* Up to 35W
LED Lumens: Up to 2,006 *Delivered Lumens:* Up to 1,400

Finish

BK:
Black


BN:
Brushed Nickel

CH:
Chrome


Example: **FM-73132-CH**




See complementary pieces on page 128-129.



FM-73132



FM-73142



FM-73132-CH *shown*

VAUGHAN



FM-67116-AB *shown*



FM-67116-BN *shown*



FM-67116-AB *shown*

DAMP · TITLE 24 CALIFORNIA · ADA

16″ LED CEILING MOUNT

- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V/277V*


FM-67116: ***Size:*** 16″ ***Watt:*** 30W
LED Lumens: 2,674 ***Delivered Lumens:*** 1,904

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **FM-67116-AB**



FM-67116

TAURUS




FM-49118-BK/GO *shown*

18" LED CEILING MOUNT

- *Etched acrylic shade with spin-on installation*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *Thin canopy conceals a 120V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*60,000 hours*
Input:	*120V*



FM-49118

FM-49118: ***Size:*** 18" ***Watt:*** 15W
LED Lumens: Up to 1,174
Delivered Lumens: Up to 950

Finish

BK/GO:
Black/Gold
Example: **FM-49118-BK/GO**



FM-49118-BK/GO *shown*

YORK



FM-45012-AB *shown*



FM-45008-BN *shown*



FM-45012-AB *shown*

8" & 12" LED CEILING MOUNT

- *AC LED driverless technology*
- *May be mounted on ceiling or wall*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-45008: *Size:* 8" *Watt:* 15W
LED Lumens: 873 *Delivered Lumens:* 449


FM-45012: *Size:* 12" *Watt:* 27W
LED Lumens: 1,845 *Delivered Lumens:* 1,071

Finish


AB:
Aged Brass

BN:
Brushed Nickel

Example: **FM-45008-AB**



FM-45008



FM-45012

WRIGHT



FM-46010-BN *shown*



FM-46014-AB *shown*

DAMP TITLE 24 CALIFORNIA

10" & 14" LED CEILING MOUNT

- *Etched opal glass shade*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-46010: *Size:* 10" *Watt:* 15W
LED Lumens: 1,400 *Delivered Lumens:* 667


FM-46014: *Size:* 14" *Watt:* 30W
LED Lumens: 2,800 *Delivered Lumens:* 1,522

Finish

AB:
Aged Brass

BN:
Brushed Nickel

Example: **FM-46014-BN**



FM-46010 **FM-46014**



FM-46014-BN *shown*



FM-21720-AL *shown*



FM-21728-BK *shown*

ELEKTRON

DAMP TITLE 24 CALIFORNIA

20" & 28" LED CEILING MOUNT

"Traveling at the speed of light."

- *Uniquely versatile fixture capable of transforming from pendant to ceiling mount*
- *Edge-lit LED with etched acrylic diffuser*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*36,000 hours*
Input:	*120V-277V*

FM-21720: ***Size:*** 20" ***Watt:*** 20W
LED Lumens: 1,680 ***Delivered Lumens:*** 1,305


FM-21728: ***Size:*** 28" ***Watt:*** 30W
LED Lumens: 2,525 ***Delivered Lumens:*** 1,723

Finish

AL:
Brushed Aluminum

BK:
Black

Example: **FM-21720-BK**



FM-21720 **FM-21728**



FM-4610-30-TT *shown*



FM-4615-30-WT *shown*



FM-4622-30-BR *shown*

GEOS

DAMP ADA

10", 15" & 22" LED CEILING MOUNT

"Updated in a stylish brass finish to complement the latest interior trends."

- *Edge-lit LED with light-extraction panel for even illumination*
- *Frosted acrylic diffuser with spin on installation*
- *Junction box conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on ceiling or wall*

Color Temp:	*2700K, 3000K*
CRI:	*80 (10"), 90 (15" & 22")*
Dimming:	*100% - 10% ELV*
Rated Life:	*70,000 hours (10"), 50,000 hours (15" & 22")*
Input:	*120V–277V*

FM-4610-27, FM-4610-30: ***Size:*** 10" ***Watt:*** 12W
LED Lumens: Up to 1,129
Delivered Lumens: Up to 844

FM-4615-27, FM-4615-30: ***Size:*** 15" ***Watt:*** 29W
LED Lumens: Up to 2,355
Delivered Lumens: Up to 1,660

FM-4622-27, FM-4622-30: ***Size:*** 22" ***Watt:*** 44W
LED Lumens: Up to 3,785
Delivered Lumens: Up to 2,375


Finish

BR:
Brushed Brass

TT:
Titanium

WT:
White


Example: **FM-4622-30-WT**



FM-4610 **FM-4615**

FM-4622

MANHATTAN



FM-13120-BN *shown*



FM-13114-BN *shown*



FM-13126-BN *shown*

14”, 20” & 26” LED CEILING MOUNT

- *Downlight with fabric shade*
- *ACLED driverless technology*

Color Temp:	*2700K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

FM-13114: *Size:* 14” *Watt:* 26W
LED Lumens: 2,400 *Delivered Lumens:* 1,794

FM-13120: *Size:* 20” *Watt:* 32W
LED Lumens: 2,800 *Delivered Lumens:* 2,222


FM-13126: *Size:* 26” *Watt:* 48W
LED Lumens: 4,200 *Delivered Lumens:* 3,310

Finish




BN:
Brushed Nickel


Example: **FM-13120-BN**



FM-13114



FM-13120



FM-13126



See complementary pieces on page 38-39.



FM-4109-30-BN *shown*



FM-4111-30-BN *shown*



FM-4115-30-BN *shown*

SLICE

9", 11" & 14" LED CEILING MOUNT

- *Etched pressed glass diffuser*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall*

"Clean design of simple shapes with etched water-clear solid glass."

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*45,000 hours*
Input:	*120V (277V special order)*

FM-4109-27, FM-4109-30, FM-4109-35:
Size: 16.5" ***Watt:*** 16W
LED Lumens: Up to 1,616
Delivered Lumens: Up to 880

FM-4111-27, FM-4111-30, FM-4111-35:
Size: 11" ***Watt:*** 27W
LED Lumens: Up to 2,625
Delivered Lumens: Up to 1,127


FM-4115-27, FM-4115-30, FM-4115-35:
Size: 14" ***Watt:*** 30W
LED Lumens: Up to 3,135
Delivered Lumens: Up to 1,309

Finish



BN:
Brushed Nickel

Example: **FM-4111-27-BN**
For 277V special order, add an "F" before the color temperature: **FM-4111F-27-BN**





FM-4006-30-BN *shown*



FM-4009-30-BN *shown*



FM-4012-30-BN *shown*



FM-4014-30-BN *shown*

DICE

6", 9", 12" & 14" LED CEILING MOUNT

- *Etched pressed glass diffuser*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K (6", 9", 12").*
- *ACLED driverless technology (6", 9", 12")*
- *Junction box conceals a 120V transformer (14")*
- *May be mounted on ceiling or wall*

"Versatile, clean cut luminaire with crisp angles. Optimal ambient lighting complements nearly any room design."

Color Temp:	*2700K/3000K/3500K (6", 9", 12"), 2700K/3000K (14")*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*45,000 hours*
Input:	*120V (277V special order)*

FM-4006-27, FM-4006-30, FM-4006-35:
Size: 6" ***Watt:*** 16W
LED Lumens: Up to 1,471
Delivered Lumens: Up to 662

FM-4009-27, FM-4009-30, FM-4009-35:
Size: 9" ***Watt:*** 32W
LED Lumens: Up to 2,987
Delivered Lumens: Up to 1,294

FM-4012-27, FM-4012-30, FM-4012-35:
Size: 12" ***Watt:*** 32W
LED Lumens: Up to 3,128
Delivered Lumens: Up to 1,309


FM-4014-27, FM-4014-30:
Size: 14"x5" ***Watt:*** 31W
LED Lumens: Up to 1,356
Delivered Lumens: Up to 640

Finish



BN:
Brushed Nickel

Example: **FM-4009-30-BN**
For 277V special order, add an "F" before the color temperature: **FM-4006F-27-BN**





FM-33718-AL *shown*



FM-33723-AL *shown*

CORSO

DAMP TITLE 24 CALIFORNIA

18" & 23" LED CEILING MOUNT


• Canopy conceals a proprietary universal 120V-220V-277V driver
• May be mounted on ceiling or wall

"Promenade of light. A self illuminating halo within."

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

FM-33718: *Size:* 18" *Watt:* 25W
LED Lumens: 1,675 *Delivered Lumens:* 721

FM-33723: *Size:* 23" *Watt:* 34W
LED Lumens: 2,166 *Delivered Lumens:* 728



FM-33718 **FM-33723**

Finish



AL:
Brushed Aluminum
Example: **FM-33718-AL**



See complementary pieces on page 53.



FM-16617-BN *shown*

PLANETS

DAMP ADA

17" LED CEILING MOUNT

• Fixture conceals a proprietary universal 120V-220V-277V driver
• May be mounted on ceiling or wall

"Cosmically proportioned decorative ceiling-mount luminaires. Illuminate evenly for an out of this world experience."


Color Temp:	*3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*63,000 hours*
Input:	*120V-277V*

FM-16617: *Size:* 17" *Watt:* 60W
LED Lumens: 5,310 *Delivered Lumens:* 2,355

Finish



BN:
Brushed Nickel
Example: **FM-16617-BN**



FM-16617



FM-W57806-30-SS *shown*



FM-W57809-30-SS *shown*



FM-W57812-30-BK *shown*



FM-W57815-30-BK *shown*

DOT

6", 9", 12" & 15" INTERIOR/EXTERIOR LED CEILING MOUNT

- *Injection-molded, UV-rated acrylic diffuser*
- *Built in color temperature adjustability. Switch from 2700K/3000K/3500K.*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall*
- *277V option available for 9", 12" & 15" sizes (special order)*

"Optical diffuser amplifies the brightness on this durable waterproof outdoor flush mount."

Color Temp:	*2700K/3000K/3500K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V (277V special order)*

FM-W57806-27, FM-W57806-30, FM-W57806-35:
Size: *6"* ***Watt:*** 10W
LED Lumens: Up to 878 ***Delivered Lumens:*** Up to 574

FM-W57809-27, FM-W57809-30, FM-W57809-35:
Size: *9"* ***Watt:*** 16W
LED Lumens: Up to 1,571 ***Delivered Lumens:*** Up to 1,070

FM-W57812-27, FM-W57812-30, FM-W57812-35:
Size: *12"* ***Watt:*** 27W
LED Lumens: Up to 2,566 ***Delivered Lumens:*** Up to 1,482


FM-W57815-27, FM-W57815-30, FM-W57815-35:
Size: *15"* ***Watt:*** 31W
LED Lumens: Up to 3,106 ***Delivered Lumens:*** Up to 1,627

Finish


BK:
Black

SS:
Stainless Steel


Example: **FM-W57809-30-SS**
For 277V special order, add an "F" before the color temperature:
FM-W57812F-30-SS




FM-W57806



FM-W57809



FM-W57812



FM-W57815



FM-W52306-WT *shown*



FM-W52309-WT *shown*

NIVEOUS

6" & 9" INTERIOR/EXTERIOR LED CEILING MOUNT


- *Mouth blown opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on ceiling or wall*

"The perfect sphere."


Color Temp:	*3000K (2700K/3500K special order)*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*45,000 hours*
Input:	*120V (277V special order)*

FM-W52306: ***Size:*** 6" ***Watt:*** 10W
LED Lumens: 800 ***Delivered Lumens:*** 680

FM-W52309: ***Size:*** 9" ***Watt:*** 18W
LED Lumens: 1,600 ***Delivered Lumens:*** 1,428



FM-W52306



FM-W52309

Finish

WT:
White

Example: **FM-W52306-WT**
For 277V, add an "F" before the finish: **FM-W52306F-WT**
For 2700K add "-27"; 3500K add "-35"
before the finish: **FM-W52306-35-WT**



See complementary pieces on page 60-61.



LED Outdoor

Stylish wall sconces and pendants create a beautiful fusion of indoor and outdoor into a unique living atmosphere. This seamless interior/exterior connection begins with luminaires that accent your residential and commercial architecture with highly functional and sublime aesthetics to meet your most demanding requirements . All engineered and designed for versatile adjustability, energy efficiency and long lasting durability to endure in various weather conditions.

CORTE



WS-W15216-30-WT *shown*



WS-W15224-30-BK *shown*

ETL LISTED INTERTEK · WET · TITLE 24 CALIFORNIA · ADA · IP65 · CCT

NEW

16" & 24" LED OUTDOOR SCONCE

- *Bend etched acrylic diffuser*
- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


Finish

BK: *Black*


Example: **WS-W15216-30-BK**

WS-W15216-30, WS-W15216-35, WS-W15216-40:
Size: 16" ***Watt:*** 17W
LED Lumens: Up to 1,416
Delivered Lumens: Up to 988

WS-W15224-30, WS-W15224-35, WS-W15224-40:
Size: 24" ***Watt:*** 25W
LED Lumens: Up to 2,150
Delivered Lumens: Up to 1,527



WS-W15216



WS-W15224



WS-W15216-30-BK *shown*

SUMMIT



Amplify the boldness of this two-way exterior wall luminaire with equally distributed robust illumination above on facades and below on paths.

WS-W49214-30-BK *shown*



WS-W49214-30-BK *shown*

WET ADA IP65 CCT

NEW

14" LED OUTDOOR SCONCE

- *Up and downlight illumination*
- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*


Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W49214-30, WS-W49214-35, WS-W49214-40:
Size: 14" ***Watt:*** 16W
LED Lumens: Up to 1,535 ***Delivered Lumens:*** Up to 307

Finish

BK:
Black

Example: **WS-W49214-30-BK**



WS-W49214

TATE



WS-W69214-BK *shown*



WS-W69222-BK *shown*

WET ADA IP65 PATENT PENDING

NEW

14" & 22" LED OUTDOOR SCONCE

- *Etched opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-W69214: ***Size:*** 14" ***Watt:*** 16W
LED Lumens: 1,200 ***Delivered Lumens:*** 451

WS-W69222: ***Size:*** 22" ***Watt:*** 32W
LED Lumens: 2,400 ***Delivered Lumens:*** 943

Finish

BK:
Black

Example: **WS-W69214-BK**



WS-W69214 **WS-W69222**



WS-W69214-BK *shown*



WS-W77211-BK *shown*



WS-W77211-AL *shown*



WS-W77211-BK *shown*

WET · TITLE 24 CALIFORNIA · IP65

NEW

11” LED OUTDOOR SCONCE

- *Downlight with etched acrylic diffuser*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


WS-W77211: ***Size:*** 11” ***Watt:*** 17W
LED Lumens: 1,346 ***Delivered Lumens:*** 763

Finish

AL: *Brushed Aluminum*

BK: *Black*

Example: **WS-W77211-BK**




WS-W77211

AMHERST



WS-W17214-BK *shown*



WS-W17218-BK *shown*



WS-W17222-BK *shown*

ETL LISTED INTERTEK C US · WET · IP65

NEW

14", 18" & 22" LED OUTDOOR SCONCE

- *Downlight with seeded clear glass diffuser*
- *Open bottom for ease of maintenance*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-W17214: *Size:* 14" *Watt:* 16W
LED Lumens: 1,426 *Delivered Lumens:* 366

WS-W17218: *Size:* 18" *Watt:* 19W
LED Lumens: 1,741 *Delivered Lumens:* 490

WS-W17222: *Size:* 22" *Watt:* 20W
LED Lumens: 1,843 *Delivered Lumens:* 452


Finish

BK:
Black


Example: **WS-W17218-BK**




See complementary pieces on page 284-285.



WS-W17214



WS-W17218




WS-W17222



WS-W17218-BK *shown*

AMHERST



PD-W17216-BK *shown*



PD-W17216-BK *shown*

NEW

16″ LED OUTDOOR PENDANT

- *Downlight with seeded clear glass diffuser*
- *Open bottom for ease of maintenance*
- *Three 12″ and one 6″ downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

Finish


BK: *Black*

Example: **PD-W17216-BK**

PD-W17216: ***Size:*** 16″ ***Watt:*** 19W
LED Lumens: 1,741 ***Delivered Lumens:*** 618



See complementary pieces on page 282-283.



PD-W17216

BANDEAU



WS-W21110-30-BK *shown*



WS-W21116-30-BK *shown*



WS-W21122-30-BK *shown*

WET · TITLE 24 CALIFORNIA · ADA · IP65 · CCT

10", 16" & 22" LED OUTDOOR SCONCE

- *Ceramic silk-screen mitered glass diffuser*
- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V*

Finish


BK:
Black

Example: **WS-W21116-30-BK**


WS-W21110-30, WS-W21110-35, WS-W21110-40:
Size: 10" *Watt:* 8W *LED Lumens:* 600 *Delivered Lumens:* 192

WS-W21116-30, WS-W21116-35, WS-W21116-40:
Size: 16" *Watt:* 17W *LED Lumens:* 1,200 *Delivered Lumens:* 494


WS-W21122-30, WS-W21122-35, WS-W21122-40:
Size: 22" *Watt:* 20 *LED Lumens:* 1,600 *Delivered Lumens:* 734



WS-W21110



WS-W21116



WS-W21122



WS-W21116-30-BK *shown*

HAWTHORNE



WS-W33118-BK *shown*



WS-W33111-BK *shown*



WS-W33118-BK *shown*



WS-W33125-BK *shown*

11”, 18” & 25” LED OUTDOOR SCONCE

- *Hammered glass panels on four sides*
- *Open bottom for ease of maintenance*
- *Downlight illumination*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W33111: *Size:* 11” *Watt:* 11W
LED Lumens: 800 *Delivered Lumens:* 173

WS-W33118: *Size:* 18” *Watt:* 16W
LED Lumens: 1,200 *Delivered Lumens:* 256

WS-W33125: *Size:* 25” *Watt:* 25W
LED Lumens: 2,000 *Delivered Lumens:* 347



WS-W33111


Finish

BK:
Black


Example: **WS-W33118-BK**



See complementary pieces on page 246-247.



WS-W33118



WS-W33125



WS-W35114-BK *shown*



WS-W35118-BK *shown*

FAULKNER

14" & 18" LED OUTDOOR SCONCE

- *Tempered glass panels with spread optics on front and sides*
- *Stainless steel reflector*
- *Open bottom for ease of maintenance*
- *Downlight illumination*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


Finish

BK: *Black*


Example: **WS-W35118-BK**

WS-W35114: ***Size:*** 14" ***Watt:*** 16W
LED Lumens: 1,150 ***Delivered Lumens:*** 514

WS-W35118: ***Size:*** 18" ***Watt:*** 24W
LED Lumens: 1,817 ***Delivered Lumens:*** 927



WS-W35114




WS-W35118



WS-W35118-BK *shown*

ELIOT



WS-W37120-BK *shown*



WS-W37114-BK *shown*



WS-W37120-BK *shown*

14" & 20" LED OUTDOOR SCONCE

- *Seeded clear glass diffuser on front and sides*
- *Stainless steel textured reflector*
- *Riveted swinging door with latch for ease of maintenance*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


Finish

BK: *Black*

Example: **WS-W37120-BK**

WS-W37114: ***Size:*** 14" ***Watt:*** 11W
LED Lumens: 800 ***Delivered Lumens:*** 196

WS-W37120: ***Size:*** 20" ***Watt:*** 15W
LED Lumens: 1,200 ***Delivered Lumens:*** 264



FUSION



WS-W39114-BK *shown*



WS-W39120-BK *shown*

DAMP ADA IP65

14" & 20" LED OUTDOOR SCONCE

- *Edge lit hand crafted pressed glass feature*
- *Thin canopy conceals a proprietary 120V/277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*


WS-W39114: *Size:* 14" *Watt:* 13W
LED Lumens: 467 *Delivered Lumens:* 227

WS-W39120: *Size:* 20" *Watt:* 21W
LED Lumens: 773 *Delivered Lumens:* 259


Finish

BK:
Black

Example: **WS-W39114-BK**



WS-W39120



WS-W39114



WS-W39114-BK *shown*

NANTUCKET



WS-W85113-BK *shown*



WS-W85113-BK *shown*



WS-W85116-BK *shown*

INTERTEK ETL LISTED US · WET · TITLE 24 CALIFORNIA · IP65

13″ & 16″ LED OUTDOOR SCONCE

- *Seeded clear glass diffuser with spin on installation*
- *Downlight illumination*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*


Finish

BK: *Black*


Example: **WS-W85113-BK**

WS-W85113: ***Size:*** 13″ ***Watt:*** 6W
LED Lumens: 215 ***Delivered Lumens:*** 174

WS-W85116: ***Size:*** 16″ ***Watt:*** 6W
LED Lumens: 450 ***Delivered Lumens:*** 285



WS-W85116



WS-W85113

STAG



WS-W29118-30-AL *shown*

WS-W29118-30-WT *shown*

WET TITLE 24 CALIFORNIA ADA IP65 CCT

18" LED OUTDOOR SCONCE

- *Back lit indirect illumination*
- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall vertically or upside down*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W29118-30, WS-W29118-35, WS-W29118-40:
Size: 18" ***Watt:*** 16W
LED Lumens: Up to 1,424
Delivered Lumens: Up to 888


Finish

AL:
Brushed Aluminum

BK:
Black

WT:
White

Example: **WS-W29118-30-BK**



WS-W29118



WS-W29118-30-BK *shown*

ATLANTIS



WS-W27106-30-AL *shown*



WS-W27106-30-BK *shown*



WS-W27106-30-WT *shown*

WET ADA IP65 DARK SKY CCT

6″ LED OUTDOOR SCONCE

- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W27106-30, WS-W27106-35, WS-W27106-40:
Size: 6″ ***Watt:*** 9W
LED Lumens: Up to 207 ***Delivered Lumens:*** Up to 130


Finish

AL:
Brushed Aluminum

BK:
Black

WT:
White

Example: **WS-W27106-30-AL**



WS-W27106



WS-W23105-BK *shown*



WS-W23105-AL *shown*

OSLO

5" LED OUTDOOR SCONCE

WET · TITLE 24 CALIFORNIA · ADA · IP65

- *Edge lit etched acrylic diffuser*
- *Thin canopy conceals a proprietary 120V/277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V/277V*

WS-W23105: ***Size:*** 5" ***Watt:*** 5W
LED Lumens: 410 ***Delivered Lumens:*** 264


Finish

AL:
Brushed Aluminum

BK:
Black

WT:
White

Example: **WS-W23105-WT**



WS-W23105



WS-W23105-WT *shown*

BALANCE



WS-W25106-30-BK *shown*



WS-W25106-30-WT *shown*



WS-W25106-30-AL *shown*

WET · TITLE 24 CALIFORNIA · ADA · IP65 · DARK SKY · CCT

6" LED OUTDOOR SCONCE

- *Built in color temperature adjustability. Switch from 3000K/3500K/4000K.*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K/3500K/4000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W25106-30, WS-W25106-35, WS-W25106-40:
Size: 6" ***Watt:*** 11W
LED Lumens: Up to 352 ***Delivered Lumens:*** Up to 146


Finish

AL:
Brushed Aluminum

BK:
Black

WT:
White

Example: **WS-W25106-30-BK**



WS-W25106



PD-W63114-BK *shown*

SLEEK

14" LED OUTDOOR PENDANT


- *Clear hammered mouth blown glass diffuser*
- *Downlight illumination*
- *Three 12" and one 6" downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Spin-on round canopy with minimal hardware*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV,* *100% - 10% TRIAC*
Rated Life:	*54,000 hours*
Input:	*120V*

PD-W63114: ***Size:*** 14" ***Watt:*** 11W
LED Lumens: 696 ***Delivered Lumens:*** 679

Finish

BK: *Black*
Example: **PD-W63114-BK**



PD-W63114



PD-W63114-BK *shown*



WS-W44011-BK *shown*



WS-W44014-BK *shown*

AXEL

11" & 14" LED OUTDOOR SCONCE

"Clean and tight. A fixture that can be installed in any direction."

- *Ceramic silk-screen mitered glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*


WS-W44011: ***Size:*** 11" ***Watt:*** 20W
LED Lumens: 1,410 ***Delivered Lumens:*** 629

WS-W44014: ***Size:*** 14" ***Watt:*** 30W
LED Lumens: 2,137 ***Delivered Lumens:*** 813


Finish

BK:
Black

Example: **WS-W44014-BK**



WS-W44011



WS-W44014



WS-W42016-BK/GO *shown*



WS-W42020-BK/GO *shown*

NIGHTVISION

16" & 20" LED OUTDOOR SCONCE

"Distinctive sophistication for the great outdoors. A hint of the warmth inside."

- *Up and downlight illumination*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*


WS-W42016: ***Size:*** 16" ***Watt:*** 11W
LED Lumens: 926 ***Delivered Lumens:*** 113

WS-W42020: ***Size:*** 20" ***Watt:*** 16W
LED Lumens: 1,351 ***Delivered Lumens:*** 169


Finish

BK/GO:
Black/Gold

Example: **WS-W42016-BK/GO**



WS-W42016



WS-W42020

SLEEPLESS



WS-W43011-BK/AB *shown*



WS-W43011-BK/AB *shown*



WS-W43015-BK/AB *shown*

WET IP65

11” & 15” LED OUTDOOR SCONCE

- *Hammered seeded clear glass diffuser with spin on installation*
- *Canopy conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*


Finish

BK/AB:
Black/Aged Brass


Example: **WS-W43011-BK/AB**

WS-W43011: ***Size:*** 11” ***Watt:*** 15W
LED Lumens: 700 ***Delivered Lumens:*** 417

WS-W43015: ***Size:*** 15” ***Watt:*** 19W
LED Lumens: 950 ***Delivered Lumens:*** 617



WS-W43011



WS-W43015



WS-W13918-BK *shown*



WS-W13924-BK *shown*

ARCHETYPE

ETL LISTED US · WET · TITLE 24 CALIFORNIA · ADA · IP65

18" & 24" LED OUTDOOR SCONCE

"A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application."

- *Up and downlight illumination*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours (18")*
	60,000 hours (24")
Input:	*120V*


Finish

BK: *Black*


Example: **WS-W13918-BK**

WS-W13918: ***Size:*** 18" ***Watt:*** 16W
LED Lumens: 1,200 ***Delivered Lumens:*** 427

WS-W13924: ***Size:*** 24" ***Watt:*** 22W
LED Lumens: 1,600 ***Delivered Lumens:*** 760



WS-W13918



WS-W13924



WS-W15912-BK *shown*



WS-W15918-BK *shown*



WS-W15924-BK *shown*

ARCHETYPE

ETL LISTED US · WET · TITLE 24 CALIFORNIA · ADA · IP65

12", 18" & 24" LED OUTDOOR SCONCE

"Stately Modern."

- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

WS-W15912: ***Size:*** 12" ***Watt:*** 10W
LED Lumens: 800 ***Delivered Lumens:*** 331


WS-W15918: ***Size:*** 18" ***Watt:*** 13W
LED Lumens: 1,000 ***Delivered Lumens:*** 435

WS-W15924: ***Size:*** 24" ***Watt:*** 16W
LED Lumens: 1,200 ***Delivered Lumens:*** 571


Finish

BK: *Black*


Example: **WS-W15912-BK**



WS-W15912



WS-W15918



WS-W15924



ARCHETYPE

18" LED OUTDOOR PENDANT & 28" LED OUTDOOR POST MOUNT

• Three 12" and one 6" downrod included, additional rods available (18" Pendant)
• Mount on 3" maximum post, not included (28" Post Mount)
• ACLED driverless technology

> *A low-profile, artful design adds a distinctive, sophisticated look in any outdoor application.*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

Finish

BK: *Black*


Example: **PD-W15918-BK**
Example: **PM-W15928-BK**

PD-W15918: ***Size:*** 18" ***Watt:*** 10W
LED Lumens: 800 ***Delivered Lumens:*** 379

PM-W15928: ***Size:*** 28" ***Watt:*** 16W
LED Lumens: 1,200 ***Delivered Lumens:*** 382

PD-W15918

PM-W15928





ICON

14" & 20" LED OUTDOOR SCONCE

• Up and downlight illumination
• Fixture conceals a proprietary universal 120V-220V-277V driver
• May be mounted on wall in all orientations

> *Like a simple reference to something greater, the up and down lights accentuate linear architectural forms.*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V-277V*

WS-W54614: ***Size:*** 14" ***Watt:*** 11W
LED Lumens: 845 ***Delivered Lumens:*** 458

WS-W54620: ***Size:*** 20" ***Watt:*** 11W
LED Lumens: 847 ***Delivered Lumens:*** 478


Finish

AL: *Brushed Aluminum*

BK: *Black*

BZ: *Bronze*

Example: **WS-W54614-BZ**





WS-W36610-AL *shown*



WS-W36610-BK *shown*



WS-W36614-BZ *shown*

CALIBER

10" & 14" LED OUTDOOR SCONCE

"Light projection tuned with precision."

- *Fixture conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*72,000 hours*
Input:	*120V-277V*

WS-W36610: ***Light:*** One Direction
Size: 10" ***Watt:*** 11W
LED Lumens: 735 ***Delivered Lumens:*** 560

WS-W36614: ***Light:*** Up & Down Light
Size: 14" ***Watt:*** 21W
LED Lumens: 1,500 ***Delivered Lumens:*** 1,140


Finish

AL: *Brushed Aluminum*


BK: *Black*

BZ: *Bronze*

Example: **WS-W36614-AL**



WS-W36610



WS-W36614



PD-W36610-BK *shown*



PD-W36610-WT *shown*



PD-W36610-BZ *shown*



PD-W36610-AL *shown*

CALIBER

10" LED OUTDOOR MINI PENDANT

"Clean, modern style for any space."

- *Three 12" and one 6" downrods included (additional downrods available)*
- *May be mounted on a sloped ceiling*
- *Fixture conceals a proprietary universal 120V-220V-277V driver*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*75,000 hours*
Input:	*120V-277V*

PD-W36610: ***Size:*** 10" ***Watt:*** 12W
LED Lumens: 799 ***Delivered Lumens:*** 508

Finish


AL: *Brushed Aluminum*

BK: *Black*

BZ: *Bronze*

WT: *White*

Example: **PD-W36610-BK**



PD-W36610

SODOR



WS-W15708-BZ *shown*



WS-W15710-BK *shown*

WET TITLE 24 CALIFORNIA IP65

8" & 10" LED OUTDOOR SCONCE

• *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*

Finish


BK: *Black*

BZ: *Bronze*


Example: **WS-W15708-BZ**

WS-W15708: ***Size:*** 8" ***Watt:*** 12W
LED Lumens: 750 ***Delivered Lumens:*** 315

WS-W15710: ***Size:*** 10" ***Watt:*** 15W
LED Lumens: 1,200 ***Delivered Lumens:*** 560



WS-W15708



WS-W15710



WS-W15710-BK *shown*



WS-W65607-BK *shown*



WS-W65607-BZ *shown*



WS-W65607-WT *shown*



WS-W65607-GH *shown*

MOD

6" LED OUTDOOR SCONCE

• Fixture conceals a proprietary universal 120V-220V-277V driver
• May be mounted on wall in all orientations

"Modernistic and always in fashion. A clean asymmetrical down light."


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*70,000 hours*
Input:	*120V-277V*

WS-W65607: ***Size:*** 6" ***Watt:*** 17W
LED Lumens: 1,165 ***Delivered Lumens:*** 850

Finish

BK: *Black*
BZ: *Bronze*
GH: *Graphite*
WT: *White*

Example: **WS-W65607-BZ**



WS-W65607



WS-W14911-BK *shown*



WS-W14911-AL *shown*

SLANT

11" LED OUTDOOR SCONCE

• ACLED driverless technology
• May be mounted on wall in all orientations

"Cleverly designed, minimalistic lighting."


Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V*

WS-W14911: ***Size:*** 11" ***Watt:*** 7W
LED Lumens: 441 ***Delivered Lumens:*** 353

Finish

AL: *Brushed Aluminum*
BK: *Black*

Example: **WS-W14911-BK**



WS-W14911



WS-W11914-BK *shown*



WS-W11920-BK *shown*



WS-W11926-BK *shown*

FICTION

14", 20" & 26" LED OUTDOOR SCONCE

"Modern elegance in a powerful, iconic design."

- *Frontlight with etched acrylic diffuser*
- *Fixture conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V, 100% - 10% TRIAC*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

WS-W11914: ***Size:*** 14" ***Watt:*** 9W
LED Lumens: 788 ***Delivered Lumens:*** 445


WS-W11920: ***Size:*** 20" ***Watt:*** 15W
LED Lumens: 1,666 ***Delivered Lumens:*** 758

WS-W11926: ***Size:*** 26" ***Watt:*** 20W
LED Lumens: 2,855 ***Delivered Lumens:*** 1,132

Finish

BK:
Black

Example: **WS-W11914-BK**



WS-W11914 **WS-W11920** **WS-W11926**



WS-W47809-BK *shown*



WS-W47814-SS *shown*



WS-W47820-BK *shown*

CASE

9", 14" & 20" LED OUTDOOR SCONCE

"Clean, simple form with weather-resistant black or durable stainless steel. Mount it vertically or horizontally."

- *Frontlight with etched acrylic diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*81,000 hours*
Input:	*120V (277V Special Order)*

WS-W47809: ***Size:*** 9" ***Watt:*** 13W
LED Lumens: 1,040 ***Delivered Lumens:*** 411

WS-W47814: ***Size:*** 14" ***Watt:*** 22W
LED Lumens: 1,644 ***Delivered Lumens:*** 885


WS-W47820: ***Size:*** 20" ***Watt:*** 34W
LED Lumens: 2,560 ***Delivered Lumens:*** 1,034

Finish

BK:
Black

SS:
Stainless Steel

Example: **WS-W47809-SS**
For 277V special order, add an "F" before the finish:
WS-W47814F-BK



WS-W47809 **WS-W47814** **WS-W47820**



WS-W61806-AL *shown*



WS-W61808-BK *shown*



WS-W61806-BZ *shown*



WS-W61808-AL *shown*

BLOCK

6" & 8" LED OUTDOOR SCONCE

"Eye-catching cast glass on a clean block design."

- *Die-cast glass diffuser*
- *Fixture conceals a proprietary universal 120V-220V-277V driver*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV, 100% - 5% 0-10V*
Rated Life:	*50,000 hours*
Input:	*120V-277V*

WS-W61806: ***Light:*** One Direction
Size: 6" ***Watt:*** 9W
LED Lumens: 615 ***Delivered Lumens:*** 540

WS-W61808: ***Light:*** Up & Down Light
Size: 8" ***Watt:*** 15W
LED Lumens: 947 ***Delivered Lumens:*** 773


Finish

AL:
Brushed Aluminum


BK:
Black

BZ:
Bronze

Example: **WS-W61808-AL**



WS-W61806



WS-W61808



WS-W52610-BK *shown*



WS-W52614-BZ *shown*



WS-W52620-BK *shown*

LATITUDE

10", 14" & 20" LED OUTDOOR SCONCE

"Classic architectural lighting form offered in complementary sizes."

- *Frontlight with opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V (277V special order)*

WS-W52610: ***Size:*** 10" ***Watt:*** 12W
LED Lumens: 765 ***Delivered Lumens:*** 415

WS-W52614: ***Size:*** 14" ***Watt:*** 18W
LED Lumens: 1,255 ***Delivered Lumens:*** 735


WS-W52620: ***Size:*** 20" ***Watt:*** 19W
LED Lumens: 1,220 ***Delivered Lumens:*** 790

Finish


BK:
Black

BZ:
Bronze


Example: **WS-W52610-BK**
For 277V, add an "F" before the finish: **WS-W52620F-BK**



WS-W52610



WS-W52614



WS-W52620

CHAMBER



WS-W48620-BZ *shown*



WS-W48616-BK *shown*



WS-W48625-BZ *shown*

ETL INTERTEK CERTIFIED TO US · WET · TITLE 24 CALIFORNIA · IP65

16”, 20” & 25” LED OUTDOOR SCONCE

- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V (277V special order)*

WS-W48616: ***Size:*** 16” ***Watt:*** 12W
LED Lumens: 1,000 ***Delivered Lumens:*** 255

WS-W48620: ***Size:*** 20” ***Watt:*** 18W
LED Lumens: 1,600 ***Delivered Lumens:*** 519


WS-W48625: ***Size:*** 25” ***Watt:*** 22W
LED Lumens: 1,800 ***Delivered Lumens:*** 605

Finish


BK:
Black

BZ:
Bronze


Example: **WS-W48616-BK**
For 277V, add an “F” before the finish: **WS-W48616F-BK**



WS-W48625



WS-W48620



WS-W48616



PD-W48616-BZ *shown*

PM-W48620-BK *shown*



CHAMBER

16" LED OUTDOOR PENDANT & 20" LED OUTDOOR POST MOUNT

(16" Pendant & 20" Post Mount) (20" Post Mount)

"Bold Mid-Century Modern look with intersecting aluminum frames and cutting-edge LED light."

- *Three 12" and one 6" downrods included for customized length (16" Pendant)*
- *May be mounted on a sloped ceiling (16" Pendant)*
- *Mounts on a 3" maximum diameter post, not included (20" Post Mount)*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*50,000 hours*
Input:	*120V (277V special order)*

PD-W48616: ***Size:*** 16" ***Watt:*** 12W
LED Lumens: 1,000 ***Delivered Lumens:*** 372


PM-W48620: ***Size:*** 20" ***Watt:*** 18W
LED Lumens: 1,600 ***Delivered Lumens:*** 634

Finish

BK: *Black*

BZ: *Bronze*

Example: **PD-W48616-BK**
Example: **PM-W48620-BZ**
For 277V, add an "F" before the finish: **PD-W48616F-BK**



PD-W48616 **PM-W48620**

PD-W48616 **PM-W48620**



WS-W45714-BK *shown*



WS-W45720-BK *shown*



WS-W45726-BK *shown*

OBERON

14", 20" & 26" LED OUTDOOR SCONCE

"A timeless contemporary guardian."

- *Frontlight with bend opal glass diffuser*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V (277V special order)*

WS-W45714: ***Size:*** 14" ***Watt:*** 20W
LED Lumens: 1,865 ***Delivered Lumens:*** 685


WS-W45720: ***Size:*** 20" ***Watt:*** 20W
LED Lumens: 1,900 ***Delivered Lumens:*** 745

WS-W45726: ***Size:*** 26" ***Watt:*** 35W
LED Lumens: 3,273 ***Delivered Lumens:*** 1,026

Finish

BK: *Black*

Example: **WS-W45714-BK**
For 277V, add an "F" before the finish: **WS-W45720F-BK**



WS-W45714 **WS-W45720** **WS-W45726**



WS-W41716-BZ *shown*



WS-W41722-BZ *shown*

SPA

16" & 22" LED OUTDOOR SCONCE

"Dazzling. Shimmering. Sparkle of light."

- *Downlight with hand poured art glass*
- *ACLED driverelss technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*


Finish

BZ: *Bronze*

Example: **WS-W41716-BZ**

WS-W41716: ***Size:*** 16" ***Watt:*** 13W
LED Lumens: 375 ***Delivered Lumens:*** 185

WS-W41722: ***Size:*** 22" ***Watt:*** 13W
LED Lumens: 365 ***Delivered Lumens:*** 180



WS-W41716 **WS-W41722**



WS-W5312-BZ *shown*



WS-W5318-BZ *shown*

TAO

12" & 18" LED OUTDOOR SCONCE

"Architecturally harmonious form."

- *Silver crystal glass window*
- *Font and downlight illumination*
- *ACLED driverless technology*
- *May be mounted on wall in all orientations*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*80,000 hours*
Input:	*120V (277V special order)*


Finish

BZ: *Bronze*

Example: **WS-W5318-BZ**
For 277V, add an "F" before the finish: **WS-W5318F-BZ**

WS-W5312: ***Size:*** 12" ***Watt:*** 11W
LED Lumens: 830 ***Delivered Lumens:*** 220

WS-W5318: ***Size:*** 18" ***Watt:*** 15W
LED Lumens: 1,218 ***Delivered Lumens:*** 250



WS-W5312 **WS-W5318**



WS-W24509-BZ *shown*



WS-W24513-BK *shown*

STEAMPUNK

9″ & 13″ LED OUTDOOR SCONCE

“Vintage industrial.”

- *Downlight with mouth blown hammered glass diffuser*
- *ACLED driverelss technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V (277V special order)*

WS-W24509: *Size:* 9″ *Watt:* 10W
LED Lumens: 624 *Delivered Lumens:* 365


WS-W24513: *Size:* 13″ *Watt:* 10W
LED Lumens: 657 *Delivered Lumens:* 440

Finish


BK:
Black

BZ:
Bronze

Example: **WS-W24513-BK**
For 277V special order, add an “F” before the finish: **WS-W24513F-BK**



WS-W24509



WS-W24513



WS-W26712-BZ *shown*



WS-W26716-BZ *shown*

NEST

12″ & 16″ LED OUTDOOR SCONCE

“A harmonious blend of modern with arts & crafts.”

- *Downlight illumination with extruded aluminum louvers create a dramatic pattern of light*
- *ACLED driverless technology*

Color Temp:	*3000K*
CRI:	*90*
Dimming:	*100% - 10% ELV*
Rated Life:	*54,000 hours*
Input:	*120V*


WS-W26712: *Size:* 12″ *Watt:* 9W
LED Lumens: 208 *Delivered Lumens:* 165

WS-W26716: *Size:* 16″ *Watt:* 13W
LED Lumens: 366 *Delivered Lumens:* 290


Finish

BZ:
Bronze

Example: **WS-W26712-BZ**



WS-W26712



WS-W26716

ALPHABETICAL INDEX

A

ACTION 113
AMELIA 82-83
AMHERST 282-283, 284-285
ARCHETYPE 312-314
ARNE 218
ARTEMIS 108
ATLANTIS 300-301
ATLAS 40-41
AXEL 308

B

BALANCE 304-305
BANDEAU 286-287
BANDED 114-115
BISTRO 50-51
BLAKE 178-179
BLISS 156-157
BLOCK 324
BLOK 198
BOLLA 100-101
BOXI 186-187
BRADBURY 248-249
BRANWEN 98-99
BRINK 154-155

C

CALIBER 316-317
CAMELOT 176-177
CASE 323
CHAMBER 326-327, 328
CHANDRA 86-87, 88-89
CHAUCER 240-241
CHELSEA 220-221
CHRYSALIS 92-93
CLARE 194-195
COCHERE 20-21
COLLETTE 172-173
COLTRANE 188-189
CONSTANTINE 238-239
CORBUSIER 203
CORNICE 170-171
CORSO 53, 268
CORTE 274-275
CRATER 116

D

DARCY 148
DICE 267
DIVERGENCE 58-59
DRAKE 192-193
DOT 270
DOWNTOWN 242-243
DUET 174-175

E

E=MC² 76
ECHO 94-95
EERO 219
EFFERVESCENT 34-35
ELEKTRON 262
ELEMENTUM 80, 153
ELIOT 292-293
ELLINGTON 104-105
ESCAPADE 4-5
ESPRIT 149
ETERNAL 42-43

F

FALLON 120-121
FAULKNER 290-291
FICTION 322
FITZGERALD 184-185
FLARE 79
FLIP 222
FRAME 64
FUSION 294-295

G

GEOS 263
GRISHAM 210-211

H

HAILEY 250-251
HAWTHORNE .. 246-247, 288-289
HEMMINGWAY 230
HOUDINI 68
HUDSON 231

I

ICON 315
ILLUSION 73
INTERLACE (PD) .. 70-71, 102-103
INTERLACE (WS) 162

J

JASMINE 134-135
JULIET 146-147

K

KENT 227
KEPLER 208-209
KONE 110-111

L

LASSO 236-237
LAUREL 106-107
LATITUDE 325
LAYNE 180-181
LEVEL 77, 158
LINE 74-75, 163
LOCKE 142-143
LOLLI 117
LOOPHOLE 72
LUNE 46-47, 48-49, 224-225

M

MAMBA 16-17
MANHATTAN (FM) 264-265
MANHATTAN (PD) 38-39
MANHATTAN (WS) 190-191
MARQUES (FM) 236-237
MARQUES (PD) 30-31, 32-33
MARQUES (WS) 124-125
MARISE 84-85, 168-169
MAVEN 193
MELROSE 144
MERCER 145
MINECRAFT 44-45
MOD 320
MODERNE 204
MORAE 8-9, 10-11
MUSEO 136-137
MYLIE 196-197
MYTHICAL 202

N

NANTUCKET 296-297
NAPA 78
NEST 333
NIGHTSTICK 165
NIGHTVISION 309
NIVEOUS 60-61, 271

O

OBERON 329
OHM 112
OSLO 302-303

P

PARALLAX (FM) 252-253
PARALLAX (PD) 24-25, 26-27
PARALLAX (WS) .. 128-129,130-131
PAVILION 22-23
PEEK 244-245
PENCIL SKIRT 214-215
PIERCE 90-91
PIN UP 216-217
PLANETS 269
POCKET 199
PROHIBITION 205

Q

QUARTET 6-7

R

REED 228-229
REPOSE 150-151
ROCKABILLY 36-37
ROCKPORT 280-281
ROLAND 182-183
RONDELLE 160-161

S

SCOPE 223
SEVILLE 200-201
SIMONE 141
SINCLAIR 18-19, 96-97
SIRIUS 28-29
SLANT 321
SLEEK 306-307
SLEEPLESS 310-311
SLICE 266
SODOR 318-319
SOLARIS 66-67
SPA 330
SPECTRE 126-127
SPRIG 212-213
STAG 298-299
STACK 62-63
STEAMPUNK 332
STRETCH 233
STRIP 164
STYX 132-133
SUMMIT 276-277
SVELTE 159

T

TAO 331
TATE 278-279
TAURUS 256-257
TIC TOC 81
TIGHTROPE 14-15
TRAP 69
TRICK BOX 65

U

UPTOWN 226

V

VALERIUS 12-13
VAUGHAN 254-255
VERA 122-123
VIBE 232
VIDA 57
VIEW 138-139
VISTA 152
VOLO 52
VORNADO 54-55, 56, 109

W

WAVE 140
WRIGHT 260-261

Y

YORK 258-259

NUMERICAL INDEX

B

BL-1630 233
BL-1021L 222
BL-1021R 222
BL-21205 208-209
BL-23210 212-213
BL-25214 210-211
BL-29903 223
BL-48007 218
BL-49018 219
BL-57108 216-217
BL-59110 214-215
BL-83023 220-221

F

FM-4006 267
FM-4009 267
FM-4012 267
FM-4014 267
FM-4109 266
FM-4111 266
FM-4115 266
FM-4610 263
FM-4615 263
FM-4622 263
FM-13114 264-265
FM-13120 264-265
FM-13126 264-265
FM-16617 269
FM-21720 262
FM-21728 262
FM-27214 238-239
FM-27218 238-239
FM-33718 268
FM-33723 268
FM-43222 236-237
FM-45008 258-259
FM-45012 258-259
FM-46010 260-261
FM-46014 260-261
FM-49118 256-257
FM-53116 250-251
FM-63216 240-241
FM-67116 254-255
FM-73132 252-253
FM-73142 252-253
FM-W33113 246-247
FM-W45205 244-245
FM-W47205 242-243
FM-W47206 242-243
FM-W52306 271
FM-W52309 271
FM-W57806 270
FM-W57809 270
FM-W57812 270
FM-W57815 270
FM-W93216 248-249

P

PD-13006 112
PD-13714 38-39
PD-13720 38-39
PD-13726 38-39
PD-14032 48
PD-15052 49
PD-16063 46-47
PD-17023 44-45
PD-18041 42-43
PD-20004 50-51
PD-20010 50-51
PD-20014 50-51
PD-22744 52
PD-22754 52
PD-22775 52
PD-23852 72
PD-26611 80
PD-26616 80
PD-29256 6-7
PD-29803 62-63
PD-29806 62-63
PD-29809 62-63
PD-29828 64
PD-29858 64
PD-31228 4-5
PD-31727 73
PD-31735 73
PD-31947 65
PD-33230 8-9
PD-33244 10-11
PD-33718 53
PD-33732 53
PD-33743 53
PD-35246 14-15
PD-37224 12-13
PD-37806 81
PD-37814 81
PD-39214 83
PD-41210 94-95
PD-42909 78
PD-42912 78
PD-42918 78
PD-45747 76
PD-47821 102-103
PD-47828 70-71
PD-47839 70-71
PD-51030 40-41
PD-51041 40-41
PD-51050 40-41
PD-51148 74-75
PD-52008 117
PD-52307 60-61
PD-52310 60-61
PD-52313 60-61
PD-55906 68
PD-55912 68
PD-60944 58-59
PD-60964 58-59
PD-61110 104-105
PD-65244 22-23
PD-67209 100-101
PD-68909 114-115
PD-69108 106-107
PD-70913 79
PD-70925 79
PD-70937 79
PD-70945 79
PD-71226 16-17
PD-72006 110-111

PD-72718 57
PD-72724 57
PD-73129 26-27
PD-73139 26-27
PD-73155 24-25
PD-73210 96-97
PD-73242 18-19
PD-75126 36-37
PD-75209 98-99
PD-76908 113
PD-79221 84-85
PD-81118 28-29
PD-81124 28-29
PD-81131 28-29
PD-83128 30-31
PD-83148 32-33
PD-84907 109
PD-85114 108
PD-85648 77
PD-87208 88-89
PD-87214 86-87
PD-87720 54-55
PD-87723 54-55
PD-87729 56
PD-87735 54-55
PD-87741 56
PD-89210 90-91
PD-91207 92-93
PD-94940 66-67
PD-95820 69
PD-95827 69
PD-95838 69
PD-97145 34-35
PD-97218 20-21
PD-98908 116
PD-W15918 314
PD-W17216 284-285
PD-W36610 317
PD-W48616 328
PD-W63114 306-307
PL-LED14 230
PL-LED15 232
PL-LED17 231
PL-LED23 231
PL-LED24 230
PL-LED25 232
PL-LED34 231
PL-LED37 232
PL-11017 228-229
PL-11025 228-229
PL-16017 224-225
PL-16027 224-225
PL-11033 224-225
PL-50011 227
PL-50017 227
PL-50023 227
PL-52017 226
PL-52025 226
PL-52034 226
PM-W15928 314
PM-W48620 328

W

WS-6718 163
WS-6724 163
WS-6736 163
WS-7213 153
WS-7222 153
WS-7230 153
WS-7316 159
WS-7322 159
WS-7334 159
WS-12712 202
WS-12713 202
WS-12718 202
WS-12724 202
WS-13107 190-191
WS-13115 190-191
WS-13122 190-191
WS-21014 193
WS-24016 194-195
WS-25014 192
WS-25612 198
WS-27010 196-197
WS-28021 200-201
WS-30018 142-143
WS-30907 199
WS-34027 150-151
WS-34037 150-151
WS-35020 146-147
WS-35027 146-147
WS-35819 165
WS-35825 165
WS-35837 165
WS-35849 165
WS-35861 165
WS-35873 165
WS-35897 165
WS-36022 144
WS-36032 144
WS-37024 145
WS-37034 145
WS-38024 148
WS-38036 148
WS-40615 204
WS-40720 152
WS-40726 152
WS-41119 132-133
WS-41125 132-133
WS-41137 132-133
WS-42505 160-161
WS-42514 160-161
WS-42524 160-161
WS-42618 203
WS-43114 188-189
WS-45105 186-187
WS-45620 205
WS-47108 184-185
WS-47116 184-185
WS-47828 162
WS-47838 162
WS-53223 120-121
WS-55206 174-175
WS-57205 170-171
WS-59210 172-173
WS-61216 176-177
WS-63718 164
WS-63724 164
WS-63736 164
WS-65118 136-137
WS-65128 136-137
WS-69815 149
WS-69826 149
WS-69838 149
WS-73117 130-131
WS-73118 128-129
WS-73123 130-131
WS-73124 128-129
WS-77127 134-135
WS-77137 134-135
WS-77612 154-155
WS-77618 154-155
WS-77624 154-155
WS-77636 154-155
WS-79121 141
WS-79130 141
WS-79220 168-169
WS-79622 156-157
WS-79628 156-157
WS-79636 156-157
WS-81208 180-181
WS-83120 124-125
WS-83129 124-125
WS-83139 124-125
WS-83212 182-183
WS-85212 178-179
WS-85618 158
WS-85624 158
WS-85636 158
WS-87117 140
WS-87128 140
WS-89120 138-139
WS-89128 138-139
WS-93120 126-127
WS-93127 126-127
WS-95227 122-123
WS-W5312 331
WS-W5318 331
WS-W11914 322
WS-W11920 322
WS-W11926 322
WS-W13918 312
WS-W13924 312
WS-W14911 321
WS-W15216 274-275
WS-W15224 274-275
WS-W15708 318-319
WS-W15710 318-319
WS-W15912 313
WS-W15918 313
WS-W15924 313
WS-W17214 282-283
WS-W17218 282-283
WS-W17222 282-283
WS-W21110 286-287
WS-W21116 286-287
WS-W21122 286-287
WS-W23105 302-303
WS-W24509 332
WS-W24513 332
WS-W25106 304-305
WS-W26712 333
WS-W26716 333
WS-W27106 300-301
WS-W29118 298-299
WS-W33111 288-289
WS-W33118 288-289
WS-W33125 288-289
WS-W36610 316
WS-W36614 316
WS-W35114 290-291
WS-W35118 290-291
WS-W37114 292-293
WS-W37120 292-293
WS-W39114 294-295
WS-W39120 294-295
WS-W41716 330
WS-W41722 330
WS-W42016 309
WS-W42020 309
WS-W43011 310-311
WS-W43015 310-311
WS-W44011 308
WS-W44014 308
WS-W45714 329
WS-W45720 329
WS-W45726 329
WS-W47809 323
WS-W47814 323
WS-W47820 323
WS-W48616 326-327
WS-W48620 326-327
WS-W48625 326-327
WS-W49214 276-277
WS-W52610 325
WS-W52614 325
WS-W52620 325
WS-W54614 315
WS-W54620 315
WS-W61806 324
WS-W61808 324
WS-W65607 320
WS-W69214 278-279
WS-W69222 278-279
WS-W77211 280-281
WS-W85113 296-297
WS-W85116 296-297

Headquarters
Tel: 800.526.2588
Fax: 800.526.2585

West Coast Factory

1750 Archibald Ave
Ontario, CA 91761

East Coast Factory

44 Harbor Park Dr
Port Washington, NY 11050

Central Factory

1600 Distribution Ct
Lithia Springs, GA 30122

Consult the factory to take advantage of our custom capabilities in large quantities.
For up to date product specifications and assistance, please visit:
waclighting.com or call **1-800-526-2588**

Copyright © 2022 by WAC Lighting.
All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.



Many designs within are patented or patent pending. WAC Lighting will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe that its intellectual property is being infringed.

Copyright © 2022 by WAC Lighting.
All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

dweLED