





The — New

2021.1



:Fabbian





# New in



## Acustica

pag. 06  
*tech info pag. 38*

Sospensione  
*Pendant*



## Light Glide

pag. 10  
*tech info pag. 40*

Sospensione  
*Pendant*



## Turny

pag. 14  
*tech info pag. 45*

Tavolo  
*Table*

# Updates



## Amulette Art

pag. 20  
*tech info pag. 40*

Sospensione / Parete  
*Pendant / Wall*



## Metro

pag. 24  
*tech info pag. 42*

Parete  
*Wall*



## Olympic

pag. 28  
*tech info pag. 43*

Tavolo  
*Table*



## Pivot

230V

pag. 32  
*tech info pag. 43*

Sospensione / Parete-Soffitto  
*Pendant / Wall-Ceiling lamp*

# Acustica

---


Ispirato ad un piatto della batteria, il grande e sottile paralume di Acustica ne ribalta il concetto, assorbendo le onde sonore ambientali e creando un elevato comfort acustico.

La sua posizione naturalmente inclinata e la leggerezza del paralume, permette di avere composizioni di lampade dinamiche e creative. La fonte luminosa è centrale e fissa, Acustica è disponibile in più varianti colore. È ideale per ambienti pubblici come ristoranti, uffici di lusso ma anche ampi spazi di attesa.



*The wide, slim shape of the Acustica lampshade is inspired by the cymbal of a drum kit, but reverses the musical concept by absorbing sound from the space, to create a high level of acoustic comfort. Its naturally inclined angle, and its lightness, make possible dynamic and creative compositions of multiple lamps, whilst the light source itself remains central and fixed. Acustica is available in a range of colour variations, and is ideal for use in public spaces such as restaurants and luxury offices, as well as large waiting areas.*






Pendant

LED

diff. Ø 90 - 120 cm | h. 9 - 11 cm



*The Acustica collection consists of two indoor pendant lamps with sound-absorbing properties, in diameters of 90cm or 120cm.*

*The shell is made from recycled PET, the structure is black anodised aluminium, and the diffuser is opal PMMA (polymethylmethacrylate). The LED source is available as 1-10V dimmable, DALI/PUSH, or phase cut, with an integrated power supply. Both versions are highly efficient and flicker-free.*

La collezione Acustica è costituita da due sospensioni per interno con proprietà di assorbimento acustico, di diametro da 90cm o 120cm. La calotta è realizzata in PET riciclato, con struttura in alluminio anodizzato nero e diffusore in PMMA (Polimetilmetacrilato) opalino. La sorgente LED è disponibile dimmerabile 1-10V, DALI – PUSH o a taglio di fase con alimentatore integrato. Tutte le versioni sono ad alta efficienza e ripple free.



# Light Glide

---

Light Glide è una lampada a sospensione dal design esclusivo. A prima vista, sembra essere un apparecchio lineare di base ma una funzione scorrevole consente di espandere la luce e raddoppiarne le dimensioni. Ciò consente di modulare la quantità della luce in base alle proprie preferenze personali o in risposta ai mobili sottostanti.

Idealmente posizionata in una sala da pranzo o sopra un tavolo da conferenza, può anche essere utilizzata in multipli per creare interessanti composizioni luminose. Inoltre l'UGR inferiore a 19 la rende versatile per l'installazione in uffici e zone dove il controllo dell'abbagliamento risulta di fondamentale importanza. Light Glide combina il carattere di un apparecchio architettonico con l'espressione di uno decorativo e raggiungendo quello che il designer chiama "felice minimalismo". È un prodotto semplice con una rivelazione sorprendente e deliziosa.

*Light Glide is a pendant lamp of exclusive design.*

*At first glance it looks like a standard strip fitting, but a slide function enables it to be doubled in size to illuminate a wider area so that the amount of light can be modulated to suit the furniture, or the personal taste of the user.*

*The ideal setting would be a dining room or above a meeting room table. Multiple fittings can be combined to create interesting compositions of light. Its UGR of less than 19 means that Light Glide is versatile and is also suitable for office lighting, or in any situation where it is very important to minimise glare.*

*By combining the character of an architectural luminaire with the expressiveness of a decorative light fitting, Light Glide achieves what its designer calls a "happy minimalism": a straightforward product that comes with a pleasing hidden surprise.*



## collection — Light Glide

Light Glide è una sospensione per interno disponibile in alluminio anodizzato nero o verniciato bianco. I diffusori sono in PMMA (Polimetilmetacrilato) opalino e prismatizzato.

La sorgente LED è disponibile in versione ON OFF, oppure con il doppio controllo del flusso uplight e downlight con sistemi PUSH, PUSH 1..10V, PUSH 1..10V DALI o taglio di fase. L'alimentatore è integrato e tutte le versioni sono ad alta efficienza e ripple free.



The — New

Pendant

LED

diff. Ø 90 - 120 cm | h. 9 - 11 cm



*Light Glide is an indoor pendant lamp in black anodised or white painted aluminium. The diffusers are opal and prismatic PMMA (polymethylmethacrylate).*

*The LED source is available in either an ON/OFF version, or with double control of the uplight and downlight flux by means of PUSH, PUSH 1..10V, PUSH 1..10V DALI, or phase-cut dimming. The power supply is integrated and both versions are high efficiency and flicker-free.*

# Turny

---

Turny è una lampada portatile e ricaricabile pensata per il contract. Nata dall'idea dei designer di rendere iconico il concetto della torcia, si è evoluta in un oggetto che si adatta ad ambienti trasversali, per soddisfare soprattutto le esigenze di hotel e ristoranti. Il grado di protezione IP54 ne permette l'utilizzo non solo in ambienti interni ma anche esterni come patio, giardini e terrazze.




*The Turny portable rechargeable lamp is intended for contract interiors. The design concept is based on the idea of a flashlight and transforms it into an iconic object that adapts to various settings, primarily in hotels and restaurants. Its IP54 protection means that it can also be used outdoors on patios and terraces, or in gardens.*



La forma svasata con cui è stata concepita permette, come per gioco, di renderla funzionante anche se capovolta.

L'interazione con Turny è altresì incentivata dalle modalità di accensione, spegnimento e modifica dell'intensità luminosa che avvengono attraverso un semplice tocco.

L'autonomia è di 6 ore al 100% e di 11 ore al 50%.





*The concave shape means that it can be handled almost like a toy; it works even when it is turned upside down.*

*Users are encouraged to interact with it by playing at switching it on and off, or to modify the light intensity by simply touching the lamp. Autonomy: 6 hours at 100% and 11 hours at 50%.*



Table

LED

diff. Ø 90 - 120 cm | h. 9 - 11 cm



*The Turny table lamp is available in white ABS, anthracite grey, sand beige, reseda green, purple red, Amalfi blue, or dusty pink. It is powered by a high efficiency battery and has touch-dimmable LEDs.*

Turny è una lampada da tavolo disponibile in ABS bianco, grigio antracite, beige sabbia, verde reseda, rosso porpora, blu Amalfi o rosa antico.

La lampada funziona con un sistema a batteria con LED ad alta efficienza e dimmerabile touch.



# Amulette Art

---

Con Amulette Art si sono voluti approfondire e studiare i particolari effetti che produce la luce LED quando attraversa lo spessore di una lastra di vetro cristallino colato, martellato e lucidato.

Il risultato è una lampada importante a vedersi ma molto leggera ed elegante con una luce di grande effetto che si diffonde in maniera ottimale in ambienti chic, magari dal gusto Art Déco. La lastra è incastonata nel metallo come una pietra preziosa, un portafortuna. La sua geometria, unita ad una dimensione contenuta, ne esalta la ricercata lavorazione delle superfici e la forza espressiva del metallo.

*Amulette Art is an in-depth exploration of the particular effects that are generated when LED light passes through a plate of cast, hammered, and polished crystalline glass.*

*The lamp has a formal and important appearance but is also very light and elegant. It has a very effective light quality that diffuses excellently in chic environments, perhaps where there is an Art Deco taste. The glass plate is set into the metal in the manner of a precious stone, or a lucky charm. Its geometric shape and small size emphasise the refined workmanship of the surfaces and the expressive strength of the metal.*



La collezione è costituita da una sospensione e una lampada da parete per interno. Il diffusore è costituito da vetro cristallino martellato su un lato con la montatura in metallo spazzolato verniciato oro, oro rosa e antracite. L'elettrificazione è a tensione di rete per LED dimmerabile PUSH 1..10V.



The — New

Wall

LED

I. 17 cm | d. 6 cm | h. 44 cm



Pendant

LED  
diff. l. 17 cm | d. 2 cm | h. 44 cm

*The collection consists of a pendant lamp and a wall lamp, both for indoor use. The diffuser is made of crystal glass that has been hammered on one side. The brushed metal frame has a painted gold, rose gold, or anthracite finish. The electrification uses mains voltage for 1-10V dimmable LED push control.*

# Metro

---

Metro è un segno grafico luminoso, un concetto semplice che ora aggiunge alla famiglia un elemento: una linea dritta, un nastro metallico essenziale inserito all'interno di un tubolare in silicone ottico che dà vita a più situazioni. Alla base del progetto c'è l'obiettivo di rispondere efficacemente a uno dei problemi più diffusi nell'illuminazione di ambienti moderni e tradizionali: dare luce a spazi ampi caratterizzati da soffitti alti, travati, a volta o dipinti, spesso privi di punti luce. Metro risolve queste esigenze e offre molte altre possibilità con un impatto visivo minimo ed elegante al tempo stesso.



*Metro is an illuminated graphical sign, a straightforward concept for a collection, now including a wall-mounted light fitting that will bring vitality to a range of situations: a straight line that takes the form of a minimalist metal strip, mounted inside an optical silicone tube. The starting point for the design was the need to address a problem that is very commonly encountered in both modern and traditional spaces: how to light large, high spaces that may have beams, vaults, or painted ceilings and where there are often no lighting points. Metro resolves these issues with a minimal, elegant visual impact as well as offering numerous other possibilities.*



Questa novità comprende una illuminazione da parete. Il nastro metallico è disponibile nella lunghezza di 6m in finitura acciaio inox. La sorgente luminosa a LED, collocata lungo tutto il nastro, illumina l'ambiente omogeneamente.





*The new Metro with the silicon tube is available in a 6m length, which the user can cut shorter if required, and has a stainless steel finish. The LED light source runs for its full length so that the space is evenly illuminated.*

# Olympic

Un anello di luce ha il fascino olimpico di una forma aerea e conchiusa, a sé bastante. Un singolo anello permette di illuminare gli spazi proiettando la sua luce nello spazio come se agisse una forza centrifuga. L'aggiornamento della collezione Olympic aggiunge un nuovo elemento luminoso da tavolo, ideale per ambienti moderni e in stile classico contemporaneo.



*An Olympic ring of light: the fascination of an ethereal shape that is complete in itself, illuminating a room with a single ring of light projected into the space, as though activated by a centrifugal force. The new table lamp is part of the updated Olympic collection. It is ideal for modern or contemporary classic interiors.*



La lampada da tavolo Olympic è costituita da un diffusore circolare in alluminio verniciato bianco e anodizzato bronzo dove la sorgente luminosa a LED è collocata sulla circonferenza esterna. La base è in compound a base di cemento antigraffio e lavabile. Il flusso luminoso è regolabile dal dimmer integrato e consente pertanto di creare la giusta atmosfera per ogni situazione.



The — New

Table

LED

diff. Ø 60 cm | h. 63,8 cm




*The Olympic table lamp consists of a circular aluminium diffuser, painted white and bronze anodised with the LED light source mounted on its outer circumference. The base is made from a cement-based scratch-resistant washable compound. The light output can be adjusted using an integrated dimmer, enabling the appropriate mood to be created for every situation.*

Pivot è una collezione che si mostra silenziosamente: da due piccole basi poste all'estremità, sviluppa una barra “pivotante” rispetto al proprio asse che si svela e permette di scoprirla la luce. Può essere unita in sospensione ad altri elementi producendo l’immagine di un perimetro minimale oppure restare come un’unica linea che si sviluppa da terra o si stabilisce a muro, proiettando un’illuminazione indiretta a soffitto o parete ma che può essere girata a 360° rivelando il suo essere dinamica e sorprendente. Pivot è un segno semplice capace di essere direzionato in base alle necessità, a seconda delle occasioni e dell’immaginazione.

*The Pivot collection reveals itself silently as a “pivoting” bar of light that rotates between two small fixed terminal ends and reveals itself when it is turned, allowing its light to be discovered. It can be used as a freestanding linear element rising from the floor, or alternatively can be fixed to a wall surface, or combined with other suspended elements to generate the image of a minimalist perimeter. It is designed to throw light indirectly on a ceiling or wall, but can be rotated through 360° to reveal its dynamic, unexpected possibilities. These simple light fittings can be orientated to suit changing requirements, depending on the occasion and the imagination of the user.*



La collezione Pivot 230Vac, dimmerabile taglio di fase (30~100%), comprende tre applique di diversa lunghezza per parete e soffitto e una sospensione, a richiesta le lunghezze sono personalizzabili. Le lampade sono state progettate per ambienti interni, disponibili in alluminio verniciato bianco, grigio antracite, grigio chiaro e anodizzato bronzo. Grazie a due accessori, in finitura alluminio anodizzato e anodizzato bronzo, è ora possibile montare in serie due o tre sospensioni. Un nuovo accessorio permette inoltre di distanziare dal muro la sorgente.



The — New

Pendant

LED

diff. Ø 90 - 120 cm | h. 9 - 11 cm



Wall-Ceiling

LED  
diff. Ø 90 - 120 cm | h. 9 - 11 cm

*The Pivot 230V AC phase-cut dimmable (30 ~ 100%) collection includes a pendant version and three wall or ceiling fittings of different lengths, which can be made to special sizes on request. They are intended for indoor use and are available in white, anthracite grey, light grey, or bronze anodised aluminium. Two or three of the pendant fittings can be joined together using aluminium or bronze anodised connectors. A new accessory also enables the lamp to be mounted at a distance away from the wall surface.*


Technical info

Price list




# Acustica / F58

Gio Minelli & Marco Fossati

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F58 A11</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 100-277V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: 1..10V  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A12</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 100-277V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: 1..10V  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A21</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 220-240V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: DALI - PUSH  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A22</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 220-240V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: DALI - PUSH  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A51</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 220-240V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: IGBT - TRIAC  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A52</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	980,00 €	LED 220-240V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 4,00 kg Dimm: IGBT - TRIAC  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>



# Acustica / F58

Gio Minelli & Marco Fossati

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F58 A31</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 100-277V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: 1..10V  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A32</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 100-277V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: 1..10V  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A41</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 220-240V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: DALI - PUSH  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A42</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 220-240V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: DALI - PUSH  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A61</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 220-240V 1x20W 3000K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: IGBT - TRIAC  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F58 A62</b>  06 Ocean 32 Coral 37 Concrete 43 Lawn green 47 Honey	<b>1.188,00 €</b>	LED 220-240V 1x20W 2700K 1604lm CRI 90+	Energy label A++ (01) Net weight: 6,00 kg Dimm: IGBT - TRIAC  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>


# Amulette Art / F56

Bernhardt & Vella

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F56 A11</b>  21 Anthracite 78 Satin rose gold 79 Satin gold	<b>388,00 €</b>	LED 220-240V 1x5W 3000K CRI 80	Energy label A++ (01) Net weight: 3,10 kg Dimm: PUSH 1..10V  IP20	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F56 A12</b>  21 Anthracite 78 Satin rose gold 79 Satin gold	<b>388,00 €</b>	LED 220-240V 1x5W 2700K CRI 80	Energy label A++ (01) Net weight: 3,10 kg Dimm: PUSH 1..10V  IP20	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
<b>Parete / Wall lamp</b>					
	<b>F56 D11</b>  21 Anthracite 78 Satin rose gold 79 Satin gold	<b>388,00 €</b>	LED 220-240V 1x5W 3000K CRI 80	Energy label A++ (01) Net weight: 3,10 kg Dimm: PUSH 1..10V  IP20	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F56 D12</b>  21 Anthracite 78 Satin rose gold 79 Satin gold	<b>388,00 €</b>	LED 220-240V 1x5W 2700K CRI 80	Energy label A++ (01) Net weight: 3,10 kg Dimm: PUSH 1..10V  IP20	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>

# Light Glide / F57


Cory Grosser

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F57 A51</b>  01 White 02 Black	<b>470,00 €</b>	LED 110-277V 1x53W 3000K 3335lm (1336lm UP + 1969lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 2,80 kg  IP40	<b>Included:</b> LED, Alimentatore / <i>LED, Driver</i>
	<b>F57 A53</b>  01 White 02 Black	<b>470,00 €</b>	LED 110-277V 1x53W 4000K 3335lm (1336lm UP + 1969lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 2,80 kg  IP40	<b>Included:</b> LED, Alimentatore / <i>LED, Driver</i>

The – New

# Light Glide / F57

Cory Grosser

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F57 A01</b>  01 White 02 Black	<b>928,00 €</b>	LED 110-277V 1x149W 3000K 10009lm (4100lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg  IP40	Included: LED, Alimentatore / LED, Driver
	<b>F57 A03</b>  01 White 02 Black	<b>928,00 €</b>	LED 110-277V 1x149W 4000K 10009lm (4100lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg  IP40	Included: LED, Alimentatore / LED, Driver
	<b>F57 A11</b>  01 White 02 Black	<b>1.120,00 €</b>	LED 110-277V 1x149W 3000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PUSH 1..10V (up/down independent)  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver
	<b>F57 A13</b>  01 White 02 Black	<b>1.120,00 €</b>	LED 110-277V 1x149W 4000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PUSH 1..10V (up/down independent)  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver
	<b>F57 A21</b>  01 White 02 Black	<b>1.240,00 €</b>	LED 220-240V 1x149W 3000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PUSH 1..10V DALI (up/down independent)  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver
	<b>F57 A23</b>  01 White 02 Black	<b>1.240,00 €</b>	LED 220-240V 1x149W 4000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PUSH 1..10V DALI (up/down independent)  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver
	<b>F57 A31</b>  01 White 02 Black	<b>1.240,00 €</b>	LED 220-240V 1x149W 3000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PHASE CUT  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver
	<b>F57 A33</b>  01 White 02 Black	<b>1.240,00 €</b>	LED 220-240V 1x149W 4000K 11819lm (5909lm UP + 5909lm DOWN) CRI 90+	Energy label A++ (01) Net weight: 7,70 kg Dimm: PHASE CUT  IP40	Included: LED, Alimentatore elettronico dimmerabile / LED, Dimmable electronic driver

The — New


# Metro / F49

## Technical Design

Parete-Soffitto / Wall-Ceiling lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F49 G21</b> 35 Polished stainless steel	<b>747,00 €</b>	LED 24Vdc 1x116W 3000K 1632lm/m CRI 90+	Energy label A++ (01) Net weight: 1,50 kg IP20	<b>Included:</b> Strip LED, 2 attacchi a parete, 2 coperture metalliche, nastro metallico da 6m, copertura siliconica / LED strip, 2 wall attachments, 2 metal covers, 6m metal strip, silicone cover  Possibilità di tagliare il nastro a misura / The strip can be cut to measure
	<b>F49 G22</b> 35 Polished stainless steel	<b>747,00 €</b>	LED 24Vdc 1x116W 2700K 1632lm/m CRI 90+	Energy label A++ (01) Net weight: 1,50 kg IP20	<b>Included:</b> Strip LED, 2 attacchi a parete, 2 coperture metalliche, nastro metallico da 6m, copertura siliconica / LED strip, 2 wall attachments, 2 metal covers, 6m metal strip, silicone cover  Possibilità di tagliare il nastro a misura / The strip can be cut to measure
<b>Accessori / Accessories</b>					
	<b>F49 Z08</b> 35 Polished stainless steel	<b>233,00 €</b>		Net weight: 1,20 kg	<b>Included:</b> 2 attacchi a parete, 2 coperture metalliche / 2 wall attachments, 2 metal covers
<b>Accessori / Accessories</b>					
	<b>F49 Z03</b>	<b>144,00 €</b>		Net weight: 1,30 kg Dimm: 1..10V	Alimentatore 240W 24Vdc, dimmerabile 1..10V / 1..10 dimmable driver 240W 24Vdc
<b>Accessori / Accessories</b>					
	<b>F49 Z02</b>	<b>109,00 €</b>		Net weight: 0,90 kg	Alimentatore 150W 24Vdc, non dimmerabile / No dimmable driver 150W 24Vdc


## Olympic / F45

Lorenzo Truant

Tavolo / Table lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F45 B01</b> 01 White	<b>640,00 €</b>	LED 220-240V 1x40W 3000K 3260lm CRI 90+	Energy label A++ (01) Net weight: 4,42 kg Dimm: SLIDE  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F45 B01</b> 76 Bronze	<b>694,00 €</b>			
	<b>F45 B02</b> 01 White	<b>640,00 €</b>	LED 220-240V 1x40W 2700K 3260lm CRI 90+	Energy label A++ (01) Net weight: 4,42 kg Dimm: SLIDE  IP40	<b>Included:</b> LED, Alimentatore elettronico dimmerabile / <i>LED, Dimmable electronic driver</i>
	<b>F45 B02</b> 76 Bronze	<b>694,00 €</b>			


## Pivot / F39

Vittorio Massimo

Sospensione / Pendant lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>230V</b> <b>F39 A21</b> 01 White 21 Anthracite 75 Light grey	<b>483,00 €</b>	LED 220-240V 1x52W 3000K 4071lm CRI 90+	Energy label A++ (01) Net weight: 2,58 kg Dimm: PHASE CUT (30-100%)  IP40 	<b>Included:</b> LED / LED
	<b>230V</b> <b>F39 A21</b> 76 Bronze	<b>549,00 €</b>			
	<b>230V</b> <b>F39 A22</b> 01 White 21 Anthracite 75 Light grey	<b>483,00 €</b>	LED 220-240V 1x52W 2700K 4071lm CRI 90+	Energy label A++ (01) Net weight: 2,58 kg Dimm: PHASE CUT (30-100%)  IP40 	<b>Included:</b> LED / LED
	<b>230V</b> <b>F39 A22</b> 76 Bronze	<b>549,00 €</b>			



# Pivot / F39

Vittorio Massimo

Parete-Soffitto / Wall-Ceiling lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>230V</b> <b>F39 G21</b>	<b>270,00 €</b>	LED 220-240V 1x18W 3000K 1357lm CRI 90+	Energy label A++ (01) Net weight: 0,45 kg Dimm: PHASE CUT (30-100%)  IP40 	Included: LED / LED
<b>01 White</b> <b>21 Anthracite</b> <b>75 Light grey</b>					
<b>230V</b> <b>F39 G21</b>		<b>300,00 €</b>			
<b>76 Bronze</b>					
<b>230V</b> <b>F39 G22</b>		<b>270,00 €</b>	LED 220-240V 1x18W 2700K 1357lm CRI 90+	Energy label A++ (01) Net weight: 0,45 kg Dimm: PHASE CUT (30-100%)  IP40 	Included: LED / LED
<b>01 White</b> <b>21 Anthracite</b> <b>75 Light grey</b>					
<b>230V</b> <b>F39 G22</b>		<b>300,00 €</b>			
<b>76 Bronze</b>					
<b>Parete-Soffitto / Wall-Ceiling lamp</b>					
	<b>230V</b> <b>F39 G23</b>	<b>329,00 €</b>	LED 220-240V 1x35W 3000K 2714lm CRI 90+	Energy label A++ (01) Net weight: 0,70 kg Dimm: PHASE CUT (30-100%)  IP40 	Included: LED / LED
<b>01 White</b> <b>21 Anthracite</b> <b>75 Light grey</b>					
<b>230V</b> <b>F39 G23</b>		<b>367,00 €</b>			
<b>76 Bronze</b>					
<b>230V</b> <b>F39 G24</b>		<b>329,00 €</b>	LED 220-240V 1x35W 2700K 2714lm CRI 90+	Energy label A++ (01) Net weight: 0,70 kg Dimm: PHASE CUT (30-100%)  IP40 	Included: LED / LED
<b>01 White</b> <b>21 Anthracite</b> <b>75 Light grey</b>					
<b>230V</b> <b>F39 G24</b>		<b>367,00 €</b>			
<b>76 Bronze</b>					


## Pivot / F39

Vittorio Massimo

Parete-Soffitto / Wall-Ceiling lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>230V</b> <b>F39 G25</b> 01 White 21 Anthracite 75 Light grey	411,00 €	LED 220-240V 1x52W 3000K 4071lm CRI 90+	Energy label A++ (01) Net weight: 1,02 kg Dimm: PHASE CUT (30-100%)  IP40 ADJUSTABLE SYSTEM	Included: LED / LED
	<b>230V</b> <b>F39 G25</b> 76 Bronze	457,00 €			
	<b>230V</b> <b>F39 G26</b> 01 White 21 Anthracite 75 Light grey	411,00 €	LED 220-240V 1x52W 2700K 4071lm CRI 90+	Energy label A++ (01) Net weight: 1,02 kg Dimm: PHASE CUT (30-100%)  IP40 ADJUSTABLE SYSTEM	Included: LED / LED
	<b>230V</b> <b>F39 G26</b> 76 Bronze	457,00 €			
<b>Accessori / Accessories</b>					
	<b>F39 Z05</b> 01 White 21 Anthracite 75 Light grey	62,00 €		Net weight: 0,08 kg	
	<b>F39 Z05</b> 76 Bronze	74,00 €			
				Accessorio distanziatore per parete / Spacer for wall lamp	

## Turny / F59

Emo Design

Tavolo / Table lamp	Code	Price (IVA not included)	Light source	Info	Accessories
	<b>F59 B01</b> 01 White 03 Purple red 07 Dusty pink 16 Sand beige 21 Anthracite 43 Reseda green 73 Amalfi blue	125,00 €	LED USB supply 5V 1x2.5W 3000K 225lm CRI 80	Energy label A++ (01) Net weight: 0,55 kg Dimm: TOUCH  IP54	Included: LED, Caricabatteria, Cavo USB, Batteria / LED, Battery charger, USB cable, Battery
<b>Utility</b>	<b>A50702</b>	74,00 €	Caricabatteria USB con 4 porte, 25W, 220-240V / USB battery charger with 4 USB port, 25W, 220-240V		The — New
	<b>A50703</b>	149,00 €	Caricabatteria USB con 10 porte, 60W, 220-240V / USB battery charger with 10 USB port, 60W 220-240V		









**Italy**

Fabbian Srl  
via Santa Brigida, 50  
31023, Castelminio di Resana, Treviso  
tel +39 0423 4848  
fax +39 0423 484395  
[www.fabbian.com](http://www.fabbian.com)

**Sales**

[italia@fabbian.com](mailto:italia@fabbian.com)  
[export@fabbian.com](mailto:export@fabbian.com)

**Mkt & Com**

[marketing@fabbian.com](mailto:marketing@fabbian.com)

**Usa & Canada**

Fabbian Usa Corp.  
307 W 38th St Ste 1103  
New York, NY 10018, Usa  
ph. +1 646 518 4160  
fax +1 646 518 4180  
[www.fabbian.us](http://www.fabbian.us)

**Sales**

[usa@fabbian.com](mailto:usa@fabbian.com)  
[canada@fabbian.com](mailto:canada@fabbian.com)

**Mkt & Com**

[marketing.usa@fabbian.com](mailto:marketing.usa@fabbian.com)

IP Cat/Mkt/07215000

**Render**

Metaverso

**Print**

Trevisostampa Srl

**Inchiostro con solventi BIO**

Questo catalogo è stato stampato con inchiostri a base di soia, amici dell'ambiente, che favoriscono colori accurati e brillanti rendendo il processo di riciclo della carta ancora più semplice.

**Ink with BIO solvents**

*This catalog has been printed with ink made from soy, environmentally friendly, that favor accurate and brilliant colors making the paper recycling process even easier.*

**Certificazione FSC**

Il marchio di certificazione FSC garantisce che la materia prima usata per realizzare questo catalogo proviene da foreste dove sono rispettati rigorosi standard ambientali, sociali ed economici.

**FSC certification**

*The FSC certification mark guarantees that the raw material used to make this catalog comes from forests where strict environmental, social and economic standards are respected.*

Questo catalogo non può essere copiato, scansionato o riprodotto con alcun mezzo. Tutti i diritti sono riservati.

Immagini, descrizioni, quotazioni, dimensioni e dati tecnici sono da considerarsi puramente indicativi. Pur mantenendo le caratteristiche fondamentali del prodotto, il produttore si riserva il diritto di apportare modifiche in qualsiasi momento con l'unico scopo di miglioramento.

*This catalogue cannot be copied, scanned or reproduced by any means. All rights reserved.*

*Pictures, descriptions, quoting, dimensions and technical datas have to be considered as purely indicative. While maintaining the basic characteristic of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.*



[www.fabbian.com](http://www.fabbian.com)