

MODERN FORMS

Chandeliers & Pendants	2
Interior Sconces	168
Bath & Interior Sconces	236
Flush Mounts	298
Exterior	342
Swing Arm & Picture Lights	414

Within these pages, you will find plentiful products that meet ADA and Dark Sky compliance, many with universal voltage input (120V–277V) or other custom order options, all in a variety of sizes to permit maximum versatility in style and application. We also invite you to explore the possibilities of working with a true manufacturer, where your needs may require something custom. For more information, please contact:
custom@modernforms.com




CHANDELIERS & PENDANTS

ORION

Interlocking perfect rings with stunning Spanish alabaster diffusers make this elaborate luminaire a perfect fit for any interior. Each ring casts an eye catching array of ambient light.



- Up and downward illumination
- First quality Spanish alabaster
- Natural stone features unique veining and color variation
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Slide-on rectangular canopy with minimal hardware
- Universal 120V-220V-277V driver concealed within canopy
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56246	46"	47W	120-277V	4000	1500	AB Aged Brass

Example: PD-56246-AB




FIRENZE

Stunning high quality Alabaster from Spain reveals unique veins and color variations. All illuminated with a robust acrylic diffuser. Remarkable intricate details showcase the beauty and uniqueness of the natural stone.



- First quality Spanish alabaster
- Natural stone features unique veining and color variation
- Hang straight swivel
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" down rods included (additional sold separately)
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-40222	22"	11W	120-277V	894	806	AB AN

Example: PD-40222-AB




PENDANTS & CHANDELIERS



CAMBRIA

Clean lines and simple geometry define this minimalist mini pendant. An extruded metal structure enhances with artisan crafted milky white acrylic frame.



-
- Artisan crafted milky cloud acrylic. Each crafted piece lends itself to slight variations in milkiness.
 - Three 12" and one 6" down rods included (additional sold separately)
 - Hang straight swivel
 - Slide-on square canopy with minimal hardware
 - Thin canopy conceals a proprietary 120/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color Temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-28216	16"	16W	120/277V	1500	706	BK	Black

Example: PD-28216-BK

PENDANTS & CHANDELIERS




EQUILIBRIUM

An elegant rectangle of light radiates from an artisan crafted, cloudy acrylic center panel illuminated by an uplight to create an impressive and unique look. The base of this modern 48-inch luminaire features downward illumination.



- Up and downward illumination
- Artisan crafted milky cloudy acrylic. Each crafted piece is unique and lends itself to variations in milkiness.
- Six 12" and two 6" down rods included (additional sold separately)
- Hang straight swivel
- Slide-on rectangular canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90






Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-54248	48"	28W	120-277V	2500	1264	BK Black

Example: PD-54248-BK




SERENITY

Artisanal wispy glass wraps round an aged brass finished ring like a luxurious earring for the home. A curved concept and invitation to embrace luxurious living with unparalleled style. Modern aesthetic with an artist touch for this mini pendant.



- Wispy pressed hard glass
- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-38210	10"	15W	120/277V	680	448	AB Aged Brass



Example: PD-38210-AB



CYMBAL

Resonating like a vibrant note stands this elegant halo of light. The heart of this creation enticingly illuminates a ring of cloudy skies. Holistic beauty is accentuated with an aged brass architectural finish.



-  **TITLE 24**
CALIFORNIA  **DAMP**
- Three 12" and one 6" down rods included (additional sold separately)
 - Hang straight swivel
 - Spin-on round canopy with minimal hardware
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-62114	14"	9W	120/277V	500	377	AB Aged Brass 

Example: PD-62114-AB




PENDANTS & CHANDELIERS



IMPERIAL

An architecturally scaled, two tiered pendant offering both upward and downward illumination from energy efficient LEDs. Clean curvaceous lines from the streamlined silhouette complement the best in today's upscale interiors.



- Up and down illumination
- Streamlined architectural silhouette
- Spin-on round canopy with minimal hardware
- Thin power aircraft cables provide an ultra clean look for adjustable suspension height
- Proprietary universal 120V-220V-277V driver concealed within canopy
- Dimmer: ELV, 0-10V
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-32242	42"	82W	120-277V	7965	3911	BK BN Brushed Nickel



Example: PD-32242-BN



CARILLION

Elevate decorative luminaires to raise the bar for modern decorative lighting. Intersecting bands on cascading triple spheres reveal beautiful ambient lighting.



-  
- Ambient illumination
 - Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
 - Thin canopy conceals a proprietary universal 120V-220V-277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 54,000 hours
 - Color Temp: 3000K
 - CRI: 90


Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-36203R	3 lights	81W	120-277V	2927	1019	AB Aged Brass
						BK Black
						BN Brushed Nickel

Example: PD-36203R-BN



CARILLION

Elevate this decorative luminaire to raise the bar for modern lighting. Intersecting bands on a sphere reveal beautiful edge lighting.



- Ambient illumination
- Spin-on round canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-36206	6"	27W	120V-277	1134	413	AB Aged Brass
						BK Black
						BN Brushed Nickel

Example: PD-36206-BK




TEMPEST

Stay ahead of the curve with this creative, distinctive free formed design. Extreme contours, elegant proportions and sophisticated detailing for modern luxe spaces.



- Each free formed handcrafted piece lends itself to slight variations in size and curvature
- Slide-on rectangular canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-44267	67"	68W	120-277V	6545	3338	BK Black

Example: PD-44267-BK




CHARLIZE

Innovative fiber optic strands carry light for an even up and downward glow. A brilliant ring rounds out this impressive, uniquely crafted luminaire. Delicate contoured lines bathe you with inviting illumination.



- Fiber optics carries light for an even up and down illuminating glow
- Inner plate creates a mirrored effect
- Spin-on round canopy with minimal hardware
- Thin power aircraft cables provide an ultra clean look for adjustable suspension height
- Proprietary universal 120V-220V-277V driver concealed within canopy
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-48226	26"	112W	120-277V	5200	2406	BK Black


Example: PD-48226-BK

PENDANTS & CHANDELIERS



BURNING MAN

A modern industrial design with a refined touch. Deeply textured for a tactile aesthetic, this utilitarian design encases LEDs for brilliant downward illumination.



-  
- Knurled aluminum casing with textured cross hatching pattern
 - Retractable collar can be rotated for continuous 15°- 45° beam adjustment
 - Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
 - Spin-on round canopy with minimal hardware
 - Thin canopy conceals a proprietary 120/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 60,000 hours
 - Color Temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-67014	14"	15W	120-277V	1105	768	AB AN	Aged Brass Antique Nickel


Example: PD-67014-AN

PENDANTS & CHANDELIERS



ZENYA

Inspired by the Japandi minimalist style integrated with cutting edge LEDs. This stunning pendant renders a tapered metal lattice which illuminates with an etched acrylic diffuser.



- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-74223	23"	20W	120-277V	1000	600	BK GO
Example: PD-74223-GO						




BOUGH

An architectural lighting treasure. Rustic charm of natural wood with the contemporary flair of black metal for a striking look. Downlights deliver functional illumination below.



- Downward illumination
- Natural wood grain and color variation with each unique piece
- Slide-on square canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-42254	54"	41W	120-277V	1142	867	BK/DW Black/Dark Walnut
Example: PD-42254-BK/DW						


PENDANTS & CHANDELIERS





BATTLESTAR

Employing a convergence of rugged curved metal forms. An architecturally banded pendant with both ambient and down lighting. Clean sturdy lines complement the best in today's upscale interiors.

A remarkable yet simply complex configuration illuminated with advanced LED technology for enduring beauty and energy efficiency in a broad range of settings.



-  **TITLE 24**
CALIFORNIA 
- Ambient and downward illumination
 - Spin-on round canopy with minimal hardware
 - Thin power aircraft cables provide an ultra clean look for adjustable suspension height
 - Canopy conceals a proprietary universal 120V-220V-277V driver
 - Dimmer: ELV, 0-10V
 - Rated Life: 50,000 hours
 - Color Temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-34228	28"	30W	120-277V	2225	1559	BK Black

Example: PD-34228-BK




TIDAL

A unique twist on decorative modern lighting. Generous proportions and meticulous attention to detail make this floating sculpture a must-have for any interior.



- Each free formed handcrafted piece lends itself to slight variations in size and curvature
- Slide-on rectangular canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-58257	57"	82W	120-277V	6989	3574	BK Black

Example: PD-58257-BK




SYDNEY

A modern expressionist style inspired by the world's famous opera house, SYDNEY evokes a creative, innovative and structural design. A multi-faceted, high performer.



- Up and downward illumination
- Slide-on almond shaped canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64256	56"	41W	120-277V	3600	2568	AB Aged Brass

Example: PD-64256-AB




AMARI

Cool, connective, sculptural. Two interlocking panels render a thought provoking aesthetic. Subtle ambient illumination commands attention of this floating work of art.



- Ambient illumination
- Slide-on square canopy with minimal hardware
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Thin canopy conceals a 120V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-79014	14"	28W	120V	765	646	AB BK
Example: PD-79014-AB						




AMARI

Cubism captured the imagination of a changing world during the turn of the 20th century. Pay homage to this era in Modern art with a chandelier of juxtaposed planes.



- Ambient light distributed from multiple diffusers
- Dimmer: ELV, TRIAC 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Twelve 12" and four 6" down rods included (additional sold separately)
- Rated Life: 66,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-79058	58"	83W	120-277V	6000	2617	AB	Aged Brass
						BK	Black

Example: PD-79058-BK




KONSTRUKT

A sculpture of interlocking panels render a thought-provoking aesthetic. Barely visible powered aircraft cables add intrigue. The subtle ambient illumination draws attention to this floating work of modern art.




- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Quick slide-on canopy design with minimal hardware for easy installation
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-80048	48"	78W	120-277V	2992	2064	BK TT
						Black Titanium

Example: PD-80048-BK







PENDANTS & CHANDELIERS



MYSTIC

Aluminum hardware encases a stunning seeded crystal that sparkles bright. The fluted K5 crystal is hand carved with V channels for an added optical and textural effect. Install Mystic in multiples to make a rich design statement.



- 
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
 - Title 24 option available (special order)with driver concealed within canopy
 - Dimmer: ELV
 - Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
 - Rated Life: 50,000 hours
 - Color temp: 3500K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-11912	12"	22W	120-277V	1725	812	AB Aged Brass
						BK Black



Example: PD-11912-AB
For Title 24 option, add a "T24" before the finish: PD-11912-T24-AB



INGOT

A capsule delicately strung through the visible reveals atop creating an interesting internally illuminated element. Thin power aircraft cable can be adjusted in the field.



- 
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
 - Spin-on round canopy with minimal hardware
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-66110	10"	20W	120/277V	885	291	AB Aged Brass
						BK Black
						BN Brushed Nickel

Example: PD-66110-BN



DOUBLE BUBBLE

A minimalist take on a crystal ball. Two geometrically concentric spheres are laser-etched within K9 optically perfect crystal. When illuminated with the latest in LED technology the double bubble within is a curious diffuse floating light.



- Thin, powered aircraft cable provides an ultra-clean look for adjustable suspension height
- Title 24 option available (special order)
- Dimmer: ELV
- Universal 120V-220V-277V installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-82006	6"	7W	120-277V	559	538	AB Aged Brass
						BK Black
						SN Satin Nickel

Example: PD-82006-BK
For Title 24 option, add a "T24" before the finish: PD-82006-T24-BK



DOUBLE BUBBLE

Retro styled orb-in-orb diffusers round out this aged brass chandelier with conversation starting elegance and intrigue. Clear glass spherical shades provide the alluring ambience and art deco aesthetic that delights. Three handsome finishes offered.



- Light is evenly diffused through laser etched crystal ball
- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-82024	24"	19W	120-277V	1920	1824	AB	Aged Brass
						BK	Black
						SN	Satin Nickel

Example: PD-82024-AB



DOUBLE BUBBLE

A charming design inspired by fun bubble blowing of yesteryear, this ecstatic retro lighting design deploys nine spherical shades embraced by bobeches and arms in a bold black finish.



- Light is evenly diffused through laser etched crystal ball
- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-82027	27"	37W	120-277V	2880	2736	AB	Aged Brass
						BK	Black
						SN	Satin Nickel

Example: PD-82027-BK






DOUBLE BUBBLE

Fifteen Double Bubble styled shades adorn this dramatic chandelier in satin nickel. Two additional architectural finishes available.



- 
- Light is evenly diffused through laser etched crystal ball
 - Three 12" and one 6" down rods included (additional sold separately)
 - Hang straight swivel
 - Thin canopy conceals a proprietary universal 120V-220V-277V driver
 - Rated Life: 50,000 hours
 - Color Temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-82042	42"	44W	120-277V	4320	4104	AB	Aged Brass	
						BK	Black	
						SN	Satin Nickel	

Example: PD-82042-SN

PENDANTS & CHANDELIERS



DOUBLE BUBBLE

A captivating linear chandelier adorned with eight spherical laser-etched shades bringing a sophisticated, retro elegance. A showstopping statement piece available in three distinctive finishes.


PENDANTS & CHANDELIERS



- Light is evenly diffused through laser etched crystal ball
- Six 12" and two 6" down rods included (additional sold separately)
- Hang straight swivel
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-82044	44"	31W	120-277V	2880	2736	AB Aged Brass
						BK Black
						SN Satin Nickel




Example: PD-82044-SN



TANDEM

Staggered illuminated elements on an asymmetrical design complete a unique look. This innovative pendant features a contrasting black spear for a bold modern statement. Proportions are ideal for use in multiples over a desk, counter or bar.



- 
- Artisan crafted milky cloudy acrylic. Each unique piece lends itself to variations in milkyiness.
 - Side-lit illumination
 - Three 12" and one 6" down rods included (additional sold separately)
 - Hang straight swivel
 - Spin-on round canopy with minimal hardware
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-50117	17"	22W	120/277V	1324	888	BK Black


Example: PD-50117-BK

PENDANTS & CHANDELIERS



PLUM

Irresistible as fruit from the garden of Eden. Sleek modern elegance with a retro Edison reference and as mesmerizingly cloudy as though staring into a crystal ball. Align these mini pendants in multiples across a table, island, counter or bar to make a dramatic design statement. Thin powered aircraft cable allows you to custom tailor pendant height.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-40106	6"	7W	120/277V	419	359	AB Aged Brass
						BK Black
						SN Satin Nickel

Example: PD-40106-AB



METROPOLIS

A diaphanous shade provokes the imagination of this elegant shade-in-a-shade design. Creating soft light with a beautiful sophisticated expression of cylindrical form, the outer chiffon shade envelops a white fabric diffuser.



- TITLE 24

CALIFORNIA
- Inner cotton fabric shade complemented with an outer chiffon shade
 - Hang straight swivel
 - Three 12" and one 6" down rods included (additional sold separately)
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color Temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-16813	13"	16W	120-277V	1564	1123	BN	Brushed Nickel

Example: PD-16813-BN



METROPOLIS

A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. Metropolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.




For complementary
Metropolis flush mount
See page 316



- Hang straight swivel
- Ultra-bright lumen output
- Frosted glass diffuser with inner cotton shade and outer chiffon shade
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V special order (for 18" and 24" sizes only)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-16818	18"	26W	120V	2015	1996	BN	
PD-16824	24"	32W		2644	2474		
PD-16830	30"	48W		3869	3815		

Example: PD-16824-BN
For 277V special order add an "F" before the finish: PD-16818F-BN



COLISEO

Where gracious living begins. Immaculate tiles of top-quality Spanish alabaster create a natural luxury set within a channel of luminous antique nickel. Simple elegance is subtly conveyed where no detail is spared including thin aircraft cables for power and suspension.



- First quality Spanish alabaster
- Each crafted fixture combines individual pieces of natural stone that feature unique veining and color variation
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-72128	28"	42W	120-277V	4242	2851	AN

Example: PD-72128-AN




ACROPOLIS

From the shining city on a hill, our visual vocabulary gives us a statement piece for the ages. This abstract lightscape features undulating Spanish natural alabaster forms reflected below a luminous band in peaceful symmetry. Ultra-thin power cables and minimal hardware completes a clean architectural design.



- Incorporates hand selected first quality Spanish alabaster varying in thickness and height
- Natural stone features unique veining and color variation
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Quick slide-on canopy design with minimal hardware for easy installation
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90



PD-68146


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-68146	46"	65W	120-277V	5509	2148	AB Aged Brass BN Brushed Nickel

Example: PD-68146-AB




JULIET

A chiseled luminaire with a captivating sculptured texture. This design features solid faceted crystal spears dramatically carved for a prismatic impact. Matching crystal and hardware details in the canopy complete this luxury pendant design engineered for enduring beauty and longevity.




PD-58115



- Angular die-cast cap
- Thick sculptural K9 faceted crystal with distinct assymetrical cuts
- Three 12" and one 6" down rods included (additional sold separately)
- Coordinating crystal accent canopy included
- Slide-on square canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-58115	15"	8W	120/277V	665	537	AB BN

Example: PD-58115-AB



HARPER

A modern silhouette crafted with timeless beauty. This handsome tapered pyramid is simple elegance. For a dramatic expression, creatively space these mini pendants in a group over islands, counter, tables and bars. Down rods are included for easy alignment of multiple pendants in a row.



- Three 12" and one 6" down rods included (additional sold separately)
- Hang straight swivel
- Thin canopy conceals a proprietary 120V/277V driver
- Slide-on square canopy with minimal hardware
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64114	14"	7W	120/277V	450	299	BK BN

Example: PD-64114-BN




RHIANNON

A dazzler surging with texture and light. A symphony of grace to capture movement when viewed from any angle. Give your space regal and refined character with the Rhiannon LED Pendant.



- Thick artisanal reclaimed crystal shade
- Six 12" and two 6" down rods included (additional sold separately)
- Slide-on rectangular canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-70148	48"	81W	120-277V	9161	5728	AB BK




Example: PD-70148-BK



RHIANNON


A statement-maker and show-stopper hanging gracefully mesmerizing with its reclaimed crystal band. Artisans inset the crystal individually with great attention to detail, achieving a pattern laced with depth and texture.



-   
- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
 - Spin-on round canopy with minimal hardware
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-70128	28"	56W	120/277V	5669	3682	AB BK

Example: PD-70128-AB




FOREVER

Spectacularly luminous panels made with reclaimed crystal are spellbouding in this exquisite chandelier. Clandestine LED light sources are powered by thin cables that suspend the frame to the canopy for a technologically advanced design with the utmost attention to detail.




- Dimmer: TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-76034	34"	32W	120-277V	2400	1745	AB AN	Aged Brass Antique Nickel
Example: PD-76034-AN							



STARLIGHT STARBRIGHT


Breathtaking geometric arrangements of reclaimed crystal shards provide a glittering, visual treat. A crowning achievement of idealistic proportions. Ultra clean architectural details are evident in the thin power aircraft cables and canopy concealing the driver. Luminous in aged brass and antique nickel.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-74126	26"	42W	120-277V	3479	1819	AB Aged Brass AN Antique Nickel

Example: PD-74126-AN



BASALT

Reminiscent of great coastal rock formations, this elegant pendant captivates with reclaimed crystal shards frozen and illuminated to sparkle. This sleek mini pendant carries its weight with a luxurious upscale appeal. Align in groups above islands, tables and counters as a design alternative over traditional hanging elements. A statement making luxury created with a minimalist vocabulary.



- Thin powered aircraft cables provide an ultra clean look for adjustable suspension height
- Spin-on hexagonal canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-48110	10"	9W	120/277V	544	340	BN Brushed Nickel

Example: PD-48110-BN



JUPITER

Two orbits of cosmic dust dancing in space. Rings can be adjusted independently to create a spectacular modern statement of varying relational elements.



- Spin-on round canopy with minimal hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-75027	27"	62W	120-277V	5177	4612	BK	Black

Example: PD-75027-BK



PENDANTS & CHANDELIERS



MINX

Elegant artisanal sparkles. Held aloft, long-lasting LEDs provide functional down lighting. A sleek mini pendant that works by itself or in multiples.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Contains reclaimed crystal shards
- Minimal exposed hardware
- Title 24 option available (special order)
- Dimmer: ELV
- Universal Driver 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-78013	13"	4W	120-277V	252	243	AB Aged Brass
						AN Antique Nickel

Example: PD-78013-AB
For Title 24 option, add a "T24" before the finish: PD-78013-T24-AB



MINX


Illustrious reclaimed crystal that has been crushed and suspended are set in rods and illuminated throughout by discretely hidden LEDs.



See complementary pieces on page 82, 86, 204 & 266



- Hang straight swivel
- Three 12" and one 6" down rod included (additional sold separately)
- Articulating stems made of reclaimed crystal
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-81006	6 lights	45W	120-277V	4135	2489	AB AN	Aged Brass Antique Nickel

Example: PD-81006-AN



MINX


Illustrious reclaimed crystal that has been crushed and suspended are set in rods and illuminated throughout by discretely hidden LEDs.



See Complementary pieces on page 82, 85, 204 & 266



- Hang straight swivel
- Three 12" and one 6" down rod included (additional sold separately)
- Articulating stems made of reclaimed crystal
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-81004	4 lights	32W	120-277V	2642	1719	AB Aged Brass AN Antique Nickel

Example: PD-81004-AB




FURY

An elegant chandelier combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.



See complementary piece on page 90 & 196



- Spin-on round canopy with minimal hardware
- Molded gold and clear glass shards
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-227V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-66028	28"	44W	120-277V	1871	1060	AB Aged Brass

Example: PD-66028-AB





FURY

An elegant chandelier combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.



See complementary piece on page 88 & 196



- 
- Molded gold and clear glass shards
 - Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
 - Dimmer: ELV, TRIAC, 0-10V
 - Thin canopy conceals a proprietary universal 120V-220V-227V drivery
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-66048	48"	45W	120-277V	1936	1097	AB Aged Brass



Example: PD-66048-AB



ARCS

A sleek and sophisticated chandelier for contemporary and transitional spaces. Concave and convex arcs in black or aged brass are mirrored above and below. A statement piece for over a dining or conference table.



-  **TITLE 24**
CALIFORNIA
-  **DAMP**
- Spin-on round canopy with minimal hardware
 - Curved, flowing, etched diffuser
 - Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
 - Dimmer: ELV, TRIAC, 0-10V
 - Thin canopy conceals a proprietary universal 120V-220V-277V driver
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-31058	58"	40W	120-277V	5300	2089	AB	Aged Brass
						BK	Black



Example: PD-31058-BK




COSMIC

Bring dramatic visual flourish into your restaurant, hotel lobby or event space with massive dazzling art spheres. When filled with light, the bubbling and marbling effects of the 7-step art glassmaking process captivates the room like celestial forms.



- 
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
 - Dimmer: ELV
 - Canopy conceals a proprietary universal 120V-220V-277V driver
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90




Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-28801	1 light	7W		412	377	BN
PD-28807	7 lights	49W	120-277V	3794	3492	BK
PD-28812	12 lights	84W		6121	5601	

Example: PD-28807-BK



FLUFFY

A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.



- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Magnetic tool-free shade installation for easy maintenance
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-59922	22"	32W	120-277V	2718	2333	BN
PD-59933	33"	44W		3980	3375	

Example: PD-59922-BN




PENDANTS & CHANDELIERS




RACETRACK

A continuum of seamless LEDs in a shape reminiscent of the Roman Circus Maximus, where chariots created breathtaking spectacles. Available in three CCT options.



- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Silicon diffusers for even illumination
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-220-277V) concealed within canopy
- Rated Life: 50,000 hours
- Color temp: 2700K, 3000K, 3500K
- CRI: 90



Model	CCT	Size	Wattage	Voltage	Led Lumens	Delivered Lumens	Finish
PD-53046-30	3000K	46"	38W	120-277V	3142	2067	AL BK

Example: PD-53046-30-BK
For 2700K add "-27", 3500K add "-35" before the finish: PD-53046-35-BK





THE RING

Simple yet refined. An elevated ring suspended above by its ultra-thin aircraft cables. Brushed aluminum or black finishes accentuate the tailored profile and seamless construction.



- Spin-on round canopy with minimal hardware
- Built in color temperature adjustability
- Switch from 2700K/3000K/3500K
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 2700K, 3000K, 3500K
- CRI: 90





Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-55024-30		24"	22W		1891	1368	BK
PD-55036-30	3000K	36"	30W	120-277V	2791	2083	AL
PD-55048-30		48"	44W		3968	3126	Brushed Aluminum

Example: PD-55024-30-AL
For 2700K add "-27", 3500K add "-35" before the finish: PD-55046-27-AL




JACKAL

Like star-crossed lovers never to meet, parallels of finely-finished lines and light create the intriguing display. Beautiful in aged brass or black finishes.



- Hang straight swivel
- Ambient light distributed from multiple diffusers
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Six 12" and two 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-80056	56"	87W	120-277V	6312	3894	AB	Aged Brass
						BK	Black

Example: PD-80056-BK



MIES


Inspired by modern architecture pioneer Ludwig Mies van der Rohe, this hexagonal chandelier nails the minimalist aesthetic while keeping up with modern design trends. Cutting edge LED modules bring beautiful light into every setting.



- Silicon diffusers for even illumination
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Universal Driver (120-220-277V) concealed within canopy
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-50829	24"	52W	120-277V	3281	1679	AB Aged Brass
PD-50835	32"	78W		5033	3877	BN Brushed Nickel

Example: PD-50835-AB




BLOOM

Spectacular, yet distinctly different looks from one finely-crafted lightpiece. From a bud of concentrated light to a crown of light.



- Spin-on round canopy with minimal hardware
- Extends and retracts mechanically from 32" to 42"
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-73032	32"	45W	120-277V	3679	2366	AL BK Brushed Aluminum Black

Example: PD-73032-BK



CHRONOS

Like gears in a giant clock, this massive, sculptural chandelier chimes of a daring lighting design. Suspended and powered by ultra-thin aircraft cables, Chronos is ideal for high profile high-end residential, architectural and commercial environments with high ceilings.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-75934	34"	47W	120-277V	2793	2282	AB Aged Brass
PD-75950	50"	64W	120-277V	3310	2696	BK Black

Example: PD-75934-BK



STORMY

This spectacle amazes like lightning in the sky. Discreetly concealed LEDs brightly illuminate seeded stems of optical grade polycarbonate. Splendid in aged brass or polished nickel.



- Hang straight swivel
- Concealed LEDs and no visible hardware
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-92950	48"	33W	120-277V	1210	1198	AB Aged Brass PN Polished Nickel

Example: PD-92950-PN



CHAOS


Like piano keys falling through the air, Chaos freezes a moment in time with breathtaking elegance. Ultra-thin powered aircraft cables hold everything in place with as little visual interference as possible, and each section of this sculptural form is equipped with consistent, highly efficient LEDs for refined illumination throughout. Available in brushed aluminum, aged brass or black. Let chaos reign.



- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-64834	34"	40W	120-277V	2717	2407	AL	Brushed Aluminum
PD-64861	61"	60W		4010	3720	AB	Aged Brass
						BK	Black

Example: PD-64861-AL




CHAOS

Like piano keys falling through the air, Chaos freezes a moment in time with breathtaking elegance. Ultra-thin powered aircraft cables hold everything in place with as little visual interference as possible, and each section of this sculptural form is equipped with consistent, highly efficient LEDs for refined illumination throughout. Available in brushed aluminum, aged brass or black. Let chaos reign.



- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64849	49"	30W	120-277V	2123	1923	AL Brushed Aluminum
PD-64875	75"	80W		5260	4960	AB Aged Brass
						BK Black

Example: PD-64875-BK




CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



- Fixed sculptural form
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer:ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-64848	48"	29W	120-277V	2336	1567	AB Aged Brass
PD-64872	72"	58W		3859	3496	AL Brushed Aluminum
						BK Black

Example: PD-64848-AB



CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	# of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	Canopy
PD-64803R	3 lights	27W		1702	1114		
PD-64805R	5 lights	37W		2332	1747		
PD-64809R	9 lights	67W	120-277V	4020	2807	BK/AB	Black/Aged Brass
PD-64815R	15 lights	114W		7285	3871		
PD-64821R	21 lights	135W		10199	4591		

AB

BK

Aged Brass

Black

Example: PD-64809R-BK/AB-AB

Multiples with Black canopy		Multiples with Aged Brass canopy	
3 LIGHTS	PD-64803R-BK/AB-BK	3 LIGHTS	PD-64803R-BK/AB-AB
5 LIGHTS	PD-64805R-BK/AB-BK	5 LIGHTS	PD-64805R-BK/AB-AB
9 LIGHTS	PD-64809R-BK/AB-BK	9 LIGHTS	PD-64809R-BK/AB-AB
15 LIGHTS	PD-64815R-BK/AB-BK	15 LIGHTS	PD-64815R-BK/AB-AB
21 LIGHTS	PD-64821R-BK/AB-BK	21 LIGHTS	PD-64821R-BK/AB-AB




CHAOS

Chaos freezes a moment in time with breathtaking elegance. Ultra thin powered cables stabilize the suspension without visual interference. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Dimmer: ELV, TRIAC 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-64814	14"	10W	120-277V	875	530	AB	Aged Brass
PD-64820	20"	15W		1444	826	BK	Black
PD-64826	26"	22W		1565	1016		

Example: PD-64826-AB



HARMONIX

Like a dynamic instrument of musical chimes. Harmonix plays to the rhythm of light. Beautiful playful light. A two tone finish features black with aged brass.



- Etched acrylic diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-87914	14"	47W	120-277V	2742	2660	BK/AB Black/Aged Brass

Example: PD-87914-BK/AB



HARMONIX

Like a dynamic instrument of musical chimes. Harmonix plays to the rhythm of light. Beautiful playful light. A two tone finish features black with aged brass.



- Etched acrylic diffusers spread light evenly
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-87924	24"	56W	120-277V	5040	2425	BK/AB Black/Aged Brass



Example: PD-87924-BK/AB



HARMONIX

Like a dynamic instrument of musical chimes, Harmonix plays to the rhythm of light. A duet of gorgeous black with aged brass. Beautiful playful light perfectly executed in two formats.



-  **TITLE 24**
CALIFORNIA 
- Hang straight swivel
 - Etched acrylic diffusers spread light evenly
 - Dimmer: ELV, TRIAC, 0-10V
 - Canopy conceals a proprietary universal 120V-220V-277V driver
 - Six 12" and two 6" down rods included (additional sold separately)
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-87956	56"	91W	120-277V	8190	4244	BK/AB Black/Aged Brass

Example: PD-87956-BK/AB




SCISSORS

A customizable design that can contract or expand into the exact shape you want. Adjust the length to accommodate various length tables. Finely crafted strips of extruded aluminum are affixed without the appearance of any fasteners for a finished appeal, while cutting-edge LEDs create a smooth, even illumination that's consistent across each section of the design.



- Contracts and extends 10°–170° for customizable shape
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-32880	14" - 96"	89W	120-277V	5887	4988	AL BK

Example: PD-32880-AL




STACKED

Engineered with the sophisticated industrial feel of high tech helicopter rotors, each illuminated arm adjusts up or down. A complex aerodynamic structural design made simple with advanced LED technology, allowing varying configurations.



- Hang straight swivel
- Rotatable arms & articulating lights adjust 350° for up or down or around light
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-50748	48"	42W	120-277V	4047	2102	AL BK BR

Example: PD-50748-BK



METRIC


Hexagonal shaped chandelier imbued with an array of six linear elements with robust down lighting for dining areas and lobbies in residential and hospitality locations. Aluminum construction aligned with unique precision designed for a layered look.



- Down light only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-43728	28"	41W	120-277V	5800	2156	BK	Black
PD-43738	38"	55W		7770	2936		
PD-43748	48"	83W		11600	4511		

Example: PD-43728-BK




KINETIC

Whether you think of gyroscopes, the atomic structure or da Vinci's "L'Uomo Vitruviano," Kinetic has deep roots in science, exemplified by brilliant edge-lit LED panels that broadcast 360-degrees of seamless, even light. Even better, its rings are adjustable for a personalized look.



- Hang straight swivel
- Rotatable rings for customizable form
- Dimmer: 0-10V
- Canopy conceals a universal 120V-220V-277V driver
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 80



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-61728	28"	130W	120-277V	3100	2937	BK	Black
PD-61738	38"	202W	120-277V	4374	3499	TT	Titanium
						AB	Aged Brass

Example: PD-61738-AB



KINETIC

How do you improve on perfection? Featuring a black or titanium finish and fifth ring, Kinetik is bigger and bolder than ever. Adjust the rings for a personalized look.



- Adjustable rings for customizable form
- Dimmer: 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 80


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-61760	60"	300W	120-277V	7438	5950	BK TT	Black Titanium

Example: PD-61760-BK



VELOCE



Interlocked bands of metal loop around and around on this simple yet oblique design. Veloce's rings can be adjusted for a more personalized shape. Thin, cables maintain a clean, refined look.




PD-24826



PD-24838



PD-24848



- Rotatable edge-lit metal bands 0°-25°
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-24826	26"	54W		3850	3593	BK Black
PD-24838	38"	79W	120-277V	3930	5261	TT Titanium
PD-24848	48"	107W		9235	5035	

Example: PD-24838-TT



RIDDLE


Riddle's intricate pattern and joinery is no joke. Our expert craftsmen use a special wet-etching process to create a textural motif that looks like a mash up of Sol Lewitt and the complex geometric shapes of Islamic architecture. Inside, an acrylic diffuser shields the high- performance LED modules to create a glare-free illumination, which peekaboo's through the etchings and creates stunning patterns on the nearest surface. A true statement piece with a bold black finish.



- Wet-etched steel with matching black cables and hardware
- Injection-molded acrylic diffuser inside
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-62864	64"	33W	120-277V	526	400	BK Black

Example: PD-62864-BK



PD-62864




MEMORY

Using an intricate welding process, artisans built this Bauhaus-inspired design giving it an overall clean look, before coating it with an enduring black finish. Behind the steel bars, sleek opalescent rectangles are illuminated by carefully positioned edge-lit LED modules giving them the appearance of floating within, while creating an unforgettable stark contrast of black and white.



- Intricate welding for rectangular accents
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Six 12" and two 6" down rods included (additional sold separately)
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



PD-56856

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56856	56"	79W	120-277V	4070	2581	BK Black

Example: PD-56856-BK




PENDANTS & CHANDELIERS

CINEMA

Luxuriously finished, Cinema makes a modern statement that's right in line with the latest trends. Painstakingly V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.



- Hang straight swivel
- Intricately welded for a seamless look
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- concealed within canopy
- Six 12" and two 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



PD-30854

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-30854	54"	86W	120-277V	6528	5232	AB	Aged Brass
						BK	Black

Example: PD-30854-AB




CASCADE

CUT CRYSTAL ACCENT

Choose the Cascade design for a more refined take on minimalist glam. Each pendant illuminates beautifully while the jeweled crystal caps, expertly hand-cut, punctuate each piece like a chic yet understated exclamation of luxury.



- Hand-cut faceted crystal
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41719	19"	CUT CRYSTAL	7W	120V-277V	595	511	AB Aged Brass
PD-41728	28"						BK Black
PD-41737	37"						PN Polished Nickel

Example: PD-41719-PN




CASCADE

FLAT ETCHED ACCENT

A new aged brass finish updates the original Cascade design for a more refined take on minimalist glam. Each pendant illuminates bountifully while the etched caps punctuate each piece like a chic yet understated exclamation of luxury.



- Precision cut flat etched cap
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Accent	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-41819	19"	ETCHED CAP	7W	120-277V	428	420	AB Aged Brass
PD-41828	28"						BK Black
PD-41837	37"						PN Polished Nickel


Example: PD-41819-AB




CASCADE

Suspended alone, in pairs or in multiples as a beautiful chandelier, Cascade captures the imagination and makes an alluring presentation in restaurants, hotel atriums and residences alike. The slim tapered form has a minimalist sensibility that is accentuated by the luminous end.


- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Multiples with Cut Crystal Accents


	3 Lights PD-41703R	5 Lights PD-41705R	9 Lights PD-41709R	15 Lights PD-41715R	21 Lights PD-41721R
---	--------------------	--------------------	--------------------	---------------------	---------------------

Multiples with Etched Flat Accents


	3 Lights PD-41803R	5 Lights PD-41805R	9 Lights PD-41809R	15 Lights PD-41815R	21 Lights PD-41821R
---	--------------------	--------------------	--------------------	---------------------	---------------------

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-41*03R	3 lights	Round	21W	120V-277V	1311	1126	AB	Aged Brass
PD-41*05R	5 lights		35W		2185	1876	BK	Black
PD-41*09R	9 lights		63W		3933	3377	PN	Polished Nickel
PD-41*15R	15 lights		105W		6555	5629		
PD-41*21R	21 lights		147W		9177	7880		


* to be Replaced with either 7 or 8 for correct model#
Example: PD-41815R-BK



Multiples with Cut Crystal Accents

	3 Lights PD-41703L	5 Lights PD-41705L	23 Lights PD-41723L
---	--------------------	--------------------	---------------------

Multiples with Etched Flat Accents

	3 Lights PD-41803L	5 Lights PD-41805L	23 Lights PD-41823L
---	--------------------	--------------------	---------------------

Model	# of Lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-41*03L	3 lights	Rectangular	21W	120V-277V	1311	1126	AB	Aged Brass
PD-41*05L	5 lights		35W		2185	1876	BK	Black
PD-41*23L	23 lights		161W		10051	8631	PN	Polished Nickel

* to be Replaced with either 7 or 8 for correct model#
Example: PD-41823L-PN



MAGIC


Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a few pendants or as a 21-light chandelier with customizable proportions to cluster over a dining table or dripping down a stairwell or foyer.



- Cylindrical Piastra crystal shades
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-35603	3 lights	Round	17W	120-277V	672	618	BK PN	Black Polished Nickel
PD-35605	5 lights		29W		1120	1030		
PD-35609	9 lights		52W		2016	1854		
PD-35615	15 lights		87W		3360	3090		
PD-35621	21 lights		122W		4704	4326		

Example: PD-35621-BK



MAGIC


Glorious sparkly stalks of Piastra crystal are alluringly remarkable either as a single-file line of slender, individual pendants or as a 23-light linear chandelier with customizable proportions. Long lasting LEDs dim down beautifully. Ideal for large residential, hospitality and commercial applications.




- Cylindrical Piastra crystal shades
- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	# of lights	Canopy	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
PD-35603L	3 lights	Rectangular	17W	120-277V	672	618	BK	Black	
PD-35605L	5 lights		29W		1120	1030	PN	Polished Nickel	
PD-35623L	23 lights		133W		5152	4738			


Example: PD-35623L-PN



PD-35603L



PD-35605L



PD-35623L



MAGIC

Gloriously sparkly stalks of Piastra crystal alluringly remarkable as a slender, individual pendant.



See complementary pieces on page 226 & 227



- Cylindrical Piastra crystal shades
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-35601	6W	120-277V	224	206	BK	Black
					PN	Polished Nickel

Example: PD-35601-BK



PADRÓN

For absolute precision, our craftsmen use a computer-controlled cutting process to shape each section, then finish the middle section with a rich dark walnut. Like the glowing ember of a cigar, a frosted diffuser at the tip softens the powerful LED illumination and fills the room with warm, even light.



- Matching wood canopy included
- Etched acrylix diffusers spread light evenly
- Precision-cut aluminum and solid dark walnut wood
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV, TRIAC, 0-10V
- Universal 120V-220V-277V driver installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-92818	13"	9W	120-277V	571	463	DW	Dark Walnut

Example: PD-92818-DW




DRIFT

The natural finish of Drift and its linear form perfectly express the tension of minimalist design. LED modules are stationed from end to end and diffused through a strip of etched glass to spread the light evenly and prevent glare or hot spots. With its versatile shape and three different lengths, Drift translates across a variety of applications.



- Down light only
- Light and dark walnut wood with matching canopy option
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Tempered glass diffuser with sanded surface
- End-to-end LED modules for even down illumination without hotspots
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-58738	38"	44W		1736	770	DW
PD-58756	56"	74W	120V	2810	1113	Dark Walnut
PD-58784	84"	96W		3840	1630	Walnut

Example: PD-58756-DW
For 277V special order add an "F" before the finish: PD-58756F-DW





BDSM

Leather-bound luxury and control. Designed with handsome vintage black leather and clean styling, this unique linear LED pendant is the perfect complement to an executive office. A thin streamlined profile conceals robust LED down lighting with cutting edge full-range dimming controllability.



- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 80,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-51542	42"	48W	120V	1716	746	BK Black

Example: PD-51542-BK
For 277V special order, add an "F" before the finish: PD-51542F-BK




PUNK

Modern with a slight edge. Punk orbs feature soft opal glass in a variety of sizes. Simple to incorporate and endure the test of time.



- Hang straight swivel
- Mouth blown etched opal glass
- Three 12" and one 6" downrods included (additional sold separately)
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- 2700K and 3500K option available (special order)
- CRI: 90




Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-24614	14"	30W	120V-277V	2527	1563	BK	Black

Example: PD-24614-BK
For 2700K add "-27"; 3500K add "-35" before the finish: PD-24614-35-BK



ACID

Surrealistic droplets of metallic liquid artfully suspended. Powerful LED downlights concealed within these steel shades provide functional illumination comparable to halogen MR16s. String individually or drop them in clusters for the full mind-blowing experience.



- Thin, powered aircraft cables provide an ultra clean look for adjustable suspension height
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 70,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-15604	4"	11W	120-277V	639	485	PN	Polished Nickel

Example: PD-15604-BK



SWING

A playful swing. Creative application of LED technology and luminaire design sparkle in a chrome framed multi-faceted block of crystal. Suspend in multiples over a bar or counter to make a dramatic statement.



- Up & down light
- Hang straight swivel
- Dimmer: ELV
- No driver or transformer required
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-52512	12"	11W	120V	830	535	CH


Example: PD-52512-CH



PENDANTS & CHANDELIERS

CATALYST


Make a bold, breathtaking design statement with extraordinary works of art created in free form. Mounted individually or grouped to create larger chandeliers for ballrooms, lobbies and large living areas. This luxurious, modern adjustable luminaire is offered in three sizes in both polished nickel and aged brass.



- Hang straight swivel
- Arms are adjustable to customize look
- Exclusive free formed mouth-blown art glass with flecks of sterling silver or 14K gold
- Dimmer: ELV
- Universal 120V-220V-277V installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-53728	28"	15W	120-277V	795	737	AB Aged Brass
PD-53751	51"	18W		1200	999	PN Polished Nickel

Example: PD-53751-PN



KRYPTONITE


An elaborate modern array of wands crowned with crystals illuminated by LEDs. Slim low profile adjustable elemental cylindrical designs for modern vignettes created in free form. This chandelier can stand alone or be ganged together in multiples.




- Rotatable arms
- Cylindrical crystalized Piastra crystal
- Adjust at joints to customize look
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-54732	32"	31W	120-277V	1195	962	PN	Polished Nickel/Piastra Crystal
PD-54765	55"	46W		1780	1217		


Example: PD-54765-PN



PD-54732




PD-54765



ZELDA

Inspired by oceanic ripples, this fluid motif appears to move continuously in circular form. This die cast aluminum chandelier with highly polished plating renders functional down lighting. An innovative upscale look for large modern interiors in residential, commercial and hospitality spaces. Full range dimming.


PENDANTS & CHANDELIERS



- Down light only
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-56729	29"	49W	120V	2388	1236	PN Polished Nickel
PD-56748	48"	145W		3582	3060	

Example: PD-56729-PN
For 277V special order add an "F" before the finish: PD-56729F-PN



GILT


A modern gilt medallion glows above from LEDs lighting upward from the pendant while concealed down lighting delivers perfect illumination on tabletops and surfaces below. Hand finished in dark bronze with gold leaf interior for an opulent lustrous appeal.



For complementary
GILT flush mount
See page 312



- Up & down illumination
- 14K gold leaf interior
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-51318	18"	55W	120V	4050	2618	GL Gold Leaf/Dark Bronze

Example: PD-51318-GL
For 277V special order, add an "F" before the finish: PD-51318F-GL



TANGO


Rhythmic beats reverberate in a dramatic larger than life pendant. A luxuriously cinched drum design carefully adorned in gold leaf. Tango is simple made sexy.



For complementary
Vermeil sconce
See page 230



- 14K gold leaf finish
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-34620	20"	40W	120-277V	1750	1187	GL Gold Leaf

Example: PD-34620-GL




MARIMBA

The single-pendant complement to the beautiful multilight collection of 14K gold leaf pendants. Matching Gilt and Vermeil canopies complete this luxurious design.



For complementary Vermeil scone See page 230



- 14K gold leaf interior
- Twist lock glass inside, no visible hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-52708	8"	14W	120V	753	278	GL Gold Leaf/Dark Bronze

Example: PD-52708-GL



MARIMBA

Inspired by Piet Mondrian's work with simplified geometric elements, Marimba offers abstract art with upscale appeal achieved with fine gold leaf details, aircraft cable power lines and silk screened LED light emitters for perfect illumination. Larger sizes scale perfectly for luxury residential, commercial and hospitality spaces.



- 14K gold leaf interior
- Twist lock glass inside, no visible hardware
- Thin, powered aircraft cables provide an ultra-clean look for adjustable suspension height
- Dimmer: ELV
- Canopy conceals a 120V transformer
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-52718	18"	55W		2885	1255	
PD-52724	24"	59W	120V	3753	2790	GL Gold Leaf/Dark Bronze
PD-52734	34"	129W		7880	3414	

Example: PD-52718-GL
For 277V special order, add an "F" before the finish: PD-52718F-GL




YOLO

Clean, contemporary, the YOLO pendant is imbued luster within a large spun-metal dome. Luxuriously hand applied finishes in dark bronze and gold leaf or white and silver leaf. Full range dimming. Beautiful warm ambient lighting. Now available in a larger than-life 35 inch pendant.



- Hang straight swivel
- 14K gold leaf or silver leaf interior
- CEC Title 24 compliant (PD-55735 only)
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box for 18" and 26" sizes only, driver dimensions: 2.8" x 1.3" x 1.2"
- No transformer or driver needed (35" size only)
- Three 12" and one 6" down rods included (additional sold separately)
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available for PD-55735 only (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-55718	20"	21W	120-277V	2000	631	GL
PD-55726	24"	25W	120-277V	2400	888	SL
PD-55735	36"	40W	120V	2864	1174	SL

Example: PD-55735-GL
For 277V special order add an "F" before the finish: PD-55735F-GL







INTERIOR SCONCES

OPHELIA

Add luxurious character with this curvaceous sconce. Enjoy rich tones and natural veining textures of authentic Spanish alabaster. The clean spun aluminum profile reflects a minimalist architectural in aged brass or antique nickel.




- Ambient illumination
- First class quality Spanish alabaster
- Natural stone with unique veining in each crafted piece
- No driver or transformer required
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-72110	10"	27W	120V	2677	881	AB AN

Example: WS-72210-AB



SERENITY

Artisanal wispy glass wraps around an aged brass finished ring like a luxurious earring for the home. A curved concept and invitation to embrace luxurious living with unparalleled style. Modern aesthetic with an artist touch for this ADA sconce.



- Artisanal wispy pressed glass shade
- Thin canopy conceals a proprietary 120V/277V driver
- May be mounted on wall vertically or upside down
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-38211	11"	15W	120/277V	680	448	AB Aged Brass

Example: WS-38211-AB



VANDER

Reimagine luxury in elegant, comfortable style with a complete lighting experience. A bold silhouette complemented by a three color temperature selectivity creates just the right mood for your setting.



- Woven fabric shade and geometric metalwork
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-26222-30	3000K	22"	11W	120V	882	543	BK BN	Black Brushed Nickel


Example: WS-26222-30-BK
For 2700K add "-27", 3500K add "-35" before the finish: WS-26222-27-BK



INTERIOR SCONCES

VANDER

Reimagine luxury in elegant, comfortable style with a complete lighting experience. A bold silhouette complemented by a three color temperature selectivity creates just the right mood for your setting.



- Woven fabric shade and geometric metalwork
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90




Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-26214-30	3000K	14"	13W	120V	1110	634	BK BR	Black Brushed Nickel

Example: WS-26214-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: WS-26214-27-BN



SWERVE


With a new sense of style, this indoor scone is like a precious ring wrapped around your finger. Elevate home fashion aesthetics in an inventive, organic style. Ambient illumination abounds from this ADA wall scone.



- Ambient illumination
- May be mounted on wall in all orientations
- Universal 120V-220V-277V driver installs in the junction box, driver dimension: 2.9" x 1.4" x 1.1"
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-20210	10"	15W	120/277V	990	593	BZ/BR BN Bronze/Brass Brushed Nickel


Example: WS-20210-BZ/BR



INTERIOR SCONCES

FLEUR

Sculptural, sensual, luscious. Bask in the enchanting up and downward illumination with the ADA wall luminaire, designed brilliantly for modern living areas. The bronze profile with divine gold leafing creates curves and shiny profile commanding attention.



- 
- 14k gold leaf interior
 - No driver or transformer required
 - Dimmer: ELV
 - Rated Life: 50,000 hours
 - Color Temp: 3000K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-50222	22"	12W	120V	215	195	BZ/GL Bronze/Gold Leaf

Example: WS-50222-BZ/GL



DOUBLE BUBBLE

Sleek, minimal, abstract.
Designed like a larger orb
possessing a smaller sphere,
elegant luminosity is diffused
through a laser etched crystal
ball. Mount upwards or
downwards depending on your
desired look and application.
Available in three lustrous
finishes- aged brass, black and
satin nickel.



- Light is evenly diffused through laser etched crystal ball
- Thin canopy conceals a proprietary 120V/277V driver
- May be mounted on the wall vertically or upside down
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82006	6"	4W	120/277V	384	365	AB Aged Brass
						BK Black
						SN Satin Nickel

Example: WS-82006-BK



DOUBLE BUBBLE

When it comes to luxurious lighting, two spheres can be better than one. These twin luminous crystal ball diffusers provide beautiful balanced light around your interior walls.



- Light is evenly diffused through laser etched crystal ball
- Thin canopy conceals a proprietary 120V/277V driver
- May be mounted on the wall vertically or upside down
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82015	15"	8W	120/277V	768	730	AB Aged Brass
						BK Black
						SN Satin Nickel

Example: WS-82015-AB




JULIET

A chiseled luminaire with a captivating sculpted texture. The solid faceted crystal block is dramatically carved for prismatic effects. A luxury design engineered for enduring beauty and longevity.



- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- Thin canopy conceals a proprietary 120V/277V driver
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58115	15"	8W	120/227V	665	466	AB Aged Brass BK Black BN Brushed Nickel

Example: WS-58115-BK



VALOR

This mesmerizing scone sets a tone of elegance with hand applied gold leafing and concentric bronze ovals. Inspired by deco artwork, this classic LED luminaire complements your space with creativity and reimagination.



- 14K gold leaf medallion
- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-44122	22"	16W	120/277V	368	288	BZ/GL Bronze/Gold Leaf

Example: WS-44122-BZ/GL



CURVANA

An elegantly finished silhouette when viewed from any angle. Contours on the tailored fabric shade are mirrored in the sweeping metal frame. ACLED technology ensures clean architectural styling. ADA compliant for use in high traffic hospitality and commercial spaces.



- White fabric shade in a curved silhouette
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-60120	20"	11W	120V	800	443	AB BN Aged Brass Brushed Nickel


Example: WS-60120-BN

INTERIOR SCONCES



DOWNTON


A harmonious combination of clean crisp fabric and brilliant architectural styled metal finishes form a refreshing design. An incorporated switch allows color temperatures to be customized with 2700K, 3000K or 3500K light to enhance decor. ADA compliant and perfect for hospitality applications. Universal design enables horizontal and vertical mounting. Luxe materials delivered with a golden touch.



- White fabric shade
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-26111-30	3000K	11"	16W	120V	1000	679	AB BN

Example: WS-26111-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: WS-26111-27-BN




INTERIOR SCNCES

BANTAM

An edgy vibe characterizes this Euro styled sconce. The clean straight line motif conceals indirect lighting elements. This interior wall sconce does well in corridors and is ADA compliant. Achieve a vogue look when using many sconces in an artful arrangement. Perfect for washing walls discreetly in classic settings and cool enough to provide a modern edge to contemporary interiors.



- Upward illumination
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K.
- 1” slim junction box included and can also be ordered separately (model# JB-0501)
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-38109-30	3000K	9"	16W	120V	393	288	BK WT	Black White	


Example: WS-38109-30-WT
For 2700K add "-27", 3500K add "-35" before the finish: WS-38109-27-WT

INTERIOR SCONCES



POET

A handsome black pebbled leather wall sconce with contrasting aged brass metalwork. Elegant materials and exquisite detailing. Up and downward illumination fulfill your ambient and functional needs. A luxurious combination.



- Up and down illumination
- Smooth pebble grain leather
- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-36112	12"	21W	120/277V	453	336	BK/AB Black/Aged Brass

Example: WS-36112-BK/AB



OPUS

A piece of enchanting light and harmonious design. This ADA wall sconce basks modern living spaces with delectable ambient light. The bronze finished profile features luscious gold leafing, creating an abstract expressionist profile that commands attention. With upward and downward illumination, the mesmerizing luminaire utilizes integrated and energy-efficient LEDs suitable for placement in residential or hospitality venues. Versatile enough to mount in all directions for a variety of applications.



- 14k gold leaf interior
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-42114	14"	21W	120V	851	647	BZ/GL Bronze/Gold Leaf

Example: WS-42114-BZ/GL




FURY

An elegant triptych combining energy efficiency with lustrous metal finishes and gold encased art glass panes. Soft and even illumination from an innovative design only made possible with the latest in LED technology.



See complimentary pieces on page 88 & 90



- Molded gold and clear glass shards
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-66016	16"	23W	120-277V	709	344	AB Aged Brass

Example: WS-66016-AB



INTERIOR SCNCES

ORACLE

Dazzling in design. Oracle features a specialized handmade technique to encase reclaimed optical crystal. The crackling sconce is indirectly illuminated from a seamless cylinder in plated finish. A dramatic appearance to complement luxury interiors.



- May be mounted on wall vertically or upside down
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-69009	9"	11W	120V	521	432	AB AN	Aged Brass Antique Nickel

Example: WS-69009-AB



INTERIOR SCONCES



EMBER

Alluring with fine reclaimed shards of optical crystal throwing sparkles in all directions. Stunning as an ADA qualified wall sconce for corridors or on either side of a mirror in a luxury bath.




- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-65023	23"	17W	120-277V	1332	885	AB AN

Example: WS-65023-AN



INTERIOR SCONCES




CHAOS

Chaos freezes a moment in time with breathtaking elegance. Each section of this sculptural form is equipped with consistent, LEDs for refined illumination throughout. Let chaos reign.



See complimentary piece on page 108-117 & 368



- Fixed sculptural form
- May be mounted on ceiling or wall in all orientations
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



See complimentary piece on page 364

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-64832	32"	29W	120-277V	1693	1185	AB	Aged Brass
						AL	Brushed Aluminum
						BK	Black

Example: WS-64832-AL







MINX

A glittering torch of illuminated reclaimed fragments of crystal. Elevate your design with illumination that adds a finishing touch of refinement. Discreetly hidden within the luminaire, LEDs offer long-lasting up and down lighting.



See complimentary pieces on page 82-87 & 266



-   
- Minimal exposed hardware
 - Up and down illumination
 - Dimmer: ELV, TRIAC, 0-10V
 - Canopy conceals a proprietary universal 120V-220V-277V driver
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-68026	26"	9W	120-277V	615	507	AB Aged Brass
						AN Antique Nickel


Example: WS-68026-AB

INTERIOR SCANCES



CINEMA

In a luxe finish, Cinema makes a modern statement. V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.



- May be mounted on wall in all orientations
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30835	35"	21W	120-277V	953	499	AB BK

Example: WS-30835-AB



CINEMA

In a luxe finish, Cinema makes a modern statement. V-cut seeded crystal adds understated glamour when it fills with light sourced from high-performance LEDs. With a variety of styles in the family, Cinema creates a matching lighting environment that can pull multiple rooms together.



- Dimmer: ELV
- Universal Driver 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30815	15"	8W	120-277V	544	423	AB BK

Example: WS-30815-AB




SCEPTER

A majestic addition to our collection, Scepter is finished in aged brass for a toned-down take on the luxe décor trend. A solid crown of V-cut seeded crystal is affixed to the top for a glamorous refraction, creating a beautiful play of light and shadow on the wall. Meanwhile, the hidden downward-illuminating LED provides plenty of ambience and enough illumination for spatial orientation in low light areas.




- Ultra-bright lumen output
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2 7/8" x 1 3/8" x 1 1/8"
- Conversion plate included to accommodate 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-10830	30"	9W	120-277V	617	456	AB	Aged Brass 
Example: WS-10830-AB							


CERES

Finished in aged brass, this indoor sconce adds a touch of classic luxury to your modern décor. Light fills the painstakingly V-cut seeded crystal columns with a mix of understated elegance and spectacular shine. Ceres is a subtle statement piece wherever it's mounted, a sophisticated accent that will endure over time.



- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Conversion plate included to accommodate 4" junction box
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-18818	18"	15W	120-277V	1054	971	AB	Aged Brass 
Example: WS-18818-AB							


TOWER

Featuring an aged brass finish, Tower brings understated luxury to every setting. The painstakingly V-cut seeded crystal inset adds a touch of glamour. With LEDs to light the crystal from both ends, plus a bonus or downlight, this sconce delivers the best of both worlds—warm ambience and quality indirect illumination.



- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90





Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-58814	14"	15W		793	539	AB Aged Brass 
WS-58820	20"	15W	120V	803	661	
WS-58827	27"	15W		836	718	

Example: WS-58820-AB




BURNING MAN

A refined touch to modern industrial décor. Deeply textured for a rough tactile aesthetic, this masculine utilitarian design also has brilliant ends encasing LED light sources while providing architectural up and down lighting.



- Knurled casing with textured cross hatch pattern
- Up and down illumination
- May be mounted on wall vertically or upside down
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-67015	15"	9W	120-277V	617	542	AB Aged Brass 
						AN Antique Nickel 

Example: WS-67015-AB



WASP

Charming elegance. An exquisite crystal torch made for a queen and king. This luxuriously faceted crystal honeycomb rests atop the elongated stem reminiscent of a stinger. Dims down beautifully for a variety of ambient moods in living spaces and hospitality settings.



- Up and down illumination
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-23932	32"	10W	120-277V	570	513	AB Aged Brass


Example: WS-23932-AB

INTERIOR SCENES



DINK

DINK reveals a tapered wall lighting design in stunning luxurious finish of bronze with gold leaf. Ideal for residential, hospitality and office applications.



- Up & down light
- 14K gold leaf interior
- May be mounted on wall vertically or upside down
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-32714	14"	21W	120-277V	1000	760	GL Bronze/Gold Leaf

Example: WS-32714-GL



TRIBECA

Hand-leafed in pure gold with a contrast finish in bronze, Tribeca adds gilded glamour and the downtown sophistication of New York to your modern living space. A sanded glass diffuser, concealed by the center bridge, softens the up and down illumination, which is sourced from cutting-edge, energy-efficient LED modules inside.



- 14K gold leaf interior
- Up and down illumination
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-40832	32"	21W	120V	1167	760	BZ/GL Bronze/Gold Leaf

Example: WS-40832-BZ/GL
For 277V special order add an "F" before the finish: WS-40832F-BZ/GL



ELYSIA

A thin sheet of light rests between two panels of dark walnut wood on this superlative sconce, lending uncommon elegance to your living room, restaurant or hotel environment. The contrast of materials and geometric shapes are surpassed only by the exceptional quality of the LED modules inside, which project beautiful ambient uniform light.



- Dark walnut wood veneer
- May be mounted on wall vertically or upside down
- Dimmer: ELV
- No transformer or driver needed
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-82817	17"	12W	120V	1098	646	DW Dark Walnut

Example: WS-82817-DW
For 277V special order add an "F" before the finish: WS-82817F-DW



STEM

Finely tuned for precise, even illumination, this simple sconce brings beautiful light into any room where you mount it. Crafted from dark walnut wood and with a crisp rectangular diffuser made from sanded acrylic, Stem is much more than the sum of its parts. The formal restraint of the wooden arm braced against the diffuser is pure elegance, matched only by the quality of the light.



- Dark walnut wood veneer
- Tempered glass conceals and protects LED modules inside
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-84819	19"	27W	120V	1495	1267	DW Dark Walnut

Example: WS-84819-DW




LUMNOS

Luminous box of ambient and functional down lighting encapsulating powerful energy efficient LEDs. A crisp, simple style.



- Up & down light
- White ceramic silk-screened mitered glass
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 2700K and 3500K option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-92616	16"	31W	120-277V	1409	1226	SN Satin Nickel

Example: WS-92616-SN
For 2700K add "-27"; 3500K add "-35" before the finish: WS-92616-35-SN




ASGARD

Simple, sophisticated form has all the hallmarks of Scandinavian design, but it fits right in with nearly any modern décor aesthetic. Its rounded, rectilinear shape conceals the light source, which broadcasts up and down through silk-screened glass to avoid glare from any angle.



- Emergency back up battery option available (special order)
- Up and down illumination
- May be mounted on wall vertically or horizontally
- Natural wood grain
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 3.0" x 1.9" x 1.1"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-97614	14"	31W	120V	2077	1127	DW Dark Walnut

Example: WS-97614-DW
For emergency backup battery option, add -EM after the finish: WS-97614-DW-EM





SLIDE

An austere form arcing up off the wall deploying illumination in both directions. Simply beautiful.



- Up & down light
- May be mounted on wall vertically or upside down
- Luminaire may be rotated 180° when mounting
- Dimmer: ELV, TRIAC, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 54,000 hours
- Color temp: 3000K
- 2700K and 3500K option available (special order)
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-27610	10"	19W	120-277V	1409	1161	AL BK WT

Example: WS-27610-AL
For 2700K add "-27"; 3500K add "-35" before the finish: WS-27610-35-AL



NIA

The minimalist curves of this extrusion are boldly featured in a form meets function design. Powerful LEDs provide up and down illumination for a versatile and durable luminaire ideal for corridors and stairwells in upscale public spaces including multifamily and high-rise buildings.



- Up & down light
- Dimmer: ELV
- May be mounted on wall vertically or upside down
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Conversion plate included to accommodate 4" junction box
- Rated Life: 54,000 hours
- Color temp: 3000K
- 2700K and 3500K option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-39610	10"	16W	120-277V	1159	773	BN Brushed Nickel

Example: WS-39610-BN
For 2700K add "-27"; 3500K add "-35" before the finish: WS-39610-27-BN



I BEAM

LEDs are set at an angle to illuminate the wall surrounding the sconce while minimizing glare seen from the side. An exceptional option for illuminating corridors or stairwells where it may be challenging to find an ADA sconce that looks attractive from multiple viewing angles.



WS-94614



- May be mounted on wall in all orientations
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within the junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-94614	14"	21W	120-277V	960	658	AL Brushed Aluminum

Example: WS-94614-AL




BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination of walls and surfaces. The subtle graduated design offers a unique look and high style appeal.



- Conversion plate included to accommodate 4" junction box
- Mounts on a switch box
- Dimmer: ELV
- No driver or transformer
- Rated Life: 50,000 hours
- Color Temp: 3000K
- 277V option available (special order)
- CRI: 90



WS-11511

WS-11522


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11511	11"	10W	120V	753	621	AL Brushed Aluminum
WS-11522	22"	19W		1494	1253	BK Black
						WT White

Example: WS-11511-AL
For 277V special order, add an "F" before the finish: WS-11511F-AL



ELESSAR

Magically transform a room with dramatic elegance. LEDs are thoughtfully hidden behind the striking polished stainless steel stem to provide dramatic indirect light on the wall behind. Spectacularly crowned with solid crystal where the bubbles frozen within project a million sparkles upward. Put this one on the wish list. Available in two dramatic sizes



- 304 stainless steel construction
- Projects up and body back lights the wall
- Dimmer: ELV, 0-10V
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-66734	34"	31W	120-277V	1525	1507	PN Polished Nickel
WS-66641	70"	43W		1857	1817	

Example: WS-66734-PN

INTERIOR SCONCES




MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.



See complimentary piece on page 144-148



- Up & down light
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box driver dimension: 2.8"x1.3"x1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12620	20"	7W	120-277V	285	151	BK	Black	
						PN	Polished Nickel	

Example: WS-12620-BK




MAGIC

A magic wand crowned with crystallized art glass illuminated by LEDs from both ends. A slim low profile design perfect for modern vignettes in fine homes and hotels.



See complimentary piece on page 144-148



- Up & down light
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box driver dimension: 2.8"x1.3"x1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-12632	32"	11W	120-277V	535	437	BK	Black	
						PN	Polished Nickel	

Example: WS-12632-BK



MUSE

Wood, metal, glass and technology come together in a beautifully cohesive LED sconce with a tailored wooden spike, metal accents, a mitered glass shade and the latest advancements in LED technology.



- Ebony stained wood arm and mitered glass
- Dimmer: ELV
- No driver or transformer
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-12118	18"	21W	120V	1681	1214	AB PN

Example: WS-12118-AB
For 277V special order, add an "F" before the finish: WS-12118F-AB



PALLADIAN

Tinseltown glamour. Visual drama in an LED light. Designed as a wraparound band finished in gold leaf, silver leaf or polished nickel. The sparkling, seeded crystal spear creates the ideal focal point. Perfect in a home theater or commercial venue.



- Up & down light
- 14K gold leaf or silver leaf
- Dimmer: ELV
- Transformer installs within junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11310	10"	12W	120V	452	393	GL PN SL

Example: WS-11310-GL
For 277V special order, add an "F" before the finish: WS-11310F-GL




VERMEIL

Wrap your room in glamour with this simple, sophisticated scone. Elegantly finished. A lustrous accent to light your way through a corridor.



For complementary
Tango pendant
See page 163



- Up & down light
- Low profile design
- Dimmer: ELV
- Transformer installs within junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-11311	10"	11W	120V	452	393	GL Gold Leaf

Example: WS-11311-GL
For 277V special order, add an "F" before the finish: WS-11311F-GL



GLACIER

The brilliance of frozen ice. LEDs sparkle and shimmer mesmerizingly through weighty blocks of Piastra glass for luxury baths and powder rooms



- Up & down light
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6509	9"	14W	120V	1230	525	CH Chrome

Example: WS-6509-CH



CHILL

Sparkles emit playfully from light bouncing off bubbles frozen in solid crystal. Powerful LED light sources hidden within a frame illuminate upward and downward.



- Up and down illumination
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-31618	18"	20W	120-277V	722	709	PN BK	Polished Nickel Black

Example: WS-31618-PN



GLACIER

The beautiful brilliance of frozen ice and polar caps crystalize into stunning wall sconce luminaires as LEDs evoke a sparkle and shimmer with mesmerizing Piastra glass, hand crafted utilizing techniques developed in the 13th century.



- Up & down light
- Artisan Piastra crystal
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90







Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-12721	21"	10W	120V	830	175	CH	Chrome

Example: WS-12721-CH
For 277V special order, add an "F" before the finish: WS-12721F-CH



BLAZE


A radiating spectacle of warm indirect illumination from hand applied gold leaf or silver leaf. Offered in three proportional sizes to design in multiples on walls or ceilings.



- 14K gold leaf or silver leaf
- May be mounted on ceiling or wall in all orientations
- ADA compliant (12" and 18" sizes only)
- Dimmer: ELV
- Universal Driver (120V-220V-277V) installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30612	12"	11W		787	250	GL
WS-30618	18"	25W	120-277V	1979	605	SL
WS-30624	24"	31W		2392	700	

Example: WS-30612-GL





BATH & INTERIOR SCONCES

ACROPOLIS



Acropolis gives us a statement bath light for the ages. The abstract lightscape features undulating natural Spanish alabaster forms reflected below a luminous metal band. The stunning bath luminaire draws you in with a beautiful metal structure defined by pure geometry.




- Hand selected first quality Spanish alabaster varying in thickness and height
- Natural stone features unique veining and color variation
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- May be mounted on wall vertically or upside down
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-68127	27"	38W	120V	1455	1284	AB	Aged Brass
WS-68137	37"	46W		1809	1596	BN	Brushed Nickel

Example: WS-68127-BN



WS-68127



WS-68137



TANDEM


Asymmetrical elegance in lumosity. Double blocks of cloudy acrylic sandwich a metal bar. Artisan crafted for all orientations around your vanity in a fine bath.



See complimentary pieces on page 56



- Artisan crafted milky cloud acrylic. Each crafted piece lends itself to slight variations in milkiness.
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- May be mounted on wall in all orientations
- Conversion plate included to accommodate 4" junction box
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-50127



WS-50137


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-50127	27"	28W	120/277V	3185	1910	BK Black
WS-50137	37"	34W		3675	1936	






Example: WS-50127-BK



BARRE

A minimalist yet bold bath luminaire that deploys robust, flattering illumination above or alongside a vanity in residential, hospitality and commercial environments.



-     
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- No driver or transformer required
- May be mounted on wall in all orientations
- Conversion plate included to accommodate 4" junction box
- Dimmer: ELV
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-68227-30	3000K	27"	17W	120V	1730	1417	BN
WS-68237-30		37"	23W		2369	1919	

Example: WS-68227-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: WS-68227-27-BN




CADENCE

This clever bath bar offers a trifecta of options. A debonair rotatable diffusing wand allows you to direct flattering LED illumination precisely where needed. A range of thoughtfully engineered options include a minimalist installation and round and square decorative plates.



- Rotate the bar up to 360° to adjust for direct or indirect illumination
- Square and round conversion plates included to accommodate to 4" junction box for added customization
- May be mounted on wall in all orientations
- Universal 120V-220V-277V driver installs within the Junction Box, driver dimension: 2.8" x 1.3" X 1.2"
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-54127	27"	11W	120-277V	1088	981	BN Brushed Nickel
WS-54139	39"	15W		1438	1284	

Example: WS-54127-BN








BATH & INTERIOR SCONCES



CINCH

Upgrade your bath with an eye-catching modern light embedded with LEDs gently diffused by a frosted acrylic diffuser for upward and downward light. Ideal for illuminating a sleek bathroom or alongside a contemporary mirror. This linear functional luminaire delivers robust illumination with flexible mounting options. Switch between 3 color temperatures to customize the white light hue.



- 
- Adjustable backplate accommodates to off-center junction box locations
 - Built in color temperature adjustability.
 - Switch from 2700K/3000K/3500K
 - Conversion plate included to accommodate 4" junction box
 - May be mounted on wall in all orientations
 - Thin canopy conceals a proprietary 120V/277V driver
 - Dimmer: ELV
 - Rated Life: 50,000 hours
 - CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-34119-30		19"	25W		2039	1128	
WS-34125-30	3000K	25"	32W	120/277V	2547	1448	BN Brushed Nickel
WS-34137-30		37"	40W		3391	1878	

Example: WS-34119-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: WS-34119-27-BN



OPEN BAR

A window of opportunity. This intriguing bath bar features an open design that allows light to shine through. A CCT switch enables multiple color temperature options to customize the look and feel of the room. Utilizing state of the art ACLED driverless technology, the versatile luminaire comes with an optional 1" junction box that allows it to be installed to your precise position in the orientation of your choice.



- 1" slim junction box included and may also be ordered separately (model# JB-0501)
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV. TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-52127-30	3000K	27"	17W	120V	1113	815	BK Black
WS-52137-30	3000K	37"	23W	120V	1369	1094	BN Brushed Nickel

Example: WS-52127-30-BK
For 2700K add "-27", 3500K add "-35" before the finish: WS-52127-27-BK

BATH & INTERIOR SCONCES




0 TO 60

An exquisite sense of simplicity that lends to its surroundings an even layer of energy-efficient illumination. This clean design blends Euro styling and functional technology suitable for flattering illumination. ADA Compliant. 3 CCTs are selectable to create the white light color temperature of your choice. Like a fast race car, this clean design is a versatile option that can be installed vertically, horizontally, or in any orientation.



- Adjustable backplate offers flexible mounting and accommodates to off-center junction box locations
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90



WS-56124



WS-56137

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-56124-30	3000K	24"	10W	120V	871	485	BK
WS-56137-30		37"	17W		1158	774	BN

Example: WS-56124-30-BK
For 2700K add "-27", 3500K add "-35" before the finish: WS-56137-27-BK

BATH & INTERIOR SCONCES




KINSMAN


Illuminating couture for interiors. Elegant contrasting stitched pebbled black leather and brushed nickel or combinations of warm brown leather and aged brass exude fashion runway references. This handsome luminaire adds upward and/or downward illumination. Perfect in a formal powder room or mounted over built-in library shelves in a study, this versatile light orients both vertically and horizontally. CCT selectable to choose any of three color temperatures to complement coordinating finishes.



- Choose upward illumination, downward or both directions with an internal switch
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Smooth pebble grain leather
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90



WS-28119



WS-28129

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-28119	19"	21W	120V	620	421	BW/AB Warm Brown/Aged Brass
WS-28129	29"	32W		983	642	BK/BN Pebbled Black/Brushed Nickel


Example: WS-28129-BK/BN

BATH & INTERIOR SCONCES



QUARRY

Prized for millennia for its translucent beauty, Spanish alabaster continues its appeal in the Modern Age. Uniformly lit from behind with LEDs, this luminaire provides ambient lighting enhanced by the inherent beauty of this natural stone.



WS-60018



WS-60028




WS-60038



- First quality spanish alabaster
- Distributes light evenly
- May be mounted on wall in all orientations
- Natural alabaster with unique veining in each crafted piece
- Dimmer: ELV, TRIAC, 0-10V
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-60018	18"	22W		1893	1052	AB
WS-60028	28"	40W	120V	3211	2013	BN
WS-60038	38"	61W		4863	3007	

Example: WS-60018-AB




LUZERNE

Fluted glass cylinders nested together create a stunning prismatic effect. The textural juxtaposition raises the bar for an exceptional lighting experience. Advanced ACLED technology and an impressive profile achieves a stunning architectural image.



WS-30118




WS-30128



- Extruded fluted glass
- Inner plate creates a mirrored effect
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-30118	18"	16W	120V	1385	876	AB Aged Brass
WS-30128	28"	21W		1848	1345	BN Brushed Nickel

Example: WS-30128-AB




REGAL


Artisanal reclaimed crystal shards glitter with ample ambient illumination. LEDs illuminate the crystal shards frozen within this dramatic bath sconce. Installs in either horizontal or vertical directions depending on your needs.



WS-46118



WS-46128



- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Color temp: 3000K
- Rated Life: 50,000 hours
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-46118	18"	17W	120/277V	1440	874	AB	Aged Brass
WS-46128	28"	25W		2240	1147	BN	Brushed Nickel

Example: WS-46118-AB




BATH & INTERIOR SCONCES




EMBLEM

A refined update to traditional styles. A compelling blend of a curvilinear design, reclaimed crystal and LED technology creates a peerless, enduring look for today's baths and powder rooms. This ADA compliant luminaire mounts on the wall in all directions.



WS-32128



- May be mounted on wall in all orientations
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-32128	28"	20W	120/277V	1394	1127	AB	Aged Brass
WS-32138	38"	29W		1821	1507	BN	Brushed Nickel

Example: WS-32128-AB




BATH & INTERIOR SCONCES



JULIET

A chiseled luminaire with a captivating sculptured texture. This design features solid faceted crystal spears dramatically carved for a prismatic impact. The canopy plate mounts horizontally or vertically to satisfy your lighting needs. A luxury design engineered for enduring beauty and longevity.


BATH & INTERIOR SCONCES



- Thick sculptural K9 faceted crystal with distinct asymmetrical cuts
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Thin canopy conceals a proprietary 120V/277V driver
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-58127	27"	15W	120/277V	1330	1036	AB	Aged Brass
						BK	Black
						BN	Brushed Nickel

Example: WS-58127-BN



FORBES


These handcrafted artisanal shades steal the show on this exquisite vanity. The unique shades capture and refract the light such that the visual effect is nothing short of staggering.



- May be mounted on wall vertically or upside down
- Up and down illumination
- Dimmer: ELV, TRIAC 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-63027



WS-63037

Model	# of lights	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-63027	3 lights	27"	20W	120-277V	1774	1268	PN
WS-63037	4 lights	37"	27W		2304	1809	Polished Nickel

Example: WS-63027-PN



BATH & INTERIOR SCONCES



MINX

Urbane and sleek. Reclaimed crystalline shards add sparkle and drama with continuous shadow free LED illumination. An instantly modern classic.




See complimentary pieces on page 82-87 & 204




- May be mounted on wall vertically or upside down
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-62021



WS-62029



WS-62039

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-62021	21"	17W	120-277V	1183	909	AB Aged Brass
WS-62029	29"	25W		1582	1131	BN Brushed Nickel
WS-62039	39"	32W		2240	1827	

Example: WS-62029-BN



SHOCK WAVES

A dramatic fluid design. The rhythm of rippling oceanic waves is captured within the cast art glass feature floating inside the frame. Integral LEDs indirectly light the glass for a stunning luminous effect, like reflections of moonlight on waves.



- Cast art glass
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-39920	20"	34W		2552	1120	
WS-39927	27"	44W	120V	3416	1348	BN
WS-39938	38"	67W		5104	2041	

Example: WS-39938-BN



WS-39920



WS-39927




WS-39938



ICE

Covered with shimmering frost, this transitional design adds a jewelry-inspired iced element while preserving continuity across a broad range of architectural styles.



- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-57919	19"	12W	120V	1000	710	CH	Chrome
WS-57927	27"	24W		1800	1420		
WS-57937	37"	27W		2400	1720		

Example: WS-57919-CH



WS-57919



WS-57937








WS-57927



VODKA

Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. This versatile luminaire can be placed as a centerpiece. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



- 
- Tempered, mitered glass diffuser with crystalline effect
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3500K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-25816	16"	24W	120V	2378	1597	CH	Chrome





Example: WS-25827-CH



VODKA

Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. This versatile luminaire can be placed as a centerpiece. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



- 
- Tempered, mitered glass diffuser with crystalline effect
 - May be mounted on wall in all orientations
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3500K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-25827	27"	40W	120V	4216	2620	CH	Chrome
WS-25837	37"	61W		6224	4137		

Example: WS-25827-CH



VIGO

Dark walnut wood and mitered glass suggest a subtle influence of art deco, but this luxe design is unequivocally modern with highly efficient, cutting-edge LED modules that produce outstanding illumination. Excellent in a luxury bath.



- Dark walnut wood veneer
- White ceramic silk-screened mitered glass
- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-80814	14"	25W	120V	2012	1398	DW Dark Walnut

Example: WS-80814-DW
For 277V special order add an "F" before the finish: WS-80814F-DW



VIGO

Dark walnut wood and mitered glass suggest a subtle influence of art deco, but this luxe design is unequivocally modern with highly efficient, cutting-edge LED modules that produce outstanding illumination. Excellent in a luxury bath.



- Dark walnut wood veneer
- White ceramic silk-screened mitered glass
- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-80827	27"	35W	120V	2932	2079	DW Dark Walnut

Example: WS-80827-DW
For 277V special order add an "F" before the finish: WS-80827F-DW



LIGHTSTICK

Modern and ultra-minimal. A slender bar of light constructed from a co-extrusion of clear and white acrylic affords the luxurious dimensional look of cased glass but durable enough for its dramatic proportions. Mount horizontally or vertically or even at angles on walls and ceilings.



- May be mounted on ceiling or wall in all orientations
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Co-extruded acrylic diffuser
- Dimmer: ELV
- No driver or transformer required
- Conversion plate included to accommodate 4" junction box
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-47919	19"	17W	120V	1268	975	AL WT	Brushed Aluminum White
WS-47925	25"	22W		1708	1375		
WS-47937	37"	33W		2450	1949		
WS-47949	49"	44W		3171	2479		
WS-47961	61"	46W		3651	2826		
WS-47973	73"	66W		4900	3782		
WS-47997	97"	88W		6342	4874		

Example: WS-47919-WT



SABRE

On the cutting edge of technology and aesthetics, bath lighting can now be both refined and robust. A sleek look with a durable and optically enhanced co-extruded acrylic diffuser, this watertight design is IP65 rated.



- May be mounted on wall in all orientations
- 1/4" thick wall co-extruded clear and white optical acrylic
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Conversion plate included to accommodate 4" junction box
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W81619	19"	15W	120V-277V	1342	1267	AL	Brushed Aluminum
WS-W81625	25"	20W		1827	1730		
WS-W81637	37"	30W		2696	2619		

Example: WS-W81619-AL




ARGO


A clean and minimal profile. With soft curves, it easily complements architectural designs. Unobstructed LEDs deliver even, shadow free illumination mounted vertically or horizontally.



- Elongated thin profile with evenly distributed illumination
- May be mounted on ceiling or wall in all orientations
- Dimmer: ELV, TRIAC
- Universal 120V-220V-277V driver concealed within fixture
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



WS-93027



WS-93037

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-93027	27"	19W	120-277V	1397	1320	BN	Brushed Nickel
WS-93037	37"	25W		1742	1617	WT	White

Example: WS-93037-BN



NEO


Marvel at this ultra-thin sconce and vanity light collection which adapts the latest technology from the television and display industry, to create phenomenal light output. This luminaire boasts a depth from the wall of less than an inch. The amazing uniform light is free from glare, hot spots and color-over-angle changes.



For complementary
NEO Flush Mount
See pages 326



- Advanced edge-lit technology
- May be mounted on ceiling or wall in all orientations
- Dimmer: ELV
- Transformer installs within junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



WS-3724



WS-3736


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-3724	24"	31W	120V	3008	1220	AL	Brushed Aluminum
WS-3736	36"	41W		3720	1697		

Example: WS-3724-AL
For 277V special order, add an "F" before the finish: WS-3724F-AL




POLAR

This sleek design epitomizes the use of modern materials with state of the art LED technology to create a refined urban luminaire. Features crisp edges of mitered glass and optimally engineered with a maximum amount of LEDs for a wide range of bath lighting and ambient illumination in luxury hotel corridors and other spaces.



- White ceramic silk-screened mitered glass
- May be mounted on wall in all orientations
- Dimmer: ELV
- Transformer installs within junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3226	26"	45W	120V	2617	1451	BN
WS-3240	40"	75W	120V	4037	2451	BN

Example: WS-3226-BN
For 277V special order, add an "F" before the finish: WS-3226F-BN




BAHN

Clean minimalism with Euro styling and advanced technology. Straight lines and homogeneous surfaces are tailored with German precision and incorporated seamlessly with the latest in LED thinking. Flattering illumination from full spectrum LEDs. Horizontal and vertical configurations for a wide variety of settings.



- May be mounted on wall vertically or horizontally
- White ceramic silk-screened mitered glass
- Dimmer: ELV
- No driver or transformer
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6826	26"	38W	120V	3230	1440	BN

Example: WS-6826-BN



GATSBY


Streamlined and slender. Add a classically aspirational touch to upscale décor in residences, resorts and restaurants with this modern LED luminaire. White ceramic-glazed mitered glass diffuses light perfectly with consistent illumination.



- May be mounted on wall in all orientations
- White ceramic-silk-screened mitered glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-53932	32"	25W	120V	2000	1437	AB PN

Example: WS-53932-AB



BATH & INTERIOR SCONCES

GLACIER

The brilliance of frozen ice. LEDs sparkle and shimmer mesmerizingly through weighty blocks of Piastra glass for luxury baths and powder rooms.



- Piastra glass
- Up and down illumination
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	#of Lights	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-6528	28"	3 lights	44W	120V	3695	1820	CH Chrome

Example: WS-6528-CH




SOFIA

Elegant as a classic tennis bracelet. Solid hand cut faceted crystals like oversized cushion-cut diamonds in a beautiful and shiny polished setting add a resplendent fashion statement with a touch of the grace of yesteryear to beautify any room. A vision of Hollywood, redefined.



- Hand-cut faceted crystal
- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90




Model	# of Lights	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-13619	2 lights	19"	19W		1091	994	
WS-13630	3 lights	30"	28W	120V	1611	1521	PN Polished Nickel
WS-13641	4 lights	41"	37W		3200	1939	

Example: WS-13619-PN



VETRI

Hand-crafted artisanal Piastra glass steals the show on this dazzling vanity, a versatile design that works vertically beside the mirror or above it horizontally. The glass's intricate texture captures and refracts the light, and the visual effect is nothing short of stunning. And the cutting-edge LEDs inside are on par with the presentation, featuring excellent color rendering properties and a long-rated lifespan.



WS-3919



WS-3925



- May be mounted on wall in all orientations
- Dimmer: ELV
- Transformer installs within junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3919	21"	27W	120V	1880	873	AL
WS-3925	27"	39W		2500	1251	

Example: WS-3919-AL




MINI CLOUD

Architectural styling arrives in fine baths. Mini Cloud is remarkably thin but a stunning cousin of the Cloud vanity luminaires that deliver high quality functional light for luxury environments. Hand-mitered glass over cutting-edge LEDs positioned for even illumination without glare. Vertical or horizontal mounting options.



- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- 1" slim junction box included and can be ordered separately (model# JB-0501)
- Conversion plate included to accommodate 3" switch box
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-51927	27"	16W	120V	1331	962	CH
WS-51937	37"	24W	120V	2031	1461	Chrome

Example: WS-51927-CH




CLOUD

Cloud combines a distinguished contemporary rectilinear profile with exaggerated proportions and concealed hardware. Designed to complement a diverse range of architectural interiors while delivering high quality functional illumination for upscale spaces.



- No driver or transformer required
- Mitered glass construction
- Mount vertically or horizontally
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3418	18"	15W	120V	1507	836	CH
WS-3428	28"	26W	120V	2486	1388	Chrome

Example: WS-3428-CH
For 277V special order, add an "F" before the finish: WS-3428F-CH




VOGUE


With its wide variety of sizes and luminaire options, Vogue slips into transitional, contemporary and urban industrial decor plans with ease. Offered in a modern brushed brass, bronze, brushed nickel or chrome finish.



- Mouth-blown opal glass diffuser
- May be mounted on wall vertically or upside down
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V option available (special order)
- CRI: 90



WS-3111




WS-3115

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3111	3000K	11"	16W	120V	1474	948	BN Brushed Nickel
WS-3115		15"	23W		2295	1510	BR Brushed Brass
							BZ Bronze
							CH Chrome


Example: WS-3115-BR
For 277V special order add an "F" before the finish: WS-3115F-BR
For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3115-27-BR




VOGUE




- Mouth-blown opal glass diffuser
- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V option available (special order)
- CRI: 90



WS-3120



WS-3127



WS-3139


Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3120	3000K	20"	34W	120V	2849	2139	BN Brushed Nickel
WS-3127		27"	41W		3895	2993	BR Brushed Brass
WS-3139		39"	66W		5574	4362	BZ Bronze
							CH Chrome

Example: WS-3139-BR
For 277V special order add an "F" before the finish: WS-3139F-BR
For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-3139-35-BR



MINI VOGUE

This minimalist design adapts to almost any décor with its slim, linear form and versatile finishes. Available in brushed nickel, black and chrome.



- Adjustable backplate accommodates to off-center junction box locations
- Co-extruded acrylic diffuser
- May be mounted on wall in all orientations
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-21718-30	3000K	20"	16W	120-277V	1199	1126	BK Black
WS-21724-30		26"	21W		1599	1491	BN Brushed Nickel
WS-21736-30		38"	30W		2564	2269	CH Chrome

Example: WS-21718-30-BK
For 2700K special order add a "-27", 3500K add a "-35" before the finish: WS-21718-27-BN




MINI LOFT

The petite version of our popular Loft sconce, featuring the same elegant contrasts. An oval back plate in fine aluminum offsets the slim diffuser, which is fashioned from co-extruded clear and white acrylic to soften and distribute the light with beautiful precision even in this miniaturized format. Pair Mini-Loft with the larger version for a consistent lighting scheme throughout.



- Adjustable backplate accommodates to off-center junction box locations
- May be mounted on wall in all orientations
- Co-extruded clear and white acrylic diffuser
- Conversion plate included to accommodate 3" junction box
- Dimmer: ELV
- Universal 120V-220V-277V driver installs within junction box, driver dimensions: 2.8" x 1.3" x 1.2"
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-14818	18"	17W	120-277V	1263	1167	BK Black
WS-14824	24"	22W		1787	1661	BN Brushed Nickel
						CH Chrome

Example: WS-14824-CH




LOFT


This modern design is highlighted with contoured etched opal glass that creates a striking aesthetic. Ideal for installation in fine baths and hallways.




- Mouth blown etched opal glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 80,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- CRI: 90



WS-3611



WS-3618



WS-3624

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-3611		12"	14W		1000	714	BN
WS-3618	3000K	19"	28W	120V	2000	1650	CH
WS-3624		25"	30W		2800	1956	


Example: WS-3624-BN
For 277V special order, add an "F" before the finish: WS-3624F-BN
For 2700K add "-27"; 3500K add "-35" before the finish: WS-3624-35-CH



WS-3618 & WS-3624




WS-3611



FLUSH MOUNTS

VELOCE

Unique and playful. Enhance your modern space with this eye catching form. Two smooth rings wrap around each other rest at various angles, creating a thought provoking display.



FM-24818



- Spin-on round canopy with minimal hardware
- Thin canopy conceals a proprietary 120V/277V driver
- May be mounted on ceiling or wall
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-24818	18"	35W	120/277V	2860	1765	BK TT	Black Titanium

Example: FM-24818-BK




FLUSH MOUNTS



CASCADE

Bring your interiors to life with a refined take on minimalist glam style. This luminaire bountifully illuminates while each facet punctuates like a chic, understated exclamation of luxury.



- Hand-cut faceted K9 crystal
- No driver or transformer required
- May be mounted on ceiling or wall
- Spin-on round canopy with minimal hardware
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color Temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-41706	6"	13W	120V	1200	1018	AB	Aged Brass
						BK	Black
						PN	Polished Nickel

Example: FM-41706-AB



CATALONIA

First class quality alabaster from Spain creates a work of art with die cast aluminum accents. This earthy element transforms your home into an artistic space with unique character that celebrates beauty and harmony. Available in aged brass and antique nickel finishes.



- Ambient illumination
- First class quality Spanish alabaster
- Natural stone with unique veining in each crafted piece
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- May be mounted on ceiling or wall
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color Temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-60211	11"	27W	120-277V	1802	1075	AB Aged Brass
FM-60217	17"	37W		2647	1627	AN Antique nickel


Example: FM-60211-AB






FLUSH MOUNTS



GROMMET

An octagonal geometric ceiling luminaire with a chiseled profile. ACLED state of the art technology projects through irresistible mouth blown etched opal glass. Integral color adjustability allows you to choose warm white, crisp white or cool light for your space.



- 
- Geometric profile
 - Built in color temperature adjustability.
 - Switch from 2700K/3000K/3500K
 - No driver or transformer required
 - May be mounted on ceiling or wall
 - Dimmer: ELV, TRIAC
 - Rated Life: 54,000 hours
 - CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-30213-30	3000K	13"	21W	120V	1800	1120	AB Aged Brass
FM-30216-30		16"	27W		2400	1639	BN Brushed Nickel
							PN Polished Nickel


Example: FM-30213-30-PN
For 2700K add "-27", 3500K add "-35" before the finish: FM-30213-27-PN

POLAR

Geometry and technology elevated. Crafted with a square styled mitered glass shade cornered with metal hardware accents designed to complement our popular family of vanity lights. Install them together in a large bathroom to coordinate a coherent lighting design. State of the art LEDs deploy beautiful robust ambient illumination.



- White ceramic silk-screened mitered glass
- May be mounted on the ceiling or wall
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Diameter	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-3214	14"	32W	120V	2955	1910	BN Brushed Nickel


Example: FM-3214-BN

KIND

A clean layered look. The dimensional shade encompasses a white diffuser wrapped with a clear acrylic exterior. Innovative LED technology offers a creative ability to change the color temperature of the light with ACLED technology.



- Dimensional shade with a clear acrylic exterior finished with a white interior
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- May be mounted on ceiling or wall
- FM-W76108 is also Wet Rated IP65 for outdoor applications
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- CRI: 90



FM-W76108-30

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W76108-30 FM-76108-30	3000K	8"	11W	120V	600	577	BK SS Black Stainless Steel
FM-76108	3000K	8"	11W	120V	600	577	BN Brushed Nickel


Example: FM-76108-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: FM-76108-27-BN






FM-76108-30

PRISMA

Clean, elegant and distinctive. Impressive diamond patterned detailing around the mouth blown etched opal glass lens inside the shade creates a fascinating prismatic effect. A combination of aluminum and steel with acrylic and glass. A high-function, cool aesthetically pleasing flush mount reinvented with modern light.



- 
- Mouth blown etched opal glass
 - Decorative prismatic vacuum formed shade
 - May be mounted on ceiling or wall
 - No driver or transformer required
 - Dimmer: ELV, TRIAC
 - 277V option available (special order)
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-78118	18"	27W	120V	2267	996	BN Brushed Nickel

Example: FM-78118-BN
For 277V special order, add an "F" before the finish: FM-78118F-BN



GILT


Hand finished in dark bronze with gold-leaf interior, Gilt has an opulent lustrous appeal. An etched dome glass diffuser conceals a powerful LED array for generous illumination.



For complementary
Gilt pendant
See page 162



- 14K gold leaf interior
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-51318	18"	35W	120V	3013	1455	GL Gold Leaf/Dark Bronze

Example: FM-51318-GL


FLUSH MOUNTS




SEGMENT

A delicate pairing of fabric and wood structures. The wood embraces a clean white linen shade for architectural detailing. Dark walnut brackets combine a feeling of pleasant warmth with design appeal and artisanal craftsmanship.



- 

TITLE 24
CALIFORNIA
- Dark walnut wood frame with fabric shade
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-83922	21"	35W	120V	3000	2170	DW	Dark Walnut 

Example: FM-83922-DW




METROPOLIS

A diaphanous shade provokes the imagination on this elegant design, creating softer light and a beautiful, sophisticated expression of form. Inside the glowing round diffuser, state-of-the-art LED modules broadcast consistent and enduring illumination. Metropolis handles urban décor with ease, but makes a welcome addition to Scandinavian and Mid-Century styled spaces too.




For complementary
Metropolis pendant
See page 62



- 

TITLE 24
CALIFORNIA
- Ultra-bright lumen output
 - Frosted glass diffuser with fabric shade
 - Dimmer: ELV, TRIAC
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - 277V option available for FM-16818 and FM-16824 only (special order)
 - CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-16818	18"	26W	120V	2015	1996	BN	
FM-16824	24"	32W		2644	2474		
FM-16830	30"	48W		3869	3815		

Example: **FM-16818-BN**
For 277V special order add an "F" before the finish: **FM-16818F-BN**




FLUSH MOUNTS

FLUFFY

A soft feathered piece with a heavenly look. Handcrafted of detailed acrylic that emerges into a glowing cluster of interlocking petals with frosted edges. Celestial silk-screened petals diffuse the light with incredible texture around the fixture for a tone on tone style.




- Magnetic tool-free shade installation for easy cleaning
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-59922	22"	32W	120-277V	2718	2333	BN
FM-59933	33"	42W		3980	3375	


Example: FM-59922-BN



FLUSH MOUNTS

RAZOR

A matching compliment to chrome and nickel plated finishes, this impressive flush mount provides bright and beautiful lighting for task and general applications in residential and hospitality environments. Thick walled glass enhanced with detailed crosshatch polished stainless steel hardware for seaside interiors.



- Etched opal glass diffuser
- Polished 304 stainless steel hardware
- May be mounted on ceiling or wall
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 80,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4716	16"	40W	120V	2800	1160	SS Stainless Steel

Example: FM-4716-SS



VODKA


Architectural accents and frame add a sophisticated aesthetic to the sparkling glass lens. The versatile luminaire can be placed as a centerpiece on a ceiling, wall or both. Proprietary LEDs fill the room with even, shadow free illumination and a subtle glow.



For complementary
Vodka sconces and vanities
See page 272



- Tempered, mitered glass diffuser with beaded glass inside for crystalline effect
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-25814	14"	27W	120V	2399	1807	CH Chrome







Example: FM-25814-CH



ARGO

A simple and perfect form. Round out your lighting design with this luminaire that flush mounts directly to your ceiling or wall for a clean look and super illumination, thanks to advanced technology featuring efficient LED lighting and 3-CCT selectability for additional versatility and customization. A curvaceous silhouette that will brighten your social circle.



- 
- May be mounted on ceiling or wall
 - A 1 inch thin fixture conceals a universal 120V-220V-277V driver within
 - Dimmer: ELV, TRIAC
 - Rated Life: 60,000 hours
 - Built in color temperature adjustability. Switch from 2700K/3000K/3500K
 - CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4207-30	3000K	7"	15W	120-277V	1391	994	BK Black BN Brushed Nickel WT White
FM-4211-30		11"	21W		2109	1461	
FM-4215-30		15"	28W		3084	2114	
FM-4219-30		19"	33W		3985	2214	

Example: FM-4219-30-BK
For 2700K add "-27"; 3500K add "-35" before the finish: FM-4219-27-BK










FLUSH MOUNTS

ZENITH

This diffused, simple, low-profile 15-inch flush mount fixture that is unassuming yet packed with the latest in LED technology. Specify your color temperature for a project and have the flexibility to select your own in the field with the on-board CCT selection switch. For longer commercial corridors, utilize the unique construction of this flush mount to allow you to seamlessly add in emergency battery backup units, without breaking the size symmetry between fixtures.



- 
- May be mounted on ceiling or wall
 - Multiple LED array for uniform illumination
 - Fixture conceals a universal 120V-220V-277V driver
 - Dimmer: ELV, TRIAC
 - Rated Life: 60,000 hours
 - Built in color temperature adjustability. Switch from 2700K/3000K/3500K
 - **Emergency back up battery option available (special order)**
 - CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-5415-30	3000K	19"	26W	120-277V	2306	1698	TT Titanium

Example: FM-5415-30-TT
For emergency battery, add -EM after the finish: FM-5415-30-TT-EM
For 2700K add "-27", 3500K add "-35", 4000k add "-40", 5000K add "-50" before the finish: FM-5415-50-TT

FLUSH MOUNTS



NEO


Neo is the one. Employing the latest technology from the television and display industry, geometric styled flush mounts make a strong impression on the ceiling or wall. At less than an inch deep and featuring an incredible ambient illumination with uniform light free from glare and hot spots, An architectural design for a skylight effect or create a striking look by mixing sizes.



For complementary
Neo sconces and vanities
See page 279



- Advanced edge-lit technology
- May be mounted on ceiling or wall
- Dimmer: ELV
- Transformer installs in junction box; transformer dimensions: 2" x 1.4" x 1"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-3712	12"	25W	120V	1940	1135	AL
FM-3718	18"	48W	120V	2990	1809	Brushed Aluminum

Example: FM-3718-AL
For 277V special order add an "F" before the finish: FM-3718F-AL



PUCK

Super efficient performance from a curvaceous LED luminaire featuring an optically efficient acrylic diffuser to deliver ample lighting with brushed nickel metal frame. LED arrays provide uniform illumination without the shadows commonly foun in conventional flush mounts. Use as wall or ceiling mount.



- Fixture conceals a universal 120V-220V-277V driver
- Secondary lens to spread light evenly
- Twist-lock installation
- Dimmer: TRIAC, ELV
- Rated Life: 59,000 hours
- Color temp: 3500K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-4514-35	14"	20W	120-277V	1500	1464	BN
FM-4516-35	16"	27W	120-277V	2300	2152	Brushed Nickel

Example: FM-4516-35-BN



CIRCA

This utilitarian family in black and titanium finish is available in 3 sizes to accommodate more spaces like narrow hallways, bathroom or guestrooms. The glass shade is pressed and sanded for pure whiteness, while a second insert is layered inside to extract the optimal amount of light from the high-performance LED modules.



- May be mounted on ceiling or wall
- Etched pressed glass diffuser with interior ceramic glaze
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V option available (special order)
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-2109-30		9"	16W		1616	880			
FM-2111-30	3000K	11"	28W	120V	2625	1127	BK	Black	
FM-2115-30		15"	30W		3135	1983	TT	Titanium	

Example: FM-2111-30-TT
For 2700K add "-27", 3500K add "-35" before the finish: FM-2111-27-BK
For 277V special order add a "F" before the finish: FM-2111F-27-BK




MATRIX

Flawless in a black finish, adding a fierce contrast with its thick white glass diffuser. Crafted in aluminum, Matrix mounts on the wall as well as the ceiling, adding a splash of minimalism to your commercial or residential setting. Also available in titanium.



- May be mounted on ceiling or wall
- Etched pressed glass diffuser with interior ceramic glaze
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V option available (special order)
- CRI: 90




Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-2009-30		9"	32W		2897	1294			
FM-2012-30	3000K	12"	30W	120V	3128	1309	BK	Black	
							TT	Titanium	

Example: FM-2012-30-BK
For 2700K add "-27", 3500K add "-35"z before the finish: FM-2012-27-BK
For 277V special order add a "F" before the finish: FM-2012F-27-BK



I SPY

Versatile, adjustable, functional. This outdoor ceiling luminaire delivers directional accent illumination with beam angles up to 40 degrees. Built-in adjustable color temperature offers lighting at color temperatures of 3000K, 3500K and 4000K.



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Adjustable beam angle up to 40 degrees
- Rotatable multi-axis gimbal ring
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90


Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
FM-W44205-30	3000K	5"	9W	120-277V	1185	759	BK	Black	<div></div>
							WT	White	<div></div>

Example: FM-W44205-30-BK
For 3500K add "-35", 4000K add "-40" before the finish: FM-W44205-35-BK



SQUAT

Rotund ceiling and wall luminaire ideal for placement in covered porches, gazebos and outdoor spaces. Adjustable and versatile, mounts on ceilings and walls for a variety of outdoor lighting applications. Switch from 3000K, 3500K or 4000K color temperature.



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- May be mounted on ceiling or wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-W46205-30	3000K	5"	12W	120V	900	357	BK WT	Black White


Example: FM-W46205-30-WT
For 3500K add "-35", 4000K add "-40" before the finish: FM-W46205-35-WT



FLUSH MOUNTS

KUBE

A stylish minimalist design statement for your exteriors. Perfect for covered porches, patios, and other spaces. A sleek, simple square-shaped ceiling fixture that makes a statement.



- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- May be mounted on ceiling or wall
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
FM-W62205-30	3000K	5"	12W	120V	900	527	BK WT	Black White

Example: FM-W62205-30-BK
For 3500K add "-35", 4000K add "-40" before the finish: FM-W62205-35-BK




KIND

A clean layered look. The dimensional shade encompasses a white diffuser wrapped with a clear acrylic exterior. Innovative LED technology offers a creative ability to change the color temperature of the light with ACLED technology.



- Dimensional shade with a clear acrylic exterior finished with a white interior
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- May be mounted on ceiling or wall
- FM-W76108 is also Wet Rated IP65 for outdoor applications
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 50,000 hours
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W76108-30	3000K	8"	11W	120V	600	577	BK SS Black Stainless Steel
FM-76108-30	3000K	8"	11W	120V	600	577	BN Brushed Nickel

Example: FM-76108-30-BN
For 2700K add "-27", 3500K add "-35" before the finish: FM-76108-27-BN

FLUSH MOUNTS



FM-W76108-30




FM-76108-30

PI

Durable stainless steel design handles the outdoor elements with ease, while the sleek polished hardware also gives interiors a welcome touch of industrial refinement. A user-friendly twist lock mechanism makes installation a snap. As for illumination, the finely crafted diffuser enhances the brightness for a beautiful mix of task and ambient light.



- Weather-resistant 316 marine grade stainless steel construction
- Lightweight injection-molded acrylic diffuser enhances brightness
- Easy twist-lock installation prevents slippage with no visible hardware
- May be mounted on ceiling or wall
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V options available for FM-W44809, FM-W44812, and FM-W44815 only (special order)
- CRI: 90



Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
FM-W44806-30	3000K	6"	10W	120V	878	574	BK Black SS Stainless Steel
FM-W44809-30		9"	17W		1571	1070	
FM-W44812-30		12"	27W		2566	1482	
FM-W44815-30		15"	31W		2980	1773	

Example: FM-W44809-30-SS
For 277V special order add an "F" before the finish: FM-W44809F-30-SS
For 2700K add "-27"; 3500K add "-35" before the finish: FM-W44806-35-BK



VESSEL

A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology. Integral reflectors ensure high performance optics for accent lighting, pathway illumination and building security.



For complementary Vessel exterior sconces See page 411



Brushed Aluminum



Black




White



Bronze



- Fixture conceals a proprietary universal 120V-220V-277V driver
- May be mounted on ceiling or wall
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- 2700K and 4000K option available (special order)
- CRI: 90



Model	Size	Wattage	LED Lumens	Delivered Lumens	Finish
FM-W9100	6"	17W	1167	956	AL Brushed Aluminum
					BK Black
					BZ Bronze
					WT White

Example: FM-W9100-AL
For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9100-27-AL



BLOC

Bold geometry and clean lines echo robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders powerful downward illumination.



For complementary Bloc exterior sconces See page 410



Black




White



Bronze



- Fixture conceals a proprietary universal 120V-220V-277V driver
- May be mounted on ceiling or wall
- Dimmer: ELV, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- 2700K and 4000K option available (special order)
- CRI: 90



Model	Size	Wattage	LED Lumens	Delivered Lumens	Finish
FM-W9200	6"	15W	1167	943	BK Black
					BZ Bronze
					WT White

Example: FM-W9200-WT
For 2700K add "-27"; 4000K add "-40" before the finish: FM-W9200-27-WT







EXTERIOR

CAMBRIDGE

A classic sensibility with timeless style. This exterior LED luminaire beckons like a glowing lantern to welcome guests to your fine home. Available in three sizes.



- Diffuser rotates up to 90 degrees for a modern twist to the classic lantern design
- Clear glass panels are framed with an etched border
- Thin canopy conceals a proprietary 120V/277V driver
- Can be mounted on wall vertically or upside down
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

WALL SCONCE MODELS

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W24211	11"	8W	120/277V	500	189	BK	Black
WS-W24218	18"	12W		800	335		
WS-W24225	25"	17W		1200	378		

Example: WS-W24218-BK

PENDANT MODEL

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-W24216	16"	12W	120/277V	800	378	BK	Black

Example: PD-W24216-BK



- Clear glass panels are framed with an etched border
- Thin canopy conceals a proprietary 120V/277V driver
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Slide-on square canopy with minimal hardware
- Three 12" and one 6" down rods included (additional sold separately)
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

EXTERIOR




WALL SCONCE








PENDANT

DUSK

A stylish aesthetic with a focus on natural simplicity and minimalism. This ADA compliant scone features handsome dark walnut combined with a black finished aluminum frame to create this one of a kind piece. Stylish and robust illumination engineered with the latest ACLED driverless technology.



- 
- Natural wood grain and color variation with each unique piece
 - Genuine wood will weather differently over time depending on care, maintenance exposure and changes in climate
 - No driver or transformer required
 - Dimmer: ELV
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W14214	14"	8W	120V	400	160	BK/DW Black/Dark Walnut
WS-W14220	20"	14W		850	340	

Example: WS-W14214-BK/DW




EXTERIOR



CUPID

A cool angular geometric design providing a sharp aesthetic with a modern slant. Angular lines reveal a silhouette softened by the inviting glow of LEDs for ambient up lighting and functional downlighting for paths below. Brilliant and stunning from every perspective. A modern profile with chic sensibilities.



- Up and down illumination
- No driver or transformer required
- May be mounted on wall in all orientations
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W10214	14"	16W	120V	1367	530	AL BK WT
						Brushed Aluminum Black White


Example: WS-W10214-WT







EXTERIOR



MIDNIGHT

A minimalist rectangular design delivering visual interest and wonderful ambient illumination through mitered glass from the front and side edges of this Exterior LED Luminaire.



- 
- Front and ambient illumination
 - Built in color temperature adjustability. Switch from 3000K/3500K/4000K
 - May be mounted on wall in all orientations
 - No driver or transformer required
 - Dimmer: ELV
 - Rated Life: 54,000 hours
 - CRI: 90


Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W66216-30	3000K	16"	17W	120V	1654	415	BK Black
WS-W66226-30		26"	23W		2356	561	





Example: WS-W66226-30-BK
For 3500K add "-35", 4000K add "-40" before the finish: WS-W66216-35-BK



ENIGMA

A stunning minimalist sconce that scales well for large upscale residential, hospitality and commercial installations. ADA rated for public spaces, this LED luminaire delivers ambient back and edge-lit illumination. Blends seamlessly with a black finish and layers of lighting for any distinctive interior.



- 
- Ambient and edge lit illumination
 - Thin canopy conceals a proprietary 120V/277V driver
 - Can be mounted on wall vertically or upside down
 - Dimmer: ELV, TRIAC
 - Rated Life: 54,000 hours
 - Color temp: 3000K CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W16218	18"	17W	120/277V	611	566	BK Black
WS-W16227	27"	23W		852	789	


Example: WS-W16218-BK



EXTERIOR

MONARCH

Modern allure beckons with this exterior wall luminaire, offering style with gorgeous illumination to your outdoor space.



- ETL US
- ADA
- TITLE 24 CALIFORNIA
- WET
- IP65
- Artisanal textured pressed glass shade
- Ambient and downward illumination
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W18218	18"	22W	120V	1584	681	BK Black
WS-W18224	24"	32W		2336	1052	

Example: WS-W18218-BK




MAGLEV

An ultra-functional balanced sconce. This LED wall luminaire employs an etched glass diffuser that delivers interest generating bidirectional illumination. ADA compliance allows usage in high traffic hospitality and light commercial spaces. 3 CCTs available for customized selection. Mounts in all orientations.



- Up and down illumination
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K.
- Can be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV
- Rated Life: 54,000 hours
- CRI: 90



WS-W24110

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W24110-30	3000K	10"	15W	120V	632	472	AL BK BZ WT
							Brushed Aluminum
							Black
							Bronze
							White

Example: WS-W24110-30-WT
For 3500K add "-35", 4000K add "-40" before the finish: WS-W24110-35-AL




AVANT GARDE

Classic lantern profile artfully expressed in black lines. A clear mouth blown glass element within reveals a spectral reference to an Edison filament lamp of old. A contemporary art piece idea for welcoming friends and family in entryways and lobbies in residential and hospitality venues.



- Fluted etched glass
- Dimmer: ELV, TRIAC, 0-10V
- Thin canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W17912	12"	13W	120-277V	556	455	BK Black
WS-W17917	17"	18W		610	539	


Example: WS-W17912-BK





TWO IF BY SEA

EXTERIOR

Take shelter from the storm. Like a hard rainfall on the window panes, timeless inspiration is melded with modern technology to create a stunning LED luminaire. Beautiful light diffuses through clear hammered mouth blown glass for a soft glow on all sides of this geometric wall sconce. Crafted from extruded aluminum, our new larger scaled version is guaranteed to make a grand first impression.



- Downward illumination
- Clear hammered mouth-blown glass
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W41912	12"	15W		1200	919	
WS-W41918	18"	15W	120V	1200	965	BK Black
WS-W41925	25"	20W		1600	1317	

Example: WS-W37916-BK



MAKO

Sleek and striking. Modern lighting designed at just the right angle. This low-profile wall sconce projects a blade of light on the wall behind to feature its own silhouette and a second blade cast downward to light the path below. Defined by an angular upright with ceramic silkscreened glass, Mako enhances both interior and exterior locations as a wet listed, ADA Compliant architectural luminaire. Customize your color temperature from three choices.



WS-W18122



- Down and indirect illumination
- May be mounted on wall vertically or upside down
- Built in color temperature adjustability. Switch from 3000K/3500K/4000K
- Thin canopy conceals a proprietary 120V/277V driver
- Dimmer: ELV, TRIAC
- Rated Life: 50,000 hours
- CRI: 90

Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W18122-30	3000K	22"	17W	120/277V	1500	364	AL BK
							Brushed Aluminum
							Black


Example: WS-W18122-30-BK
For 3500K add "-35", 4000K add "-40" before the finish: WS-W18122-35-AL




EXTERIOR

REVERE


Gracious and substantial. Mouth-blown seeded hammered glass creates a stunning effect. This updated lantern engineered with ACLED driverless technology invitingly draws attention to entryways. Revere features a transitional style for flexible architectural applications and is useful for tight spaces and columns where a slim fit is required. ADA Compliant. 3 convenient sizes.




- Mouth-blown seeded hammered glass
- Open bottom and removable glass for easy cleaning
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90




WS-W22115



WS-W22120



WS-W22125

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W22115	15"	11W	120V	514	225	BK	Black	
WS-W22120	20"	13W		613	245			
WS-W22125	25"	15W		700	271			

Example: WS-W22115-BK








EXTERIOR



CHAOS

Add this random work of art into your outdoor or indoor setting. Stack two or three fixtures together to make a singular design statement in large homes or commercial settings. Bars of light are assembled in an amazing arrangement concealing integral LEDs. An extraordinary array of entangled forms of light.



- 
- Wet location rated for outdoor use
 - Fixed sculptural form
 - May be mounted on wall in all orientations
 - Thin canopy conceals a proprietary 120V-220V-277V driver
 - Dimmer: ELV, TRIAC, 0-10V
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W64824	24"	23W	120-277V	1228	768	BK Black
Example: WS-W64824-BK						








EXTERIOR



DORNE

Beautiful ambient light warms over the antiqued brass finished feature to indirectly illuminate entryways subtly for a soft and comforting glow. This durable indoor/outdoor wall sconce offers advanced LED technology discreetly hidden in its robust housing.

- 
- Contrasting aged brass finish and textured black
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W57014	14"	6W	120V	400	115	BK/AB
WS-W57018	18"	8W	120V	600	217	Black/Aged Brass

Example: WS-W57018-BK/AB







EXTERIOR

MIST

A contemporary outdoor sconce inspired by the handmade colonial era glass window panes. The seeded and hammered glass is captivatingly framed in black or bronze.



-    
- Seeded, hammered mouth blown glass
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W54016	16"	4W	120V	323	113	BK	Black	
WS-W54020	20"	8W		600	228	BZ	Bronze	
WS-W54025	25"	11W		800	308			


Example: WS-W54016-BK

EXTERIOR



REFLECT

Organically yours. Free formed artisan glass comes to light in this shimmering design to evoke a mesmerizing effect as though viewing a reflecting pool. Ideal for a variety of indoor or outdoor upscale applications. A dramatic approach to luxurious residential, commercial or hospitality settings. May be mounted vertically in either direction.



WS-W20118



- Artisan pressed glass with a textured surface
- May be mounted on wall vertically or upside down
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W20118	18"	11W	120V	850	428	BK	Black

Example: WS-W20118-BK



FATHOM

Like diving down into the mysterious depths below the ocean surface. Dramatic cast art glass in a watery design emerges and is showcased with bold black hardware that illuminates from above and below. This artfully crafted wall sconce complements upscale interior and exterior finishes with sophisticated style.



WS-W37922

WS-W37916



- Cast art glass
- Up and down illumination
- Dimmer: ELV, TRIAC
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W37916	16"	39W	120V	1869	1195	BK	Black
WS-W37922	22"						





Example: WS-W37916-BK






EXTERIOR


SHADOW

This minimalist luminaire provides smooth, even light whether you place it inside or outside, vertically or horizontally.

- 
- May be mounted on wall in all orientations
 - Edge-lit LED illumination prevents glare and hot spots
 - Dimmer: ELV, TRIAC, 0-10V
 - Canopy conceals a proprietary universal 120V-220V-277V driver
 - Rated Life: 60,000 hours
 - Color temp: 3000K
 - CRI: 90



WS-W46817



WS-W46824

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W46817	17"	14W	120V-277V	1256	715	BK	Black
WS-W46824	24"	21W		2101	1015		

Example: WS-W46817-BK




EXTERIOR




FROST

Understated geometry to complement a variety of architectural styles. Sparkling central glass insert draws visual interest while subtle cues of upscale appeal communicate through the heavy gauge frame, the absence of visible hardware, and the quality illumination.



WS-W71918



WS-W71928



- Sparkling glass insert
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W71918	18"	13W	120V	1000	583	BK
WS-W71928	28"	39W		3200	1829	

Example: WS-W71918-BK



OATH

Bronze framed art glass becomes a simple but clever transitional wall sconce for both interiors and exteriors. With the warmth of natural elements, the Oath promises continuity across American architectural styles from prairie to saltbox to craftsman.



WS-W71618

WS-W71628



- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W71618	18"	12W	120V	901	161	BZ
WS-W71628	28"	36W		2760	586	

Example: WS-W71618-BZ
For 277V special order, add an "F" before the finish: WS-W71618F-BZ



STAFF

Sleek and stylish, this versatile LED sconce with tapered torch design fosters an easy transition from interiors to exteriors for exceptional design continuity. Embodies an IP65 sealed frame with back light the length of the sconce and up light for warm ambience.



- Dual projection: upward and onto mounting surface
- ETL & cETL wet location listed, IP65
- ADA compliant, low profile design
- Dimmer: ELV
- Fixture conceals a 120V transformer
- Rated Life: 52,000 hour
- Color temp: 3500K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W19732	32"	16W	120V	374	298	BK
WS-W19770	70"	31W		1190	713	

Example: WS-W19732-BK



FRAMED

An eminent contemporary architectural design, sleek lines embrace mitered glass. Accentuates varying wall height for a dramatic impression.



- Ambient & down illumination
- White ceramic silk-screened mitered glass
- Dimmer: ELV
- Fixture conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W73660	60"	16W	120-277V	1419	644	BZ
						BK

Example: WS-W73660-BZ




SKYSCRAPER

With a subtle influence of Art Deco, Skyscraper makes the old new again with modern materials and ultra-advanced technology. Peerless LEDs inside provide the finest, longest and most energy-efficient illumination possible. And Skyscraper's not just for the Chrysler Building—this prized sconce shines outside hotels, residences and restaurants too.




- ADA compliant (except for WS-W68637)
- SS-Weather resistant 316 stainless steel construction
- BZ & BK - Aluminum construction, weather resistant powder coat
- Dimmer: ELV
- No driver or transformer needed
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V options available (special order)
- CRI:90






Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W68612	3000K	12"	12W	120V	872	485	BK Black
WS-W68618		18"	19W		1170	674	BZ Bronze
WS-W68627		27"	24W		1645	923	SS Stainless Steel
WS-W68637		37"	44W		3480	2295	

Example: WS-W68612-BZ
For 277V special order, add an "F" before the finish: WS-W68612F-BZ
For 2700K add "-27"; 3500K add "-35" before the finish: WS-W68618-35-SS



FRAMED

An eminent contemporary architectural design, Sleek lines embrace mitered glass. This bold ADA compliant structure accentuates wall height for a dramatic impression throughout the space.



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W73608	8"	17W	120V	1400	829	BK Black
WS-W73614	14"	32W		2621	1608	BZ Bronze
WS-W73620	20"	34W		2981	1663	

Example: WS-W73608-BK
For 277V special order, add an "F" before the finish: WS-W73608F-BK



LUCID

A clearly defined orb gently encircles a cylinder of opal glass. Lucid is a clean and updated version of the traditional lantern that may be hung in multiples in an outdoor entertainment area or over an entryway.



- Hang straight swivel
- Mouth-blown clear and etched opal glass
- Dimmer: ELV
- No driver or transformer required
- Three 12" and one 6" down rods included (additional sold separately).
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-W74615	15"	13W	120V	860	676	BK Black

Example: PD-W74615-BK



LOGIC


Using an intricate welding process, our artisans craft an austere cage and coat it with a weather-resistant black finish. The sleek rectangular diffuser inside is powered by ingenious LED modules and contrasts with the aluminum base for a transitional-meets-minimalist style.



WS-W48816



- White ceramic silk-screened mitered glass shade
- Intricately welded for clean, seamless look
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



WS-W48823

WS-W48816

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W48816	16"	13W	120V	1078	546	BK Black
WS-W48823	23"	15W		1387	728	




Example: WS-W48823-BK




PANDORA

A popular understated design updated with a sleek black finish, Pandora brings sculptural sophistication and high-powered energy-efficient LEDs to your overall lighting scheme, whether you mount it inside or out. With its tiered, minimalist form and two points of illumination, you'll never regret opening this box.



- 
- Up and down illumination
 - May be mounted on wall vertically or upside down
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 50,000 hours
 - Color temp: 3000K
 - CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W30507	7"	13W		467	310	BK Black ORB Oil Rubbed Bronze
WS-W30509	9"	22W	120V	884	591	
WS-W30511	11"	31W		1089	694	


Example: WS-W30509-BK

EXTERIOR




BLADE

A new slant on modern lighting. This low profile angular sconce deploys robust indirect illumination on walls and surfaces in two sizes for various exterior and interior applications. The subtle graduated design offers a unique look and high style appeal.



WS-W11716



WS-W11722



- Unique backlit glare free design
- May be mounted on wall vertically or upside down
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W11716	16"	15W	120V	1300	1102	BK	Black
WS-W11722	22"	21W		1863	1610		

Example: WS-W11722-BK
For 277V special order add an "F" before the finish: WS-W11716F-BK



DOUBLE DOWN

Parlay your bet with this winning hand. The dual down light sconce delivers layered lighting from an architectural style with twin down lights emanating from different levels for a tiered effect. Designed in a unique format, this sconce makes a welcoming entry light or intriguing sconce.



- Fixture conceals a proprietary universal 120V-220V-277V driver
- Dimmer: ELV
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W13718	18"	11W	120-277V	300	286	GH	Graphite
						BK	Black

Example: WS-W13718-GH




HELIX

Sleek and commanding, the dramatic curves and contours define this graceful design. Interest generating illumination with up and down light.



WS-W34517



WS-W34524



- Up and down illumination
- May be mounted on wall in all orientations
- Hand sculpted aluminum
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W34517	17"	9W	120V	327	211	BZ Bronze
WS-W34524	24"					

Example: WS-W34524-BZ



TWIST

Dramatically illuminated curvature. A multi-dimensional metal wall sculpture captivates from various directions in luxurious exterior and interior environments. The fluid hardware reveals a beautiful play of light and shadow within.



WS-W5620



- May be mounted on wall in all orientations
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5620	20"	17W	120V	551	402	BK Black BZ Bronze GH Graphite

Example: WS-W5620-BZ



ELEVATION

Zen architecture. A sectional profile enhances the precisely drawn structural elements of the design. Silk-screened on glass diffuses soft ambient light while a down light delivers illumination for pathways in an all-LED design. Perfectly adorns entries, columns or walls in luxury resorts, restaurants and dwellings.



- Downward and indirect illumination
- White ceramic silk-screened mitered glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5216	16"	22W	120V	1418	811	BZ
WS-W5222	22"	25W	120V	1881	943	BZ

Example: WS-W5216-BZ
For 277V special order, add an "F" before the finish: WS-W5216F-BZ



KYOTO

A Shinto inspired architectural design. Miter cut and joined white ceramic-glazed glass provides crisp lines to complement the hardware.



- White ceramic silk-screened mitered glass
- No driver or transformer required
- Rated Life: 50,000 hours
- Dimmer: ELV
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W22510	10"	10W	120V	616	330	BZ
WS-W22514	14"	16W	120V	918	465	BZ
WS-W22520	20"	27W	120V	1620	840	BZ

Example: WS-W22520-BZ




OMNI

LEDs sparkle mesmerizingly through glacial glass for interior or exterior applications. Illuminate any space with a brilliant combination of ambient lighting and down lighting.



WS-W35516



WS-W35520



- Up & down illumination
- ADA compliant, low profile design
- ETL & cETL wet location listed, IP65
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W35516	16"	13W	120V	226	139	BZ Bronze
WS-W35520	20"	18W		512	223	


Example: WS-W35520-BZ




STRUCTURE

EXTERIOR

A refreshing look for refined tastes. A raindrop glass cylinder suspended within an architectural frame. Beautifully illuminated with LED down lighting for a magical appearance of crystallized effervescence.



WS-W5416



WS-W5411



- Clear seeded glass
- May be mounted on wall vertically or upside down
- Dimmer: ELV
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 60,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W5411	11"	11W	120-277V	910	588	BK Black
WS-W5416	16"			910	599	

Example: WS-W5411-BK




RAIN

Evoking an image of gentle rainfall, this Zen luminaire uses LED technology to highlight the clear seeded glass in an ADA compliant sconce.



- Clear seeded glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W2408	8"					
WS-W2412	12"	8W	120V	327	146	BZ Bronze
WS-W2416	16"					

Example: WS-W2416-BZ




VITRINE

Raindrops falling gently on the window pane. This stunning effect is the result of concealed LEDs illuminating from above while casting a warm beam through clear hammered seeded, mouth blown optic glass. The durable body and minimalist design complement a multiplicity of architectural styles.



- Clear, seeded hammered mouth-blown glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W32512	12"	5W		260	190	BK Black
WS-W32516	16"	11W	120V	612	454	BZ Bronze
WS-W32521	21"	16W		633	588	GH Graphite






Example: WS-W32516-BZ




BALTHUS


Heavy hardware exhibits craftsman details. Clear hammered mouth-blown glass creates resplendent splashes of light.




- 
- Clear mouth-blown hammered clear glass
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - 277V option available for WS-W28521 only (special order)
 - CRI: 90



WS-W28514



WS-W28516



WS-W28521



BALTHUS

EXTERIOR

Vintage inspiration meets modern technology on this refined transitional pendant. High-performance LEDs stationed inside emit powerful, energy-efficient light through clear, hammered glass for a shimmering visual effect the eponymous painter would be proud of.



- 

- Clear mouth-blown hammered glass
- No driver or transformer required
- Slope ceiling adaptable. Hang straight swivels up to 90 degrees
- Spin-on round canopy with minimal hardware
- Three 12" and one 6" down rods included (additional sold separately)
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
PD-W28515	15"	13W	120V	495	431	BK ORB
						Black Oil Rubbed Bronze

Example: PD-W28515-BK



SUSPENSE

A more refined version of a classic hanging lantern, this modern design adds an element of intrigue with a touch of tradition. Efficient, state-of-the-art LED emits light through mouth-blown clear glass for a clean projection.



- Hang straight swivel
- Three 12" and one 6" down rods included (additional sold separately)
- Thick clear mouth blown glass
- Twist-lock glass for seamless appearance
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
PD-W1915	10"	12W	120-277V	722	677	BK	Black
						BZ	Bronze

Example: PD-W1915-BZ




SUSPENSE


Giving the proverbial nod to tradition, it takes a powerful LED to pull off this look in a dark sky compliant design. This contemporary lantern showcases a mouth blown clear glass element and is equipped with state of the art LEDs for a filament-free design. Couple your passion for living with our passion for lighting.



WS-W1911



WS-W1915



WS-W1917



- Thick clear mouth-blown glass
- Twist-lock glass for seamless appearance
- Dimmer: ELV, 0-10V
- Canopy conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 70,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W1911	11"			860	548	BK	Black
WS-W1915	15"	12W	120-277V	860	625	BZ	Bronze
WS-W1917	17"			843	804		


Example: WS-W1911-BK




OSLO

Add sophistication to your exteriors with Oslo, a pointedly rendered design influenced by marine and industrial styling. This wall luminaire incorporates exquisite mouth blown etched opal glass with a unique conical profile. Two sizes available.



- 
- Mouth blown etched opal glass
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
WS-W18708	8"	8W	120V	510	204	BK	Black	
WS-W18710	10"	12W		760	408			

Example: WS-W18708-BK




EXTERIOR



HILINE

The Hiline luminaire features a sealed LED housing and clean, versatile Dark Sky and ADA design. This functional design is ideal for showing off multi-tiered decks, stone patios or illuminating entryways in luxury hotels and homes.



- Etched glass light shield
- Dimmer: ELV
- No transformer or driver required
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 85

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W2308	8"	8W	120V	280	245	BK Black
WS-W2312	12"					

Example: WS-W2312-BK
For 277V special order, add an "F" before the finish: WS-W2312F-BK





URBAN

Like urban renewal, this sconce gives new life to the conventional step baffle. Form follows function in this simplified indirect wall sconce. Clean styling and robust LED performance are combined in this modern dark sky friendly luminaire.



- Interior light and down light
- Dimmer: ELV
- No transformer or driver required
- Rated Life 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 85



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W1110	10"	12W		720	370	BK Black
WS-W1116	16"	16W	120V	960	490	BZ Bronze
WS-W1122	22"	20W		1200	610	

Example: WS-W1110-BK
For 277V special order, add an "F" before the finish: WS-W1110F-BK




FORQ

Tall and austere. A simple form presents from the wall behind it while enhancing the sense of space by drawing the eye to the wall. Rated for interior and exterior applications.



- ADA compliant (WS-W1718 only)
- Dimmer: ELV
- Transformer installs within the junction box, transformer dimensions: 2.0" x 1.4" x 1.0"
- Rated Life: 50,000 hours
- Color temp: 3000K
- 277V option available (special order)
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish			
WS-W1718	18"	32W	120V	1405	956	BK	Black		
WS-W1724	24"	37W		2337	1590	BZ	Bronze		
						GH	Graphite		

Example: WS-W1718-GH
For 277V special order, add an "F" before the finish: WS-W1718F-GH








EXTERIOR



PHANTOM

A highly polished, stylish appearance with sharp curb appeal, this stunning family of distinctive mitered glass columns exhibits a shallow depth and clean, architectural look.



-    
- White ceramic silk-screened mitered glass
 - Dimmer: ELV
 - No driver or transformer required
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - 277V option available (special order)
 - CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W1616	16"	24W	120V	2000	642	BZ Bronze
WS-W1621	21"	32W		2500	861	SS Stainless Steel

Example: WS-W1616-BZ
For 277V special order, add an "F" before the finish: WS-W1616F-BZ




LEDGE

A luminous architectural profile and superior construction make this wall sconce appropriate for transitional and contemporary interiors or exteriors. Options allow for cohesive specifications across residential and commercial interior and exterior applications.



- White ceramic silk-screened mitered glass
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- 277V option available (special order)
- CRI: 90




Model	CCT	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
WS-W1408		8"	12W		1000	363	AL Brushed Aluminum
WS-W1414	3000K	14"	15W	120V	1400	638	BK Black
WS-W1420		20"	28W		2000	926	BZ Bronze

Example: WS-W1420-AL
For 2700K add "-27"; 3500K add "-35" before the finish: WS-W1420-35-AL
For 277V special order, add an "F" before the finish: WS-W1420F-AL




TWILIGHT

Waning light of day. Indirect LED illumination gives the illusion of twilight. Glare free illumination with ambient and down lighting for safety, security and architectural accent.



WS-W5516



WS-W5521



- Up and down illumination
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W5516	16"	23W	120V	912	637	BK	Black
WS-W5521	21"	32W		973	946	BZ	Bronze

Example: WS-W5516-BZ




DAWN

From dusk to dawn, there's no better expression of modern minimalism than this outdoor sconce, an elegantly curved geometrical form with a bold cutout window. Powered by energy-efficient LEDs, bright indirect light is perfect for creating architectural accents and illuminated pathways.



WS-W2216



WS-W2223



- Up and down illumination
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 85

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W2216	16"	17W	120V	960	617	BK	Black
WS-W2223	23"	26W		1440	912	BZ	Bronze


Example: WS-W2223-BK



EXTERIOR

MEGA

A purposeful asymmetrical wall mounted up or down light design brightly illuminates walkways and provides security with an attractive simple architectural form.



- May be mounted on wall vertically or upside down
- Dimmer: ELV, 0-10V
- Fixture conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W70612	11"	24W	120-277V	1621	593	BK BZ	Black Bronze

Example: WS-W70612-BZ



SQUARE

Four equal sides and a stream of light. Square artfully provides geometry to wall surfaces in the daytime when mounted in multiples while providing safe illumination of pathways and dramatic visual intrigue in the evening. Perfect for wall grazing surfaces.



- State-of-the art LEDs in a geometric form
- Dimmer: ELV
- No driver or transformer required
- Rated Life: 54,000 hours
- Color temp: 3000K
- 277V options available (special order)
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-W38608	8"	11W	120V	800	391	BK	Black
WS-W38610	10"	18W		1400	700	BZ	Bronze

Example: WS-W38608-BZ
For 277V special order, add an "F" before the finish: WS-W38608F-BZ




BLOC

Bold geometry and seamless forms with robust illumination for today's modern interiors and exteriors. Sleek die-cast aluminum construction reveals a silk-screened glass diffuser that renders upward and downward illumination.



For complementary
Bloc flush mount
See page 341



- Up and down illumination for WS-W9202
- Die-cast aluminum
- Dark Sky compliant (WS-W9201 only)
- Dimmer: ELV, 0-10V
- Fixture conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- 2700K and 4000K option available (special order)
- CRI: 90

Type	Model	Wattage	LED Lumens	Delivered Lumens	Finish
	1 Light	WS-W9201	17W	1167	945
					BK Black BZ Bronze WT White
	2 Light	WS-W9202	29W	2334	1566

Example: WS-W9202-WT
For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9201-40-WT



VESSEL


A sleek, minimalist profile supported by precision engineering using advanced proprietary LED technology. Integral reflectors ensure high performance optics for accent and wall lighting, pathway and facade illumination and building security.



For complementary
Vessel flush mount
See page 340



- May be mounted on wall vertically or upside down
- Up and down illumination for WS-W9102
- Dark Sky compliant (WS-W9101 only)
- Dimmer: ELV, 0-10V
- Fixture conceals a proprietary universal 120V-220V-277V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- 2700K and 4000K option available (special order)
- CRI: 90





Type	Model	Wattage	LED Lumens	Delivered Lumens	Finish
	1 Light	WS-W9101	17W	1167	861
					BZ Bronze AL Brushed Aluminum BK Black WT White
	2 Light	WS-W9102	29W	2334	1613

Example: WS-W9102-BK
For 2700K add "-27"; 4000K add "-40" before the finish: WS-W9102-40-BK



STEP LIGHT

Elevate your design and step up to a minimalist aesthetic that highlights a low profile style that flush mounts for a clean look. Ideal lighting for safety and security. A frosted lens delivers beautiful balanced illumination that is shadow free with little glare. Wet listed for both interior and exterior applications on stairs and walls. Three effortless finishes.



- Low profile, flush to wall aesthetics with no visible hardware
- Frosted lens creates balanced lighting, free of shadows with minimum glare
- No driver or transformer required
- Fits into 2" x 4" junction box with minimum inside dimensions of 3" L x 2" W x 2" H includes bracket for junction box mount.
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90


Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
SL-LED100-30	5"	3W	120V	228	24	BK	Black
SL-LED100-30					64	WT	White
SL-LED100-30					36	SS	Stainless Steel

Example: SL-LED100-30-WT



STEP LIGHT

Elevate your design and step up to a minimalist aesthetic that highlights a low profile style that flush mounts for a clean look. Ideal lighting for safety and security. A frosted lens delivers beautiful balanced illumination that is shadow free with little glare. Wet listed for both interior and exterior applications on stairs and walls. Three effortless finishes.



- Low profile, flush to wall aesthetics with no visible hardware
- Frosted lens creates balanced lighting, free of shadows with minimum glare
- No driver or transformer required
- Fits into 2" x 4" junction box with minimum inside dimensions of 3" L x 2" W x 2" H includes bracket for junction box mount
- Dimmer: ELV
- Rated Life: 54,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
SL-LED200-30	5"	3W	120V	228	19	BK	Black
SL-LED200-30					56	WT	White
SL-LED200-30					30	SS	Stainless Steel

Example: SL-LED200-30-WT



EXTERIOR



SWING ARM & PICTURE LIGHTS

BEAM

Minimalist design and cutting-edge LED technology combine with easy-to-adjust components in this update to the traditional task light. Adjustable features let you extend or collapse the light as needed, while fingertip-touch dimming makes choosing the light level for any task much easier to accommodate a variety of home and office spaces.



- Adjustable arms for customization
- Canopy conceals a 120V-240V driver
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-20922	22"	8W	120-240V	530	373	BK	Black	
						TT	Titanium	

Example: BL-20922-BK






SWING ARM & PICTURE LIGHTS





REFLEX

Contemporary task lamp for wall or desk applications. Personalized illumination with fingertip control in your private bedroom, office or workspace where functional down lighting is needed for effective reading. Ideal for senior living centers and hotels. Arm adjusts horizontally 180 degrees while head rotates 300 degrees.



-  
- Adjustable arms
 - Head rotatable up to 300°
 - Arms adjust horizontally up to 180°
 - Canopy conceals a 120V driver
 - Rated Life: 54,000 hours
 - Color temp: 3000K
 - CRI: 90



Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish		
BL-21924	24"	8W	120V	577	455	BK BN	Black Brushed Nickel	

Example: BL-21924-BK




SWING ARM & PICTURE LIGHTS



STYLUS

Functionality celebrating engineering. A striking silhouette that combines unique decorative elements, this large Mid-Century Modern adjustable reading light is perfect for illuminating niches in living areas and bedrooms in fine homes and boutique hotels.



- Universal 120V-220V-277V driver installs in junction box, driver dimensions: 3.4" x 1.3" x 1.2"
- Rotatable head
- Wall arm with 350° horizontal adjustability
- Dimmer: ELV, TRIAC, 0-10V
- Rated Life: 50,000 hours
- Color temp: 3000K
- CRI: 90

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish
BL-24959	59"	12W	120-277V	429	295	BK/GO Black/Gold

Example: BL-24959-BK/GO



KINSMAN


Illuminating couture for interiors. Elegant contrasting stitched pebbled black leather and brushed nickel or combinations of warm brown leather and aged brass exude fashion runway references. This handsome luminaire adds upward and/or downward illumination. Perfect in a formal powder room or mounted over built-in library shelves in a study, this versatile light orients both vertically and horizontally. CCT selectable to choose any of three color temperatures to complement coordinating finishes.



- Choose upward illumination, downward or both directions with an internal switch
- Built in color temperature adjustability. Switch from 2700K/3000K/3500K
- Smooth pebble grain leather
- Conversion plate included to accommodate 4" junction box
- May be mounted on wall in all orientations
- No driver or transformer required
- Dimmer: ELV, TRIAC
- Rated Life: 54,000 hours
- CRI: 90



WS-28119



WS-28129

Model	Size	Wattage	Voltage	LED Lumens	Delivered Lumens	Finish	
WS-28119	19"	21W	120V	620	421	BW/AB	
WS-28129	29"	32W		983	642	BK/BN	

Example: WS-28129-BW/AB



SWING ARM & PICTURE LIGHTS

INDEX

0 TO 60 ... 250

A
ACID ... 153
ACROPOLIS ... 66, 238
AMARI ... 38, 40
ARCS ... 92
ARGO ... 278, 322
ASGARD ... 219
AVANT GARDE ... 358

B
BAHN ... 281
BALTHUS ... 394, 395
BANTAM ... 192
BARRE ... 242
BASALT ... 78
BATTLESTAR ... 32
BDSM ... 151
BEAM ... 416
BLADE ... 223, 384
BLAZE ... 234
BLOC ... 341, 410
BLOOM ... 104
BOUGH ... 30
BURNING MAN ... 26, 211

C
CADENCE 244
CAMBRIA ... 8
CAMBRIDGE ... 344
CARILLION ... 18, 20
CASCADE ... 140, 141, 142, 302
CATALONIA ... 304
CATALYST ... 156
CERES ... 209
CHAOS ... 108, 110, 112, 114,116, 202, 364
CHARLIZE ... 24
CHILL ... 232
CHRONOS ... 105
CINCH ... 246
CINEMA ... 138, 206, 207
CIRCA ... 328
CLOUD ... 291
COLISEO ... 64
COSMIC ... 94
CUPID ... 348
CURVANA ... 188
CYMBAL ... 14

D
DAWN ... 407
DINK ... 214
DORNE ... 366
DOUBLE BUBBLE ... 46, 48, 50, 52, 54, 182,183
DOUBLE DOWN ... 385
DOWNTON ... 190
DRIFT ... 150
DUSK ... 346

E
ELESSAR ... 224
ELEVATION ... 388
ELYSIA ... 216
EMBER ... 200
EMBLEM ... 260
ENIGMA ... 352
EQUILIBRIUM ... 10

F
FATHOM ... 371
FIRENZE ... 6
FLEUR ... 180
FLUFFY ... 96, 318
FORBES ... 264
FOREVER ... 74
FORQ ... 402
FRAMED ... 377, 379
FROST ... 374
FURY ... 88, 90, 196

G
GATSBY ... 282
GILT ... 162, 312
GLACIER ... 231, 233, 284
GROMMET ... 306

H
HARMONIX ... 118, 120, 122
HARPER ... 69
HELIX ... 386
HILINE ... 400

I
I BEAM ... 222
INGOT ... 45
I SPY ... 330
ICE ... 270
IMPERIAL ... 16

J
JACKAL ... 100
JULIET ... 68, 184, 263
JUPITER ... 80

K
KIND ... 309, 336
KINETIC ... 128, 130
KINSMAN ... 252, 422
KONSTRUKT ... 42
KRYPTONITE ... 158
KUBE ... 334
KYOTO ... 389

L
LEDGE ... 405
LIGHTSTICK ... 276
LOFT ... 296
LOGIC ... 381
LUCID ... 380
LUMNOS ... 218
LUZERNE ... 256

M
MAGIC ... 144, 146, 148, 226, 227
MAGLEV ... 356
MAKO ... 360
MARIMBA ... 164,165
MATRIX ... 329
MEGA ... 408
MEMORY ... 136
METRIC ... 126
METROPOLIS ... 60, 62, 316
MIDNIGHT ... 350
MIES ... 102
MINI CLOUD ... 290
MINI LOFT ... 295
MINI VOGUE ... 294
MINX ... 82, 84, 86, 204, 266
MIST ... 368
MONARCH ... 354
MUSE ... 228
MYSTIC ... 44

N
NEO ... 279, 326
NIA ... 221

O
OATH ... 375
OMNI ... 390
OPEN BAR ... 248
OPHELIA ... 170
OPUS ... 195
ORACLE ... 198
ORION ... 4
OSLO ... 398

P
PADRÓN ... 149
PALLADIAN ... 229
PANDORA ... 382
PHANTOM ... 404
PI ... 338
PLUM ... 58
POET ... 194
POLAR ... 280, 308
PRISMA ... 310
PUCK ... 327
PUNK ... 152

Q
QUARRY ... 254

R
RACETRACK ... 98
RAIN ... 392
RAZOR ... 320
REFLECT ... 370
REFLEX ... 418
REGAL ... 258
REVERE ... 362
RHIANNON ... 70, 72
RIDDLE ... 134

S
SABRE ... 277
SCEPTER ... 208
SCISSORS ... 124
SEGMENT ... 314
SERENITY ... 12, 172
SHADOW ... 372
SHOCK WAVES ... 268
SKYSCRAPER ... 378
SLIDE ... 220
SOFIA ... 286
SQAURE ... 409
SQUAT ... 332
STACKED ... 125
STAFF ... 376
STARLIGHT STARBRIGHT ... 76
STEM ... 217
STEP LIGHT ... 412, 413
STORMY ... 106
STRUCTURE ... 391
STYLUS ... 420
SUSPENSE ... 396, 397
SWERVE ... 178
SWING ... 154
SYDNEY ... 36

T
TANDEM ... 56, 240
TANGO ... 163
TEMPEST ... 22
THE RING ... 99
TIDAL ... 34
TOWER ... 210
TRIBECA ... 215
TWILIGHT ... 406
TWIST ... 387
TWO IF BY SEA ... 359

U
URBAN ... 401

V
VALOR ... 186
VANDER ... 174,176
VELOCE ... 132, 300
VERMEIL ... 230
VESSEL ... 340, 411
VETRI ... 288
VIGO ... 274, 275
VITRINE ... 393
VODKA ... 272, 273, 321
VOGUE ... 292, 293

W
WASP ... 212

Y
YOLO ... 166

Z
ZELDA ... 160
ZENITH ... 324
ZENYA ... 28

HEADQUARTERS

Tel: 800.526.2588
Fax: 800.526.2585

WEST COAST FACTORY

1750 S Archibald ave
Ontario, CA 91761

EAST COAST FACTORY

44 Harbor Park Dr
Port Washington, NY 11050

CENTRAL FACTORY

1600 Distribution Ct
Lithia Springs, GA 30122

Consult the factory to take advantage of our custom capabilities in large quantities.
For up-to-date product specifications and assistance, please visit: **modernforms.com** or call **1-800-526-2588**
We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

MODERN FORMS

Many LED luminaire designs within contain patent pending features. Modern Forms will not hesitate to enforce its intellectual property rights through injunctive relief and seek further relief through damages if it has reason to believe the patents are being infringed upon. We retain the right to modify the design of our products at any time as part of the company's continuous improvement program. Please refer to our website for the latest product specifications.

Copyright © 2022 by WAC Lighting. All rights reserved. This catalog is copyrighted and WAC Lighting will use all measures available to it under the law against anyone who copies or derives from its copyrighted work.

[MODERNFORMS.COM](https://www.modernforms.com)