Discover the beauty and functionality of Royal Botania Lighting. Our harmonious designs come in a variety of styles and are made from high-quality materials with cutting-edge technology. Enhance the appearance of your property and create a dynamic display with outdoor lighting that not only transforms its appearance at night, but also adds security to your driveways and entrance paths.

AVAILABILITY OF PRODUCTS

PLEASE NOTE THAT SOME PRODUCT REFERENCES ARE MARKED WITH AN ASTERISK (*), INDICATING THAT THEY ARE ONLY AVAILABLE WHILE SUPPLIES LAST. IF YOU WOULD LIKE MORE INFORMATION OR TO CHECK ON CURRENT STOCK, PLEASE CONTACT US.

LEGEND


IP43 PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE 60° IP44 PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°) IP55 PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP65 TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°) IP68 TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION

Protective category 1
Protective category 2
Protective category 3

4	BEACON	50	MOSO WALL
6	BEACON WALL	52	OMEGA WALL
8	BEAMY	54	PARKER
10	BEAMY WALL	56	PARKER WALL
14	BULLET	58	Q-BIC
16	CLOCHE WALL	60	Q-BIC WALL
20	CLUB LOUNGE	64	ROPY
22	DOME CEILING	66	ROPY TABLE
26	DOME FLOOR	70	RUSTY
28	DOME GATE	72	SEPTEM
30	DOME MOVE	74	SPIKY
34	DOME SMALL	76	SPOTTY
36	DOME WALL	80	TESLA CEILING
38	DOME GLASS VARIETIES	82	TESLA WALL
40	FUNGY	86	TRISTAR
44	LUNIZ	90	ACCESSORIES
48	MEDUZ	91	MATERIALS

BEACON







(€ 4 🛭

REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCN140B	BLACK	LED	2,2 W	2700	390	100-240V 65	С	
BCN140W	WHITE	LED	2,2 W	2700	390	100-240V 65	С	+


INCLUDES 250mA DRIVER

INSTALLATION OPTION: JUB5625



BEACON WALL







(€ 4 🖁


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
BCNWB	BLACK	LED	2.2 W	2700	390	100-240V 65	С	<u></u>
BCNWW	WHITE	LED	2,2 W	2700	390	100-240V 65	C	(


INCLUDES 250mA DRIVER



BEAMY







(€ 4 🛭


REFERENCE	DES	CRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMY100230AZ		ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230AB		ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	+
BMY100230WB		WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(±)
BMY100230A		ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMY100230WR		WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(

INSTALLATION OPTION: JUB5625



BEAMY WALL







(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
BMYW230AZ	ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230AB	ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BMYW230WB	WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(a)
BMYW230A	ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	<u></u>
BMYW230WR	WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(











ANTIQUE ZINC

ANTIQUE BRASS

WEATHERED BRASS

ANTHRACITE COATED

WHITE COATED








BULLET








(€ 4 🛭


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	INPUT	IP	EEC	
BLTG230AB	40 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BLTG230AZ	40 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(
BLT230AB	110 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	+
BLT230AZ	110 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G	(±)

INFO: ADJUSTABLE HEAD



CLOCHE WALL







(€ 🐴 🖁

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
CLOW	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	44	A-G	(a)








CLUB LOUNGE







(€ 4 🛭

REFERENCE	DESCRIPTION INT		INTEGRATED LIGHT	WATT	K	LM	INPUT IP	E	EC
CLBLTR		TRANSPARENT SHADE	LED	4,3 W	2700	700	100-240V 65	5 C) (4
CLBLAM		AMBER SHADE	LED	4,3 W	2700	700	100-240V 65	5 C) (


CORD LENGTH: 4 METER

POWER SUPPLY: 500MA DRIVER INCLUDED



DOME CEILING







(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMECSBCL	49-84 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(
DOMECSBSM	49-84 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(
DOMECLBCL	74-134 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u> </u>
DOMECLBSM	74-134 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)








DOME FLOOR










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEFBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEFBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)

CORD LENGTH: 5 METER


INSTALLATION OPTION: JUB5625



DOME FLOOR WITH CLEAR GLASS

DOME GATE










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEGTBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEGTBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)



DOME GATE WITH CLEAR GLASS

DOME MOVE







(€ 🐴 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEMBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEMBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(

CORD LENGTH: 5 METER

OPTIONAL GALVANIZED STEEL BALLAST: 03DOMEMBALLAST01








DOME SMALL










REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMESBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMESBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(


CORD LENGTH: 4 METER



DOME WALL









REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
DOMEWBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
DOMEWBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(



DOME WALL WITH CLEAR GLASS

DOME GLASS VARIETIES


FLOOR / WALL



REFERENCE

<u> </u>	
03DOMG01B	CLEAR MOUTHBLOWN GLASS
03DOMG01SMB	SMOKE MOUTHBLOWN GLASS

MOVE / SMALL / GATE / CEILING




REFERENCE

03DOMG02B	CLEAR MOUTHBLOWN GLASS
03DOMG02SMB	SMOKE MOUTHBLOWN GLASS



FUNGY









REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
FGY50RI	RUSTY IRON	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G	<u></u>
FGY50WB	WEATHERED BRASS	G9 - (LED NOT INCLUDED)	MAX 5 W		55	A-G	(


INSTALLATION OPTION: JUB5625







LUNIZ





CERAMIC BS PG TM WUM ZUM CD CL NM TG TR TS

LAMP SHADE OPTION: POLYOLEFIN ROPE: BRONZE/GREEN/DESERT BR G

LAMP SHADE OPTION: 70+ FABRICS



(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
LNZSMLA	ANTHRACITE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	
LNZSMLPB	PEBBLE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G	

25 CM

40 CM

LNZBASE70CERAM	(BS/CD/CL/NM/PG/TM/TG/TR/TS/WUM/ZUM)
LNZSHADEF40WR	(SEE FABRICS)
LNZSHADEF50WR	(SEE FABRICS)
LNZSHADEF60WR	(SEE FABRICS)
LNZSHADER40A	(BR/G/D)
LNZSHADER50A	(BR/G/D)
LNZSHADER60A	(BR/G/D)

CORD LENGTH: 5M







MEDUZ






POWDER COATED ALUMINIUM: ANTHRACITE/PEBBLE

MOUTHBLOWN GLASS: SMOKE

(€ 🐴 🖁


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
MDZ150ASM	ANTHRACITE - SMO	KE E27 - DECORATIVE LED INC	LUDED 4 W	2200	280	230V	43	A-G	<u></u>
MDZ150PBSM	PEBBLE - SMOKE	E27 - DECORATIVE LED INC	LUDED 4 W	2200	280	230V	43	A-G	(1)

CORD LENGTH: 5M



MOSO WALL





PORCELAIN: WHITE/BLACK/NIGHT BLUE

(€ 🐴 🛭

REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
MSOWUW*	UP - WHITE	LED	3 W	2700	450	230V	65	D	(1)
MSOWUB*	UP - BLACK	LED	3 W	2700	450	230V	65	D	(
MSOWUNB*	UP - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	(
MSOWDW*	DOWN - WHITE	LED	3 W	2700	450	230V	65	D	
MSOWDB*	DOWN - BLACK	LED	3 W	2700	450	230V	65	D	
MSOWDNB*	DOWN - NIGHT BLUE	LED	3 W	2700	450	230V	65	D	

POWER SUPPLY: 350MA DRIVER INCLUDED



OMEGA WALL






14,5 $\frac{2}{3}$











(€ 4 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
01401000050	10007		5.14	070)/			
OMG1D220EP	1 SPOT	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
OMG2D220EP	2 SPOTS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>



OMEGA WALL 2 SPOTS

PARKER FLOOD & PATH










REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
	N. ((T) D. 105	1.50		0700	700	100 010			
PRKF	WITH BASE	LED	4 W	2700	700	100-240V	65	C	(1)
PRKP	WITH SPIKE	LED	4 W	2700	700	100-240V	65	С	(1)
		LIGHTBULB SOCKET							
PRKF230	WITH BASE	GU10 (LED NOT INCLUDED)	MAX 5 \	V		230V	55	A-G	(1)

CORD LENGTH: 5 METER LED INCLUDES 500mA DRIVER

PRKF: INCLUDES 40 CM GRANITE BASE

PRKP: INCLUDES SPIKE



PARKER WALL







(€ 4 🖁


REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
PRKW	ANTIQUE BRASS	LED	3 W	2700	450	100-240\	/ 65	D	<u> </u>
		LIGHTBULB SOCKET							
DD104/070	ANTIQUE DE AGG	CUIO (LED NOT INCLUDED)	N4A V = V	.,		0701/		4.0	
PRKW230	ANTIQUE BRASS	GU10 (LED NOT INCLUDED)	MAX 5 \	N		230V	55	A-G	<u> </u>

LED INCLUDES 350mA DRIVER



Q-BIC







(€ 4 🖺


REFERENCE	DESCRIPTION LIGHTBULB SOCKET		SCRIPTION LIGHTBULB SOCKET WA				EEC	
QB301D220EP		30 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QB302D220EP		30 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB601D220EP		60 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	<u> </u>
QB602D220EP		60 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBG1D220EP		10 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	
QBG2D220EP		10 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QB301D230A		30 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	
QB302D230A		30 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QB601D230A		60 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(a)
QB602D230A		60 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(
QBG1D230A		10 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	
QBG2D230A		10 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)

ADJUSTABLE ANGLE 270° INSTALLATION OPTION: JUB6525



Q-BIC 30 CM1 SPOT ANTHRACITE 59

Q-BIC WALL




(€ 4 🖺

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	
QBW1D220EP	1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QBW2D220EP	2 SPOTS - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QBWVD220EP	1 SPOT 270° - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(1)
QBWVD230A	1 SPOT 270° - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G	(

QBWVD220EP: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE QBWVD230A: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE








ROPY







POLYOLEFIN ROPE: BRONZE/GREEN/DESERT

(€ 4 🛭


REFERENCE	DESCRIPTION		INTEGRATED LIGHT	V	WATT	K	LM	INPUT	IP	EEC	
RPY040AB	BR	ONZE	SOLAR LED	3	3,2 W	2700	400	230V	54	Α	(iii)
RPY040GG	GR	EEN	SOLAR LED	3	3,2 W	2700	400	230V	54	А	
RPY040PBD	DE	SERT	SOLAR LED	3	3,2 W	2700	400	230V	54	А	



ROPY TABLE







POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT





REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
RPYTBAB	BRONZE	SOLAR LED	1,2 W	2700	150	230V	54	Α	(i)
RPYTBGG	GREEN	SOLAR LED	1,2 W	2700	150	230V	54	А	<u></u>
RPYTBPBD	DESERT	SOLAR LED	1,2 W	2700	150	230V	54	Α	(1)








RUSTY







(€ 4 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
RUS40	40 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W			55	A-G		
RUS70	70 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G	
		INTEGRATED LIGHT							
RUS40L	40 CM	LED	9 W	3000	470	230V	55	G	(
RUS70L	70 CM	LED	9 W	3000	470	230V	55		<u> </u>

LED INCLUDES 250mA DRIVER
INSTALLATION OPTION: JUB5625



SEPTEM





(€ 4 🛭


REFERENCE	INTEGRATED LIGHT	WATT	K	LM	INPUT IP	EEC	
_							
SEP070W	LED	3 W	2700	450	100-240V 65	С	(

ADJUSTABLE SPOT 10°
INCLUDES 350mA DRIVER



SPIKY





ANTIQUE BRASS

CE 4 🛭

REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC	
CDIVC	10.614	150	7.14/	2700	450	2701/	C.F.	^	
SPKG	40 CM	LED	3 W	2700	450	230V	65	A	(III)
SPK	100 CM	LED	3 W	2700	450	230V	65	Α	<u></u>


REQUIRED: LEDCONKIT OR DRI1



SPIKY 40 CM

SPOTTY







WEATHERED BRASS



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC	_
	12.21						$\overline{}$
SPT230L040WB	40 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G (<u>\$</u>
SPT230L110WB	110 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G (<u> </u>








TESLA CEILING







(€ 4 🛭


REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TSLCA	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u></u>
TSLCASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(1)




TESLA CEILING WITH CLEAR GLASS

TESLA WALL







(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	_
									_
TSLWA	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	<u>(4)</u>
TSLWASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G	(








TRISTAR








(€ 4 🛭

REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC	
TRSO45CL	45 CM - TEAK - CLEA	AR E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(
TRS045CL TRS045SM	45 CM - TEAK - CLE			2200	280	230V	43	A-G	+
TRS050CL	50 CM - TEAK - CLE	AR E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(1)
TRS050SM	50 CM - TEAK - SMO	KE E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(1)
TRS045ACL	45 CM - ANTHRACITE - C	LEAR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS045WRCL	45 CM - WHITE - CLEAI	R E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS045ASM	45 CM - ANTHRACITE - SI	10KE E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(1)
TRS045WRSM	45 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(1)
TRS050ACL	50 CM - ANTHRACITE - CI	EAR E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS050WRCL	50 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUD	ED 4W	2200	280	230V	43	A-G	(
TRS050ASM	50 CM - ANTHRACITE - SM	OKE E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(a)
TRS050WRSM	50 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUD	ED 4 W	2200	280	230V	43	A-G	(







ACCESSORIES

LTLED04WE27	LED FILAMENT BULB 4W - 220V/E27 - 2200K - 280Im	(€ •	Α	
OPTIONAL BULE	FOR TESLA / CLOCHE WALL / LUNIZ / MEDUZ / TRISTAR / DOME COLLECTION			
JUB5630	JUNCTION BOX IP68 - 2X1,5 mm ²	C€		P68
JUB5625	CONNECTION BOX IP68 - 3X4 mm ²	C€		P68
DRI1	IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W	C€		P68
LEDCONKIT	= DRI1 + JUB5625 + JUB5630			
BINLG9	G9 LAMP HOLDER - 230V/G9 - LED ONLY MAX 5W	(€ [IP55
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W	C€		P55
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES (LED 8,5W - 470lm - 3000K - 230V / 50Hz)	(€ €	₽	P55
BL180	PERFORATED SCREEN 180° - STAINLESS STEEL			
BL360	PERFORATED SCREEN 360° - STAINLESS STEEL			
LBR	GALVANISED STEEL SPIKE: RUSTY			
LBDM	GALVANISED STEEL SPIKE: DOME MOVE			
LBD	GALVANISED STEEL SPIKE: DOME FLOOR			
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL			
LBN	STAINLESS STEEL SPIKE: Q-BIC 30/60 / SEPTEM			
LBF	STAINLESS STEEL SPIKE: FUNGY			

MATERIALS

TEAK

ROYAL BOTANIA USES CAREFULLY SELECTED, FULLY GROWN TEAK IN ITS PRODUCTS. THE WOOD COMES FROM THE TECTONA GRANDIS TREE AND IS HARVESTED IN ACCORDANCE WITH ENVIRONMENTAL STANDARDS. TEAK IS DURABLE BECAUSE IT CONTAINS HIGH LEVELS OF NATURAL OILS, WHICH PREVENT MOISTURE ABSORPTION AND WARPING. IT IS ALSO RESISTANT TO CHEMICALS AND VERMIN. THESE QUALITIES MAKE TEAK THE MOST PREMIUM WOOD ON FARTH.

TEAK



ELECTROPOLISHED STAINLESS STEEL

ELECTROPOLISHED STAINLESS STEEL FROM ROYAL BOTANIA IS HIGHLY RESISTANT TO CORROSION. THIS IS BECAUSE THE ELECTROPOLISHING PROCESS REMOVES IMPURITIES AND DEFECTS FROM THE SURFACE OF THE STEEL, CREATING A SMOOTH AND UNIFORM SURFACE THAT IS RESISTANT TO CORROSION. THE PROCESS ALSO INCREASES THE THICKNESS OF THE PROTECTIVE CHROMIUM OXIDE LAYER ON THE STEEL'S SURFACE. THE STEEL IS ALSO MORE DURABLE AND LESS LIKELY TO CRACK OR WARP BECAUSE THE ELECTROPOLISHING PROCESS REMOVES ANY RESIDUAL STRESS IN THE STEEL. THIS MAKES IT AN OPTIMAL CHOICE FOR USE IN OUTDOOR ENVIRONMENTS. THE ELECTROPOLISHING PROCESS CREATES A HIGHLY CORROSION-RESISTANT STAINLESS STEEL THAT IS DURABLE AND LONG-LASTING.


ELECTROPOLISHED STAINLESS STEEL

REF: EP



POWDER COATED ALUMINIUM

OUR POWDER COATED ALUMINUM IS PERFECT FOR OUTDOOR LIGHTING BECAUSE IT IS STRONG, LIGHTWEIGHT, AND RESISTANT TO CORROSION. THE POWDER COATING PROCESS CREATES A DURABLE, EASY-TO-CLEAN SURFACE THAT CAN WITHSTAND EXPOSURE TO THE ELEMENTS. THIS MAKES IT AN IDEAL MATERIAL FOR OUTDOOR LIGHTING FIXTURES.









RUSTY IRON

ROYAL BOTANIA USES A CAST IRON ALLOY WITH A SMALL PERCENTAGE OF COPPER AND CHROME. THIS PREVENTS ANY LAYER OF OXIDATION CREATED BY CONTACT WITH AIR AND WATER FROM FLAKING OFF. THE RESULT IS AN EVEN, RUST-COLOURED PATINA THAT BLENDS IN PERFECTLY WITH THE NATURAL SURROUNDINGS.

RUSTY IRON REF: RI



GLASS

ROYAL BOTANIA OFFERS TWO VARIETIES OF COLORED GLASS: CLEAR AND SMOKE, BOTH HANDMADE AND HIGHLY SUITABLE FOR OUTDOOR USE.

CLEAR



SMOKE REF: SM



BRASS

BRASS IS A METALLIC ALLOY COMPOSED OF COPPER AND ZINC. THE ANTIQUE BRASS FINISH IS ACHIEVED THROUGH A PROCESS OF ACID DIPPING, WHICH GIVES THE BRASS A DARK, AGED APPEARANCE. THIS FINISH IS WIDELY SOUGHT AFTER FOR ITS UNIQUE, VINTAGE LOOK.

ANTIQUE BRASS



WEATHERED BRASS



ZINC

THE ZINC ALLOY USED TO MANUFACTURE ROYAL BOTANIA LIGHTING WILL LOOK WHITE IN COLOUR WHEN FIRST INSTALLED IN THE LANDSCAPE. THIS IS DUE TO THE ACIDIFICATION OF THE ZINC OXIDE. AT A LATER STAGE, THIS WHITE DEPOSIT WILL WASH OFF AND WILL TURN INTO A LOVELY DARKGREY PATINA.

ZINC REF: Z



PORCELAIN

PORCELAIN, REFINED AND PRODUCED WITH MODERN AND SOPHISTICATED TECHNIQUES REMAINS STABLE IN ALL TEMPERATURES. IT'S EXTREMELY HARD, WEAR-RESISTANT AND COLORFAST. THIS SUSTAINABLE AND LIFELONG PORCELAIN IS VERY SUITABLE FOR INDOOR- AND OUTDOOR USE.





BLACK



NIGHT BLUE



POLYOLEFIN

THIS SYNTHETIC FIBRE WHICH IS MADE FROM POLYETHYLENE, OFFERS NUMEROUS BENEFITS. THESE INCLUDE EXCEPTIONAL STRENGTH, COLOR FASTNESS, AND RESISTANCE TO STAINING AND VARIOUS WEATHER CONDITIONS. ITS DURABILITY AND VERSATILITY MAKE IT AN EXCELLENT CHOICE FOR A WIDE RANGE OF APPLICATIONS.

BRONZE REF: ...B - POLYPROPYLENE





FABRICS

ROYAL BOTANIA SOURCES ONLY THE FINEST QUALITY TEXTILES FROM AROUND THE WORLD, METICULOUSLY SELECTING MATERIALS THAT ARE BOTH SUMPTUOUS TO THE TOUCH AND CAPABLE OF WITHSTANDING THE ELEMENTS, RESULTING IN A PRODUCT THAT IS BOTH LUXURIOUS AND PRACTICAL.

VIEW THEM BY SCANNING THE QR CODE BELOW!



CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.



FURNITURE & PLANTER CATALOGUE

ASK YOUR DEALER FOR THE COMPLETE OUTDOOR FURNITURE & PLANTER CATALOGUE OR DOWNLOAD THEM ON OUR WEBSITE: WWW.ROYALBOTANIA.COM

