


L'ARTE **L** LUCE®



2025 outdoors

PRODUCT CULTURE

PROBUCT INDEX



LIGHTWATCHER · 守光者

Page.01-16



KEEP WATCH · 守望

Page.17-28



AGILE · 光逸

Page.29-36




LIGHT LANGUAGE · 光语

Page.83-88



TORCH · 火炬

Page.89-98



LIBRA · 天秤

Page.99-102



RAYS OF LIGHT · 辉芒

Page.37-58



GUARDIAN · 守护

Page.59-68



GUARDIAN · 矩光

Page.69-82



PILLAR DREAM · 柱梦

Page.103-108




LIGHTLAND · 光境

Page.109-112



ASTRAL EDGE · 星棱

Page.113-118



I WILL · 星愿

Page.119-124


PROBUCT INDEX

PROBUCT INDEX



LWA0928

Page.125-128



GR0928

Page.129-132



GR0546

Page.133-140




LWA0889

Page.149-158



C0935

Page.159-162



GR0876

Page.163-168



LWA0932

PAGE.141-142



Gr0548

Page.143-144



GR0850

Page.145-148



GR0553

Page.169-174



GR0863B

Page.175-180



GR0863A


Page.181-186

PROBUCT INDEX




lightwatcher

The light keeper, with a minimalist wind to shape the external outline, accompanied by a round conical design, just like a smart and playful spirit, light and light in the staggered space.



lightwatcher



LIGHTWATCHER







07 LIGHTWATCHER 守光者




08



lightwatcher

GR0551
OUTDOOR LIGHTING





GR0551

Gr0551 series simple and atmospheric appearance, with high anti-glare optical design, high-quality lighting, bring better lighting experience, there are wall lights, floodlights, floor floodlights, plug-in floodlights, different types and different sizes, to meet the needs of your different projects.







OUTDOOR LIGHTING

Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 40° |


GR0551-1500A
17W 1500*200*110MM




GR0551-2000A
34W 2000*300*110MM




GR0551-2500A
51W 2500*300*110MM





GR0551-850A
17W 950*190*110mm



GR0551-550A
17W 650*190*110mm




LWA0551-1A
17W 170*120*110mm



Keep watch



Watchman series, the overall shape of the minimalist without losing atmospheric style, cylindrical lamp holder as if condensed deep emotional power, showing a thick and restrained and calm and firm unique temperament.















Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 15°24°36°55°


GR0554-1500A
12W 1500*190*100MM




GR0554-2000A
12W*2 2000*280*100MM




GR0554-2500A
12W*3 2500*280*100MM





GR0554-850A
12W 950*180*100mm



GR0554-550A
12W 650*190*100mm




LWA0554-1A
12W 150*136*100MM





Agile

Agile series like a nimble and unruly free dancer, dancing on the stage of light and shadow. Its unique lamp head design can be adjusted at will, accurately control the direction of light projection, like a dancer's smart body posture, wantonly sprinkle the charm of light.











Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 15°24°36°55° |



GR0616-900A1
10W 900*115*50MM



GR0616-1200A2
20W 1200*180*50MM



GR0616-1600A3
30W 1600*180*50MM





RAYS OF LIGHT



RAYS OF LIGHT

Rays of light series, shining debut. The minimalist, small and exquisite appearance makes the eyes shine. A variety of optical accessories, as it is covered with a colorful coat, gives it more possibilities.



Wall



Unique and plenty of color options ,
Honeycomb and Light shade cover
accessories, the effect is shown in
the following picture.

Cellular network

lampshade



Applying a variety of outdoor lighting

Jingying 0253 series can be
applied to the wall, pile, tray,
ground
The full range of design can
flexibly meet a variety of
application scenarios.

The base sizes have different options. Can be used as
tree light and wall light, is very wide range of
applications.



Arm



Applying a variety
of outdoor lighting





Bollard



Bollard



Landscape Lighting



Optional Beam Angle: 15°24°36°55°
Meet the requirements of different scenarios
Hi-tec optical design, providing soft and comfortable light effect
Long service life of lamps.





The base sizes have different options. Can be used as tree light and wall light, is very wide range of applications.

on wall

This series is designed to be mounted on walls, on the ground, or on poles. Due to their high quality materials and unique plenty of colors options, So the lamp can be fused in different environment color. Camouflage of color, making the lamp more harmonious with the environment, and enhance the light of the entire scene. This is the advanced sense of seeing the light and not the lamp.

LWA0253-25A

Tiltable projector with fixed optic



LightSource:
LED
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum

OPTIC:
15°/24°/36°/55°

Power:
3W

Mainsvoltage:
DC24V

Size
L74*W40*H68mm




LWA0253-E25



LWA0253-F25



LWA0253-35A



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum

OPTIC:
15°/24°/36°/55°

Power:
10w

Mainsvoltage:
DC24V

Size
L84*W40*H88mm




LWA0253-E35





LWA0253-F35





LWA0253-55A

Tiltable projector with fixed optic



LightSource:
COB

CRI:
Ra>90

CCT:
3000k


Material:
Aluminum

Power:
18w

Size
L115*W55*H125mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC24V





LWA0253-E55



LWA0253-F55



LWA0253-80A



LightSource:
COB

CRI:
Ra>90

CCT:
3000k


Material:
Aluminum

Power:
25w

Size
L138*W78*H150mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC24V



LWA0253-E80





LWA0253-F80



A simple solution
for garden installation

LWA0253-25B

Tiltable projector with fixed optic



LightSource:
COB

CRI:
Ra>90

CCT:
3000k

Material:
Aluminum

Power:
2w

Size
L87*W64*H80mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC36V





LWA0253-E25



LWA0253-F25



LWA0253-35B



LightSource:
COB

CRI:
Ra>90

CCT:
3000k

Material:
Aluminum

Power:
10w

Size
L97*W64*H100mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC36V



LWA0253-E35





LWA0253-F35



LWA0253-55B

Tiltable projector with fixed optic



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
18w
Size
L123*W64*H132mm

OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC36V





LWA0253-E55



LWA0253-F55



LWA0253-80B



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
25w
Size
L145*W78*H157mm


OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC36V



LWA0253-E80




LWA0253-F80





GR0253-25D400

Tiltable projector with fixed optic




LightSource:
LED
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
3w
Size
L67*W38*H610mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V




GR0253-35D400





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
10w
Size
L67*W38*H610mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V



GR0253-55D600

Tiltable projector with fixed optic



LightSource:
COB

CRI:
Ra>90

CCT:
3000k

Material:
Aluminum

Power:
18w

Size
L120*W55*H845mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC24V





LWA0253-E55



LWA0253-F55



GR0253-80D800



LightSource:
COB

CRI:
Ra>90

CCT:
3000k

Material:
Aluminum

Power:
25w

Size
L150*W78*H1068mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC36V



LWA0253-E80



LWA0253-F80





Wirh arm

Designed for signs, buildings, gardens, three-dimensional lighting at night
 The beam Angle can be 15°, 24°, 36°, 55°
 Can meet different lighting needs
 It can be fixed on the wall or on the ground
 As adjustable column lighting

GR0253-25C350

Tiltable projector with fixed optic



LightSource:
LED

CRI:
Ra>90

CCT:
3000k



Material:
Aluminum

Power:
3w

Size
L425*W40*H68mm

OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC24V



GR0253-35C350



LightSource:
COB

CRI:
Ra>90

CCT:
3000k


Material:
Aluminum

Power:
10w

Size
L435*W40*H88mm


OPTIC:
15°/24°/36°/55°

Mainsvoltage:
DC24V



GR0253-55C600

Tiltable projector with fixed optic



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
18w
Size
L715*W55*H125mm

OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V




LWA0253-E55



LWA0253-F55



GR0253-80C600



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
25w
Size
L738*W78*H150mm

OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V



LWA0253-E80




LWA0253-F80





Guardian

Guardian series, like a group of resolute and loyal guards, or tall, or exquisite, stand silently, with fearless state faithfully guard every inch of this garden land.





lampshade



Unique and plenty of color options ,
Honeycomb and Light shade cover
accessories, the effect is shown in
the following picture.

Applying a variety of outdoor lighting

Jingying 0613 series can be applied to
the wall, pile, tray, ground
The full range of design can flexibly
meet a variety of application
scenarios.



The base sizes have different options. Can be used as
tree light and wall light, is very wide range of
applications.

Applying a variety
of outdoor lighting

Applying a variety of outdoor lighting

Bollard







on wall

This series is designed to be mounted on walls, on the ground, or on poles. Due to their high quality materials and unique plenty of colors options, So the lamp can be fused in different environment color. Camouflage of color, making the lamp more harmonious with the environment, and enhance the light of the entire scene. This is the advanced sense of seeing the light and not the lamp.


LWA0613-70A

Tiltable projector with fixed optic





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
12w
Size
L123*W60*H70mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V




LWA0613-90A

Tiltable projector with fixed optic





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
20w
Size
L153*W80*H90mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V




LWA0613-100A

Tiltable projector with fixed optic





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
30w
Size
L166*W80*H104mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V



LWA0613-70B

Tiltable projector with fixed optic



LightSource:
COB
CRI:
Ra>90
CCT:
3000k



Material:
Aluminum
Power:
12w
Size
L150*W70*H64mm

OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V



LWA0613-90B


Tiltable projector with fixed optic



LightSource:
COB
CRI:
Ra>90
CCT:
3000k



Material:
Aluminum
Power:
20w
Size
L190*W87*H90mm

OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC36V



LWA0613-100B

Tiltable projector with fixed optic



LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
30w
Size
L201*W87*H104mm



OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V





LWA0613-70C

Tiltable projector with fixed optic





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
12w
Size
L270*W34*H70mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V





LWA0613-90C





LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
20w
Size
L343*W90*H40mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V




LWA0613-100C




LightSource:
COB
CRI:
Ra>90
CCT:
3000k

Material:
Aluminum
Power:
30w
Size
L356*W48*H104mm
OPTIC:
15°/24°/36°/55°
Mainsvoltage:
DC24V



Guardian

Guardian series, like a group of resolute and loyal guards, or tall, or exquisite, stand silently, with fearless state faithfully guard every inch of this garden land.





outdoors



Garden lamp



AC 220-240VAC 50/60HZ
IP65
3000K
Epistar LED
Pure Aluminum
36V
300MA







Garden lamp | AC 220-240VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |



Enlightenment
From Nature, Light
Penetration




OUTDOOR LIGHTING





Outdoor Lighting | 3000K | CREE LED | Aluminum | AC 220-240V AC 50/60HZ | Ip65 | 40° |

GR0258-350B
12W W140*L140*388H



GR0258-500B
26W W140*L140*532H






LIGHT LANGUAGE

Light language

The Light language series, like a masterpiece of art, stuns with its minimalist design appearance. The overall lines are smooth and natural like flowing clouds, as if it is the perfect integration of nature and modern technology. Every detail has been carefully crafted to show the ultimate level of craftsmanship.






Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |


GR0260-600A

12W




GR0260-900A

12W





GR0260-600B


12W



GR0260-900B

12W





Torch

Torch


The torch, the sacred symbol, is like a messenger of hope, allowing the light to gather strength in the transmission









Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |








Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |






Libra

Libra series, like justice and aesthetics interwoven into the art of the best, every line, every plane, are showing an impartial attitude, the light emitted from it, just like a beam of light bearing the hope of light and justice, showing a dignified atmosphere.



Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V | 300MA |






Pillar dream

Column dream series, simple lines outline the elegant outline, without a trace of superfluous modification, but exudes a pure and charming charm. When the light falls through the glass cover, the dreamy light and shadow intertwine together, as if weaving a blurred dream.







Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V |



Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V |






LIGHTLAND



lightland




The Light environment series, like a miracle of art, shines brightly in time. The cold texture of the metal, the warmth of the wood grain, the elegance of the marble collide with each other, weaving a beautiful symphony of visual and tactile.



Garden lamp | AC 90-260VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 30V | 100MA |

GR0610-420A
5W

GR0610-680A
5W






ASTRAL EDGE



ASTRAL EDGE


Star series, like the bright stars in the night sky came to earth. The crystal clear vertical stripe glass when the light is lit, the glass will be transformed into a magical mirror. Under the guidance of vertical stripes, the light is cleverly refracted and diffused, emitting a softer brilliance.






Garden lamp | AC 220-240VAC 50/60HZ | IP65 | 3000K | Epistar LED | Pure Aluminum | 36V |


LWA0259-300A
12W




LWA0259-500A
16W




LWA0259-700A
20W




LWA0259-1000A
25W





LWA0259-500B
16W



LWA0259-800B
20W



LWA0259-1200B
36W





I Will



I Will

Star wish series, like the gentle perch of the star in the world. The lamp body stands proudly in a minimalist posture, pure and neat,






garden light | 36V 300MA | 3000K | Aluminium

GR0552-520A

Ø140*520mm


12W



GR0552-820A

Ø140*820mm

12W



Black





Outdoor wall lamps | 36V 300MA | 3000K | Aluminium

LWA0552-1A


Ø140*80mm

12W



●
Black









Outdoor wall lamp | AC 220-240VAC 50/60HZ | IP54 | 3000K

—
LWA0928

110*H160mm
6W



○
White





Garden floor lamp | AC 220-240VAC 50/60HZ | IP54 | 3000K

GR0928-400A

110*H400mm
6W



GR0928-800A

110*H800mm
6W



Grey







Black



Courtyard lights

A smart lighting design
brand at the forefront of fashion






Courtyard lights

A smart lighting design
brand at the forefront of fashion

Courtyard lights

A smart lighting design
brand at the forefront of fashion





Courtyard lights | 36V,300MA | 3000K | Aluminium

GR0546-350A

159*183*365
12W



GR0546-550A

159*183*565
12W



GR0546-800A

159*183*815
12W



Details



White
 Blue
 Grey
 Black
 Orange

Wall lamp

A smart lighting design
brand at the forefront of fashion




Wall lamp | 12V,500MA | 3000K | Aluminium

LWA0932-1B

140*140*360

6W



Details



White Blue Grey Black Orange

Courtyard lights

A smart lighting design
brand at the forefront of fashion




Courtyard lights | 36V,300MA | 3000K | Aluminium

GR0548-500A

125*80*530


12W




GR0548-800A

125*80*830

12W



Details




White Blue Grey Black Orange

Ground light

A smart lighting design
brand at the forefront of fashion





Ground light | AC 220-240VAC 50/60HZ | IP54 | 3000K

GR0850-260B

Φ100*H260

3W

| 100mm |



| 260mm |



Black



Grey



White





Ground light

A smart lighting design
brand at the forefront of fashion



Ground light

A smart lighting design
brand at the forefront of fashion





Wall washer

A smart lighting design
brand at the forefront of fashion





Wall washer

A smart lighting design
brand at the forefront of fashion





Wall washer | AC 220-240VAC 50/60HZ | IP54 | 3000K

LWA0889-500A

L500*H90mm
10W



LWA0889-1000A

L1000*H90mm
22W



LWA0889-500B

L500*H90mm
10W



LWA0889-1000B


L1000*H90mm
22W



Grey



Black






Outdoor wall lamp

A smart lighting design
brand at the forefront of fashion





Outdoor wall lamp | AC 90-260VAC 50/60HZ | IP54 | 3000K

C0935-520A

L520*W90*H130mm
20W



●
Black

C0935-1080A

L1080*W90*H130mm
40W




○
White

●
Grey




Local details






| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


GR0876-1000A $\Phi 38 \times H 1000 \text{mm}$
16W



GR0876-600B $\Phi 38 \times H 600 \text{mm}$
16W



GR0876-600A $\Phi 38 \times H 600 \text{mm}$
8W



Ground-insertable



Base mountable





● black ○ white ● Dark grey



Courtyard lights

A smart lighting design
brand at the forefront of fashion






Courtyard lights | 36V,300MA | 3000K | Aluminium


GR0553-600A

Ø120*H600mm
12W




GR0553-900A

Ø120*H900mm
18W



GR0553-1200A


Ø120*H1200mm
24W




particulars



Black








| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


GR0863-1050B
50W

Φ160*H1050mm




GR0863-2050B
100W

Φ160*H2050mm



GR0863-1550B
70W


Φ160*H1550mm



● black ○ white ● Dark grey








| outdoor garden Lamp | IP54 | 3000K | Epistar LED |


GR0863-1050A
50W

Φ140*H1050mm




GR0863-2050A
100W

Φ160*H2050mm



GR0863-1550A
70W

Φ160*H1550mm



● black ○ white ● Dark grey