Decorative Stainless Steel Sheet
Stainless Steel Trim/Profile
Metal Cabinet
Commercial Entrance Door
Metal Divider/Partition/Screen
Custom Handrail Series
Metal Ceiling
Metal Cladding
Metal Signage
Water Ripple Stainless Steel Board
Stainless Steel T Profile

BRUNO *home*

Custom Handrail Series

Product Brochure



0001

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
1050	110	840	100





平台立柱
Platform columns

0002

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	110	640	100





楼梯立柱
Stair risers



单边夹 Single-Sided Clip



双边夹 Double Clamp



直角夹 Right Angle Clamp











不锈钢拉丝面
320 自然细拉丝
Stainless steel brushed surface
320 mesh fine drawing



电镀拉丝钛金
原色 - 酸洗 - 电镀
Electroplated brushed titanium
Raw colour - Pickling - Plating



电镀拉丝钛金
原色 - 酸洗 - 电镀
Electroplated brushed titanium
Raw colour - Pickling - Plating



电镀拉丝钛黑
原色 - 酸洗 - 电镀
Electroplated Brushed Titanium Black
Raw colour - Pickling - Plating




喷涂磨砂黑
原色 - 高温烤漆
Sprayed Brushed Black
Original colour - high temperature baked enamel




005









006



0003

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
1050	110	840	100





平台立柱（黑漆）
Platform columns (black lacquer)



楼梯立柱（黑漆）
Stair risers (black lacquer)

0004

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	110	640	100
















表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	
850	750	690	



方管内卡槽 01
Square tube inner slot 01

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	60	690	100

方管内卡槽 02
Square tube inner slot 02



表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	60	690	100

方管内卡槽 03
Square tube inner slot 03


LUXE









不锈钢拉丝面
320 目精细拉丝
Stainless steel brushed surface
320 mesh fine drawing



电镀拉丝玫瑰金
原色 - 酸洗 - 电镀
Electroplated brushed rose gold
Raw colour - Pickling - Plating




电镀拉丝钛金
原色 - 酸洗 - 电镀
Electroplated brushed titanium
Raw colour - Pickling - Plating




电镀拉丝钛黑
原色 - 酸洗 - 电镀
Electroplated Brushed Titanium Black
Original colour - pickling - plating



喷涂磨砂黑
原色 - 高温烤漆
Sprayed Brushed Black
Orginal colour - high tempesture baked enamel
















表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	
850	750	690	

方管内卡槽 - 黑漆 01
Square tube inner bayonet - black lacquered 01



表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	60	690	100

方管内卡槽 - 黑漆 02
Square tube inner bayonet - black lacquered 02



表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	60	690	100

方管内卡槽 - 黑漆 03
Square tube inner bayonet - black lacquered 03











0005


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240



装扶手立柱
Installation of handrail posts



无扶手立柱
Handrail-less columns

0006

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240











0007

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
InstallationExpansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240





JRS-8064- 黑漆
JRS-8064-Black paint

0008

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
InstallationExpansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240






JRS-8064- 黑漆 (无扶手)
JRS-8064-Black lacquer (without armrest)

















0009

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240

新款方零度夹
New Square Zero Degree Clip





0010

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240


新款方零度夹（无扶手）
New Square Zero Degree Clip (without armrests)











表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade


安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting



新中式双板立柱
New Chinese style double-plate column



新中式双板立柱 A
New Chinese Style Double-Panel Column A



新中式双板立柱 B
New Chinese Style Double-Panel Column B









0011


表面处理：磨砂 . 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240





新款方零度夹
New Square Zero Degree Clip

0012

表面处理：磨砂 . 镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	210	400	240





新款方零度夹
New Square Zero Degree Clip

0013

表面处理：磨砂 . 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting



新款方零度夹
New Square Zero Degree Clip











0014


表面处理：磨砂 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	100	700	50





菱形穿拉丝
Rhombus through drawn wire

0015


表面处理：磨砂 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	100	700	50





菱形夹木穿拉丝
Rhombus clamped wood through drawing

0016


表面处理：磨砂 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	100	700	50





菱形实木穿拉丝
Diamond-shaped solid wood through brushed














0017


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	100	700	50



0018

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	100	700	50





0019

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting









STAINLESS STEEL ENGINEERING
SERIES









0020

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	200	420	210





0021

表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210











0022

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0023

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade


安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210









0024


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0025

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Mark Function:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0026

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Mark Function:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0027

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210

0028

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0029

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0030


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210









0031

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：预埋螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210

0032

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：预埋螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210

0032

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：预埋螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0034


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0034

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0036

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0037

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210











0038

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0041



表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0042



表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade


安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0043







表面处理：磨砂，镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0044







0045


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0046


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0047


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting


Size(mm)			
A	B	C	D
850	220	420	210











0051

表面处理：磨砂 镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0052


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0053


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0054


表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0055

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0056

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210









0057

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0058

表面处理：磨砂、镜面
Surface treatment: frosted Mirror finish

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade


安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210






8239 系列护栏，应用于玻璃填充系统 / 8239 Series Railing Glass Infill System Application




1001

可选安装方式 Option Installation Methods




8240 系列护栏，应用于玻璃填充系统 / 8240 Series Railing Glass Infill System Application




1002

可选安装方式 Option Installation Methods




可选功能配置 Option function collocation



1003




1004





1005

可选配件 Option Items




8241 系列护栏，应用于玻璃填充系统
8241 Series Railing Glass Infill System Application





1006

可选安装方式 Option Installation Methods





8601 有槽扶手直接 Slotted armrest directly

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS



8602 90°有槽扶手接头 90° Grooved Rail Joint

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS



8603 90°有槽扶手接头 90° Grooved Rail Joint

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS



8604 有槽扶手封口 Slotted Armrest Sealing

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle




8605 有槽扶手万能接头 Slotted armrest universal jointt

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS




8606 有槽扶手扣件 Slotted Handrail Fastener

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle



编号 Code	φ
SK-3634-50	φ50.8

拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS




8607 圆形有槽扶手 Rounded Grooved Armrest

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD


主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS




8608 方形有槽扶手 Square Slotted Armrest

产品属性 Product features

表面处理：拉丝 / 镜光 /PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8609 球座活动扶手托架 Adjustable Handrail Bracket


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8610 上墙法兰 Wall Flange


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手管与墙 90°周定连接
Function:Use for round tube handrail andwall at90° connection

安装方式 : 墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3634-51	φ50.8



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8611 活动上墙接头 Activities on the wall joint


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手管与墙灵活角度固定连接
Function:Use for round tube handrail andwall at flexible angle

安装方式 : 墙上安装
Installation method:Wall mounting





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8612 活动扶手接头 Joint activities armrest

产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手管与墙灵活角度固定连接
Function:Use for round tube handrail andwall at flexible angle

安装方式 : 墙上安装
Installation method:Wall mounting





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8613 活动扶手弯头 Adjustable Angle


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8614 活动扶手弯头 Adjustable Angle


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8615 活动扶手弯头 Adjustable Angle


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8616 135°扶手弯头 135° Flush Elbow


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8617 弯头管子封口 End Scroll


产品属性 Product features

表面处理 : 拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 扶手与栏杆灵活角度固定连接
Function:Connect handrail and baluster at flexible angle

安装方式 : 圆管栏杆上简易击安装
Installation method:Fixed on the round tube baiuster by easy hit











[2001] [2002] [2003]



[2004] [2005] [2005] [2006] [2007]



[2008] [2009] [2010] [2012] [2013]

专业栏杆系统
PROFESSIONAL RAILING SYSTEM



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8618 方管封口盖 End Cap


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 方管扶手封口
Function:Seal the ends of square tube handrail

安装方式 : 方管扶手上胶水粘结安装
Installation method:Fixed on the square tube handrails by glue





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8619 方管扶手接驳头 Handrail Connector


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 方管扶手 180° 接驳连接
Function:Connect the square tube at 180°

安装方式 : 方管扶手上胶水粘结安装
Installation method:Fixed on the square tube handrails by glue





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8619 方管扶手接驳头 Handrail Connector


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 方管扶手 90° 接驳连接
Function:Connect the square tube at 90°

安装方式 : 方管扶手上胶水粘结安装
Installation method:Fixed on the square tube handrails by glue





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8621 活动双管扶手接头 Adjustable double pipe handrail connector

产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能 : 方管扶手灵活角度接驳连接
Function:Connect the square tube handrail atflexible angle

安装方式 : 方管扶手之间胶水粘结安装
Installation method:Fixed on the square tube handrails by glue





Reid Metal Square Tube Assemblies Series



Perfect Square Tube Components SeriesSquare Line meets today's demand for stylish railing systems.You can easily integrate thesecomponents to transform the appearance of existing systems without needing to replace theentire railing.



型号 /Model：[2014]

实心铸件活动头（镜光）
Solid cast movable head (mirror finish)



型号 /Model：[2015]

实心铸件活动头（砂光）
Solid cast movable head (sanded)



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8622 方形外装底座 Square Baluster Bracket


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：栏杆与侧墙固定连接
Function:Connect and fix baluster to wall

安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3539-38	φ38.1
SK-3539-42	φ42.4
SK-3539-51	φ50.8



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

8623 圆形外装底座 Round Baluster Bracket


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：栏杆与侧墙固定连接
Function:Connect and fix baluster to wall


安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3539-38	φ38.1
SK-3539-42	φ42.4
SK-3539-51	φ50.8

8623 安装示意图

Installation Sketch Map









[2016]

[2017]


[2018]


Reed Metal Handrail Elbow System

Elbow offers a quick,agile way to mount your railing solution.
If you have customers who want to keep up with the latest architectural trends in their home or office,elbow allowes.

1.Angle adustable:Handrail elbow series all these items with ciever angle adustable function,suitable for handrallinstallation under different conditions.
2.All fusn elbows allow you to connect railing components by metal glue,instead of expensive welding tools andtime-consuming processing.
3.It leaves a clean connection to secure metal construtions with unparalleled bonding power.







Reed Metal Railing Handrail Block

Aside from the obvious time and cost outlay, the bottom line of another welding method is that you can't make a mistake or change your mind. Both are also used for drilled connections. If the ground is uneven, these traditional methods will lead to unnecessary delays and damage.

1, lifting and flexible: handrail holders provide flexibility to install without wasting time or materials. For example, our guardrail bracket has flexible lifting function.
2, Embedded balustrade handrail seat can be bonded by metal glue without surface rough welding process.
3, Firmly bonding construction metal with its superb bonding strength, leaving no traces.





[2019]



[2020]



型号/Model [3001]

技术要点
材质：304#
表面处理：砂光 . 镜面 . 金色
功能：扶手封口

Points techniques
Material: 304#
Surface treatment: SSS.PSS.PVD
Function: Handrail closure



型号/Model [3002]

技术要点
材质：铝合金
表面处理：灰银 . 香槟金 . 哑黑炭
功能：扶手封口

Points techniques
Material: aluminium alloy
Surface treatment: grey silver. Champagne gold. Matte black charcoal
Function: Handrail closure



型号/Model [3003]

技术要点
材质：304#
表面处理：砂光 . 镜面 . 金色
功能：扶手封口

Points techniques
Material: 304#
Surface treatment: SSS.PSS.PVD
Function: Handrail closure



型号/Model [3004]

技术要点
材质：铝合金
表面处理：灰银 . 香槟金 . 哑黑炭
功能：铝配件

Points techniques
Material: aluminium alloy
Surface treatment: grey silver. Champagne gold. Matte black charcoal
Function: Aluminium fittings



型号/Model [3005]


技术要点
材质：SUS 304 不锈钢
表面处理：砂光 . 镜光 . 金色
备注：管连接件

Points techniques
Material: SUS 304 stainless steel
Surface treatment:SSS.PSS.PVD
Remarks: Pipe connectors











Reid Metal Handrail Bracket



3215



The supports used for handrails are often hampered by damage to the protection.
The Reid Railing System offers fixed wall handrail brackets so that you can retain the original style of the railing. Installation is quick and easy, cost effective and stylish.



专业栏杆系统
PROFESSIONAL RAILING SYSTEM

8626 活动扶手托架 Adjustable Handrail Bracket



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与墙灵活角度固定连接，可调节扶手高度
Function:Connect handrail and wall atflexible angle.height adjustable

安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3227-42	φ42.4
SK-3227-51	φ50.8

8627 扶手托架 Handrail Bracket



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与墙灵活角度固定连接，可调节扶手高度
Function:Connect handrail and wall atflexible angle.height adjustable

安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3227-42	φ42.4
SK-3227-51	φ50.8

8628 活动扶手托架 Adjustable Handrail Bracket



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与墙灵活角度固定连接，可调节扶手高度
Function:Connect handrail and wall atflexible angle.height adjustable

安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3227-42	φ42.4
SK-3227-51	φ50.8

8629 扶手托架 Handrail Bracket



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与墙灵活角度固定连接，可调节扶手高度
Function:Connect handrail and wall atflexible angle.height adjustable

安装方式：墙上安装
Installation method:Wall mounting



编号 Code	φ
SK-3227-42	φ42.4
SK-3227-51	φ50.8

Reid Metal Glass Handrail Bracket System









The super slim support bracket can be attached to thesupport by means of the glas panel. It is an extremely attractive solution for the quickinstallation of modem,stylish handrail systems.

8635 玻璃扶手托架 Handrail Bracket For Glass


产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：扶手与玻璃固定连接
Function:Connect handrail and glass

安装方式：安装在玻璃上
Installation method:Fixed on glass



编号 Code	φ
SK-1218-42	φ42.4
SK-1218-51	φ50.8





拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS



8636

产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：圆管栏杆与玻璃固定连接，可左右调整 +/-3° Function:Connect round tube baluster and glass+/_3° adjistable for left and right

安装方式：圆管栏杆上内六角螺丝拧紧安装
Installation method:Fixed on the round tubebaluster by tightening theimmer hesagon screws



8637

产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：圆管栏杆与玻璃固定连接，可左右调整 +/-3° Function:Connect round tube baluster and glass+/_3° adjistable for left and right

安装方式：圆管栏杆上内六角螺丝拧紧安装
Installation method:Fixed on the round tubebaluster by tightening theimmer hesagon screws

JRS-8638




产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：圆管栏杆与玻璃固定连接，可左右调整 +/-3° Function:Connect round tube baluster and glass+/_3° adjistable for left and right

安装方式：圆管栏杆上内六角螺丝拧紧安装
Installation method:Fixed on the round tubebaluster by tightening theimmer hesagon screws



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

编号 Code	φ
SK-1442-42	φ42.4
SK-1442-51	φ50.8

JRS-8639




产品属性 Product features

表面处理：拉丝 / 镜光 PVD
Finish:Satin/Polish/PVD

主要材质 :SUS304/SUS316 不锈钢
Material:SUS304/SUS316 Stainless Steel

主要功能：圆管栏杆与玻璃固定连接，可左右调整 +/-3° Function:Connect round tube baluster and glass+/_3° adjistable for left and right

安装方式：圆管栏杆上内六角螺丝拧紧安装
Installation method:Fixed on the round tubebaluster by tightening theimmer hesagon screws



拉丝 SSS
Wire Drawing SSS

拉丝 SSS
Wire Drawing SSS

编号 Code	φ
SK-1443-42	φ42.4
SK-1443-51	φ50.8

8629 安装示意图
Installation Sketch Map





JRS-8629,JRS-8630 与圆管栏杆固定时，可以左右调整 +/-3°，方便调整玻璃垂直。
When fix JRS-8629,RS-8630with round tube balustet,it can be +/30 adjustable for left and night to adjust the uprightness of glass



0059


表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0060

表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0061

表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0062


表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0063

表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0064

表面处理：砂光、镜光
Finish:satin、mirror light


主要材质：不锈钢
Main material: stainless steel


主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210











表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0065

表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0066

表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0067


表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0068


表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0069


表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210






0070








表面处理：砂光、镜光
Finish:satin、mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0071

0072

0073



单边扁钢夹 Single Side Flat Steel Clip



双边扁钢夹 Bilateral flat steel clips




90°扁钢夹 90° flat steel clip



0074



0075



0076



0077

表面处理：砂光、镜光
Finish:satin, mirror light


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0078


表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0079

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0080

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0081

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0082

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210








常规拉丝筒
Conventional Drawing Cylinder





0083

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210




不锈钢拉丝面
Brushed stainless steel


电镀拉丝玫瑰金
Electroplated brushed rose gold


电镀拉丝钛金
Electroplated brushed titanium


电镀拉丝黑钛
Electroplated brushed black titanium


喷涂磨砂黑
Painted Brushed Black



实心拉丝管
Solid drawn tube



空心拉丝管
Hollow Drawing Tube



拉丝堵头
Drawing Plugs




拉丝直接头
Brushed Direct Heads



拉丝万向
Brushed Universal







0084

表面处理：砂光、镜光
Finish:satin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210










常规拉丝筒
Conventional Drawing Cylinder



0085

表面处理：砂光、镜光
Finishsatin, mirror light


主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210







0086

表面处理：砂光、镜光
Finishsatin, mirror light

主要材质：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation:Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210









METAL

GENERAL COLUMN SERIES




0087

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting






0088


表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting













0092

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：木牙螺丝地面安装
Installation:Wooden teeth screws ground mounting



0093

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

0094

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

0095


表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting





0096

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

0097

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

0098


表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting





0099

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting





0100

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting






0101

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting






0101

表面处理：砂光
Surface treatment: sanding

主材料：不锈钢
Main material: stainless steel

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting









0102

表面处理：砂光
Surface treatment: sanding

主材料：铝镁＋木
Main material: aluminium-magnesium + wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

0103

表面处理：砂光
Surface treatment: sanding

主材料：铝镁＋木
Main material: aluminium-magnesium + wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting


0104

表面处理：砂光
Surface treatment: sanding

主材料：铝镁＋木
Main material: aluminium-magnesium + wood

主功能：起步柱
Main function: Starting column

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting






0105

表面处理：玫瑰金
Finish: Rose Gold

主材料：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting



Size(mm)			
A	B	C	D
850	220	420	210



0106

表面处理：钛金
Finish: Titanium

主材料：不锈钢
Main material: stainless steel

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade


安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting



Size(mm)			
A	B	C	D
850	220	420	210







0107


表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0108

表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210






METAL

Meticulous craftsmanship, in whichevery part is finely selected,ensures high standard and highquality. This is totally the essenceof excellent technology.





0109


表面处理：钛金
Finish: Titanium

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0110


表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0111


表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0112

表面处理：砂光，镜面
Surface treatment: sanding, mirror


主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210





0113


表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0114

表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210






表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850	220	420	210



0115

表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850			





0116

表面处理：砂光，镜面
Surface treatment: sanding, mirror

主材料：不锈钢夹木
Main material: stainless steel sandwich wood

主要功能：玻璃与栏杆固定连接
Main Functions:Fixed connection between glass and balustrade

安装方式：膨胀螺丝地面安装
Installation: Expansion screws ground mounting

Size(mm)			
A	B	C	D
850			





0117





0118(侧装 Side-Loading)



0119(侧装 Side-Loading)



0120(侧装 Side-Loading)













普通圆形小立柱
Ordinary round small column



普通方形小立柱
Ordinary square small column



圆形小立柱 8636
Round small column 8636



方形小立柱 8637
Square small column 8637



方形小立柱
Small square columns



方管小立柱
Square Tube Small Column



方管小立柱
Square Tube Small Column



双钢板形小立柱
Double Steel Plate Small Column



双板斜顶小立柱
Double Plate Sloping Top Small Column



双板圆顶小立柱
Small column with double-plate dome



单板弧形月牙小立柱
Veneer Curved Crescent Small Columns



















不锈钢原色铝槽
Stainless steel primary colour aluminium channel

烤黑漆铝槽
Black lacquered aluminium channel

拉丝玫瑰金铝槽
Brushed rose gold aluminium channel

拉丝钛金铝槽
Brushed titanium aluminium channel

U 型实心铝槽
U-shaped solid aluminium channel













铁槽
Metal Groove









Stainless Steel Handrail Tube And Handrail Connection Fittings



不锈钢 51 圆管
Stainless steel 51 round tube

51 封口
51 Seal

51 直接头
51 Direct Header

51 焊接弯头
51 Welded Elbow


51 弧形弯头
51 Arc Elbow

51 直角弯头
51 Right Angle Elbow

51 万向弯头
51 Universal Elbow

51 上墙法兰
51 Upper Wall Flange

51 活动法兰
51 Activity Flange



不锈钢 63 圆管
Stainless steel 63 round tube

63 封口
63 Seal

63 直接头
63 Direct Header

63 焊接弯头
63 Welded Elbow


63 弧形弯头
63 Arc Elbow

63 直角弯头
63 Right Angle Elbow

63 万向弯头
63 Universal Elbow

63 上墙法兰
63 Upper Wall Flange

63 活动法兰
63 Activity Flange



不锈钢 50 方管
Stainless steel 50 square tube

封口
Sealer

直接头
Directly

直角弯头
Right Angle Elbow


万向弯头
Universal Elbow

楼梯弯头
Staircase elbow

法兰
Flangeless

活动法兰
Movable Flange

Stainless steel handrail tube and handrail connection fittings



不锈钢椭圆管 80*40
Stainless steel oval tube 80*40

封口
Sealer

直接头
Directly

焊接弯头
Welded Elbows

弧形弯头
Arc elbow

万向弯头
Universal Elbow

楼梯弯头
Staircase elbow

法兰
Flangeless



不锈钢 51 圆槽管
Stainless steel 51 round grooved tube

封口
Sealer


直接头
Directly

平弯头
Flat Elbow

竖弯头
Vertical Elbow

万向弯头
Universal Elbow

法兰
Flangeless



不锈钢 50 方槽管
Stainless steel 50 square grooved tube

封口
Sealer


直接头
Directly

直接弯头
Direct Elbow

万向弯头
Universal Elbow

法兰
Flangeless

PVC handrail pipe and handrail connection fittings



PVC 直径 50 圆管
PVC 50 diameter round tube

封口
Sealer

直接头
Directly

万向接头
Universal joint




PVC 椭圆管 75*35
PVC oval pipe 75*35

封口
Sealer

直接头
Directly

万向接头
Universal joint



PVC 马蹄形管
PVC Horseshoe Pipe

封口
Sealer

直接头
Directly

万向接头
Universal joint

PVC handrail pipe and handrail connection fittings



实心拉丝管
Solid drawn tube

拉丝封口
Drawing Seal

拉丝直接
Drawing Direct

万向接头
Universal joint



空心拉丝管
Hollow Drawing Tube

拉丝封口
Drawing Seal

拉丝直接
Drawing Direct

万向接头
Universal joint

Stainless Steel Glass Clip



单边扁钢夹
Single Side Flat Steel Clip



双边扁钢夹
Bilateral flat steel clips



90°扁钢夹
90° flat steel clip



双边弧形精铸夹
Bilateral curved precision casting clamps



双边弓形精铸夹
Bilateral Bowed Precision Casting Clamps



扇形精铸夹
Sector Precision Casting Clamps



可调扇形精铸夹
Adjustable fan-shaped precision casting clamp



工字型精铸夹
I-beam Precision Casting Clamps



单边 L 型精铸夹
Single-side L-shaped precision casting clamp



90°圆棒夹
90° round bar clamp



可调节圆棒夹
Adjustable Round Bar Clamp



L 型圆棒夹
L-type round bar clamp



角钢夹
Angle clamp



角码夹
Corner Bracket



鱼嘴夹
Fish Mouth Clip



常规鱼嘴夹
Regular Fish Mouth Clip




精铸鱼嘴夹
Precision Cast Fish Mouth Clip



方夹子
Square Clip





Stainless Steel Glass Tray









常规玻璃托
Conventional Glass Tray



可调节玻璃托
Adjustable glass holder



精铸玻璃托
Precision cast glass holder



玻璃托 01
Glass Bracket 01

玻璃托 02
Glass Bracket 02

大号玻璃托

Stainless steel wall bracket



墙托（标准款）
Wall bracket (standard)



可调节墙托
Adjustable wall bracket



可伸缩墙托
Retractable wall bracket



墙托 01
Wall bracket 01




墙托 02
Wall bracket 02



墙托 03
Wall bracket 03







方管穿钢丝绳立柱 01
Square Tube Wire Rope Column 01



方管穿钢丝绳立柱 02
Square Tube Wire Rope Column 03



方管穿钢丝绳立柱 03
Square Tube Wire Rope Column 03

















Wire rope accessories



钢丝绳紧固件
Wire rope fasteners



钢丝绳
Wire Rope










大钢板刀片立柱
Large Steel Plate Blade Column



大钢板双刀片立柱
Large steel plate double blade column

















方形夹子工程立柱（定制款）
Square Clamp Engineering Columns (Customised Model)



方形夹子单板工程立柱（定制款）
Square clip veneer engineering column (customised model)







Batch products out of warehouse display



